

R A L P H L A U R E N

L I G H T I N G

TABLE OF CONTENTS

TABLE	02
FLOOR	42
CEILING	86
WALL	172
INDEX	230
EU INDEX	235



TABLE LAMPS



RL3473CG/PN-P

Felix Table Lamp
in Crystal and
Polished Nickel
with Percale Shade
Height: 33"
Width: 19"
Base: 7.75" X-Base

Finishes: CG/PN
Shade Treatments: P
Shade Details:
14" x 19" x 14"

Socket:
2 - E26 Keyless
w/Pull Chain
Wattage: 2 - 60 A

RL3473CG/PN-P-EU
(European Wiring)



RL3472CG/PN-P

Felix Accent Lamp
in Crystal and
Polished Nickel
with Percale Shade
Height: 20.5"
Width: 18"
Base: 8" x 12.5"
X-Base

Finishes: CG/PN
Shade Treatments: P
Shade Details:
15" x 18" x 9" Oval

Socket:
2 - E26 Keyless
w/Pull Chain
Wattage: 2 - 60 A

RL3472CG/PN-P-EU
(European Wiring)



RL3966PN/Q-P

Ellis Table Lamp
in Polished Nickel
and Quartz with
Percale Shade
Height: 30.5"
Width: 17"
Base: 6" Square

Finishes: NB, PN
Shade Treatments: P
Shade Details:
16" x 17" x 12" Square

Socket: E26 Dimmer
Wattage: 75 A

RL3966PN/Q-P-EU
(European Wiring)



RL3965PN/Q-P

Ellis Bedside Lamp
in Polished Nickel
and Quartz with
Percale Shade
Height: 22.5"
Width: 15"
Base: 6.5" x 9.5"
Rectangle

Finishes: NB, PN
Shade Treatments: P
Shade Details:
14" x 15" x 10"
Rectangle

Socket: E26 Dimmer
Wattage: 75 A

RL3965PN/Q-P-EU
(European Wiring)



RL3936CG-S
Metropolis Table
Lamp in Clear Glass
with Silk Shade
Height: 29"
Width: 21"
Base: 8" Round

Finishes: CG
Shade Treatments: S
Shade Details:
7" x 21" x 13"

Socket: E26 Dimmer
Wattage: 100 A

RL3936CG-S-EU
(European Wiring)



RL3921CCG-P
Cagan Small Table
Lamp in Clear
Carved Glass with
Percale Shade
Height: 21.5"
Width: 18"
Base: 7.75" Round

Finishes: CCG
Shade Treatments: P
Shade Details:
15" x 18" x 10"

Socket: E26 Dimmer
Wattage: 100 A

RL3921CCG-P-EU
(European Wiring)



RL3943NB/WG-P
Linden Table Lamp
in Natural Brass
and White Strie
Glass with
Percale Shade
Height: 30.25"
Width: 19"
Base: 7.5" Round

Finishes: NB, PN
Shade Treatments: P
Shade Details:
17" x 19" x 12"

Socket: E26 Dimmer
Wattage: 75 A

RL3943NB/WG-P-EU
(European Wiring)



RL3943PN/WG-P
Linden Table Lamp
in Polished Nickel
and White Strie
Glass with
Percale Shade

RL3943PN/WG-P-EU
(European Wiring)



RL11167PS-P
Modern Table
Lamp in Polished
Silver with White
Paper Shade
Height: 30" - 33"
Width: 26"
Base: 9.25" Round

Finishes:
BZ, NB, PS
Shade Treatments: WP
Shade Details:
7" x 26" x 14.5"

Socket: E26 3-Way
Wattage: 150 A

RL11167PS-P-EU
(European Wiring)



RL15020PN
Brookings Table Lamp
in Crystal and
Polished Nickel with
White Paper Shade

RL15020PN-EU
(European Wiring)



RL15020PN
Brookings Table Lamp
in Crystal and
Polished Nickel with
White Paper Shade
Height: 22"
Width: 15"
Base: 8" Round

Finishes: PN
Shade Treatments: WP
Shade Details:
14" x 15" x 8.5"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL15020PN-EU
(European Wiring)



RL3920CG-WP
Brookings Large Table
Lamp in Crystal and
Polished Nickel with
White Paper Shade
Height: 29"
Width: 18"
Base: 12" Round

Finishes: CG
Shade Treatments: WP
Shade Details:
17" x 18" x 10.5"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL3920CG-WP-EU
(European Wiring)



RL3086PN-S
Briggs Table Lamp
in Polished Nickel
with Silk Shade
Height: 29.75"
Width: 15"
Base: 8" Round

Finishes: CG, PN
Shade Treatments: S
Shade Details:
15" x 15" x 10"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 40 A

RL3086PN-S-EU
(European Wiring)



RL3086CG-S
Briggs Table Lamp
in Crystal with
Silk Shade

RL3086CG-S-EU
(European Wiring)



RL14072PN-S
Noble Estate Large
Vase Table Lamp in
Crystal with Silk Shade
Height: 29" - 33"
Width: 18"
Base: 5.75" Square

Finishes: CG
Shade Treatments: S
Shade Details:
10" x 18" x 13"

Socket: E26 Dimmer
Wattage: 150 A

Note:
French Wired/
Do Not Place in
Direct Sunlight

RL14072PN-S-EU
(European Wiring)



RL3905CG-S
Daniela Accent
Lamp in Crystal
with Silk Shade
Height: 12.5"
Width: 7.5"
Base: 2.5" Round

Finishes: CG
Shade Treatments: S
Shade Details:
4" x 7.5" x 6"

Socket: E26 Keyless
w/Line Switch
Wattage: 60 B

Note: French Wired

RL3905CG-S-EU
(European Wiring)



RL3909CG-SP
Grace Buffet Lamp
in Crystal with
Pleated Silk Shade
Height: 34.25"
Width: 10"
Base: 7.5" Round

Finishes: CG
Shade Treatments: SP
Shade Details:
6.5" x 10" x 8.5"

Socket: E26 On-Off
Wattage: 60 A

RL3909CG-SP-EU
(European Wiring)



RL14000PN-S
Marissa Table Lamp
in Clear Crystal
with Silk Shade
Height: 27" - 31.5"
Width: 21"
Base: 9" Octagon

Finishes: BG, PN
Shade Treatments: S
Shade Details:
10" x 21" x 13.25"

Socket: E26 3-Way
Wattage: 150 A

Note: French Wired

RL14000PN-S-EU
(European Wiring)



RL14040PN-S
Daniela Table Lamp
in Crystal with
Silk Shade
Height: 28" - 32"
Width: 21"
Base: 7" Round

Finishes: PN
Shade Treatments: S
Shade Details:
10" x 21" x 13.25"

Socket: E26 Dimmer
Wattage: 150 A

Note: French Wired

RL14040PN-S-EU
(European Wiring)



RL3941CG/NB-P
Varick Table Lamp
in Crystal and
Natural Brass with
Percalé Shade

Height: 32.75"
Width: 15"
Base: 6.5" Square

Finishes:
CG/NB, CG/PN
Shade Treatments: P
Shade Details:
7" x 15" x 11"

Socket: E26 Dimmer
Wattage: 60 A

RL3941CG/NB-P-EU
(European Wiring)



RL3941CG/PN-P
Varick Table Lamp
in Crystal and
Polished Nickel with
Percalé Shade

RL3941CG/PN-P-EU
(European Wiring)



RL3183NB-L
Westbury Table Lamp
in Natural Brass
with Linen Shade

Height: 25.5"
Width: 16.75"
Base: 6.5" x 10" Oval

Finishes: NB, PN
Shade Treatments: L
Shade Details:
15" x 16.75" x 10.5"
Oval

Socket: E26 Dimmer
Wattage: 150 A

RL3183NB-L-EU
(European Wiring)



RL3183PN-L
Westbury Table Lamp
in Polished Nickel
with Linen Shade

RL3183PN-L-EU
(European Wiring)



RL3094NB-L
Barrett Medium
Knurled Table Lamp
in Natural Brass
with Linen Shade

Height: 28.5"
Width: 17.5"
Base: 9" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
16.75" x 17.5" x 11.25"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL3094NB-L-EU
(European Wiring)



RL3094PN-L
Barrett Medium
Knurled Table Lamp
in Polished Nickel
with Linen Shade

RL3094PN-L-EU
(European Wiring)



RL3393NB-NB
Barrett Knurled Buffet
Lamp in Natural
Brass with Natural
Brass Shade

Height: 33"
Width: 11.5"
Base: 7" Round

Finishes: NB, PN
Shade Treatments:
NB, PN
Shade Details:
4" x 11.5" x 7.75"


Socket: E26 Dimmer
Wattage: 60 A

RL3393NB-NB-EU
(European Wiring)



RL3393PN-PN
Barrett Knurled Buffet
Lamp in Polished
Nickel with Polished
Nickel Shade

RL3393PN-PN-EU
(European Wiring)



RL3040NB-PW
Cara Sculpted Table
Lamp in Natural
Brass with Plaster
White Shade
Height: 21"
Width: 18"
Base: 8" Round

Finishes:
BZ, NB, PN
Shade Treatments: PW

LED: 12w

RL3040NB-PW-EU
(European Wiring)



RL3040PN-PW
Cara Sculpted Table
Lamp in Polished
Nickel with Plaster
White Shade

RL3040PN-PW-EU
(European Wiring)



RL3130NB-L
Hollis Large
Table Lamp in
Natural Brass
with Linen Shade
Height: 32.75"
Width: 16"
Base: 10" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
15" x 16" x 10.75"

Socket: E26 Dimmer
Wattage: 100 A

RL3130NB-L-EU
(European Wiring)



RL3130PN-L
Hollis Large
Table Lamp in
Polished Nickel
with Linen Shade

RL3130PN-L-EU
(European Wiring)



RL3040NB-PW
Cara Sculpted Table
Lamp in Natural
Brass with Plaster
White Shade

RL3040NB-PW-EU
(European Wiring)





RL3531NB-P
Bleeker Large
Paneled Table Lamp
in Natural Brass
with Percale Shade

RL3531NB-P-EU
(European Wiring)

R A L P H L A U R E N

RL3531PN-P
Bleeker Large
Paneled Table Lamp
in Polished Nickel
with Percale Shade

Height: 29"
Width: 20"
Base: 6.25" Square

Finishes: NB, PN
Shade Treatments: P
Shade Details:
18" x 20" x 12"
Rectangle

Socket:
E26 Dimmer
Wattage: 75 A

RL3531PN-P-EU
(European Wiring)



RL3822PN-WP
Montgomery Table
Lamp in Polished
Nickel with White
Paper Shade

Height: 29"
Width: 18"
Base: 6" Round

Finishes: PN
Shade Treatments: WP
Shade Details:
16" x 18" x 12"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL3822PN-WP-EU
(European Wiring)



RL3082NB-WP
Allen Table Lamp
in Natural Brass and
Glass Rods with
White Paper Shade

Height: 30"
Width: 18"
Base: 8.5" Round

Finishes: NB, PN
Shade Treatments: WP
Shade Details:
16" x 18" x 12"

Socket: E26 Dimmer
Wattage: 100 A

RL3082NB-WP-EU
(European Wiring)



RL3082PN-WP
Allen Table Lamp
in Polished Nickel
and Glass Rods with
White Paper Shade

Height: 30"
Width: 18"
Base: 8.5" Round

Finishes: NB, PN
Shade Treatments: WP
Shade Details:
16" x 18" x 12"

Socket: E26 Dimmer
Wattage: 100 A

RL3082PN-WP-EU
(European Wiring)



RL15032BKP
Gable Table Lamp
in Black and
Gold Porcelain
with Silk Shade

RL15032BKP-EU
(European Wiring)

RALPH LAUREN

RL15032BKP
Gable Table Lamp
in Black and Gold
Porcelain with
Silk Shade
Height: 34"
Width: 21"
Base: 9.75" Round

Finishes: BLK, WHT
Shade Treatments: S
Shade Details:
10" x 21" x 13"

Socket: E26 3-Way
Wattage: 150 A

RL15032BKP-EU
(European Wiring)



RL15032GD
Gable Table Lamp
in White and Gold
Porcelain with
Silk Shade

RL15032GD-EU
(European Wiring)



RL3650BW-S
Foo Dog Large
Table Lamp in
Blue and White
with Silk Shade
Height: 35.5" - 38.5"
Width: 26"
Base: 13" Round

Finishes: BLW
Shade Treatments: S
Shade Details:
8.5" x 26" x 16"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 75 A

RL3650BW-S-EU
(European Wiring)



RL3649BW-S
Foo Dog Medium
Table Lamp in
Blue and White
Porcelain with
Silk Shade
Height: 27"
Width: 21"
Base: 9" Round

Finishes: BLW
Shade Treatments: S
Shade Details:
7" x 21" x 13"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 75 A

RL3649BW-S-EU
(European Wiring)



RL3633BC-WP
Halifax Small Table
Lamp in Blue
Ceramic with White
Paper Shade
Height: 27.5"
Width: 19"
Base: 10.75" Round

Finishes:
BC, BLK, ICO
Shade Treatments: WP
Shade Details:
14" x 19" x 13"

Socket: E26 Dimmer
Wattage: 100 A

RL3633BC-WP-EU
(European Wiring)



RL3633ICO-WP
Halifax Small Table
Lamp in Coconut with
White Paper Shade

RL3633ICO-WP-EU
(European Wiring)



RL3634BC-WP
Halifax Large Table
Lamp in Blue
Ceramic with White
Paper Shade
Height: 36"
Width: 25"
Base: 14" Round

Finishes:
BLC, BLK, ICO
Shade Treatments: WP
Shade Details:
19" x 25" x 18"

Socket:
E26 Dimmer
Wattage: 150 A

RL3634BC-WP-EU
(European Wiring)



RL3634ICO-WP
Halifax Large Table
Lamp in Coconut with
White Paper Shade

RL3634ICO-WP-EU
(European Wiring)



RL3634BLK-WP
Halifax Large Table
Lamp in Black
Ceramic with White
Paper Shade

RL3634BLK-WP-EU
(European Wiring)



RL3622CBZ-L
Isla Small Table
Lamp in Crystal
Bronze Ceramic
with Linen Shade
Height: 28"
Width: 19"
Base: 7.5" Square

Finishes: CBZ, WLC
Shade Treatments: L
Shade Details:
17" x 19" x 12"

Socket: E26 Dimmer
Wattage: 150 A

RL3622CBZ-L-EU
(European Wiring)



RL3622WLC-L
Isla Small Table
Lamp in White
Leather Ceramic
with Linen Shade

RL3622WLC-L-EU
(European Wiring)



RL3623CBZ-L
Isla Large Table
Lamp in Crystal
Bronze Ceramic
with Linen Shade
Height: 35"
Width: 21"
Base: 8" Square

Finishes: CBZ, WLC
Shade Treatments: L
Shade Details:
19" x 21" x 13"

Socket:
E26 Dimmer
Wattage: 150 A

RL3623CBZ-L-EU
(European Wiring)



RL3623WLC-L
Isla Large Table
Lamp in White
Leather Ceramic
with Linen Shade

RL3623WLC-L-EU
(European Wiring)



RL3622WLC-L
Isla Small Table
Lamp in White
Leather Ceramic
with Linen Shade

RL3622WLC-L-EU
(European Wiring)



RL3625BLK-WP
Carter Small Table
Lamp in Black
Porcelain with White
Paper Shade

RL3625BLK-WP-EU
(European Wiring)



RALPH LAUREN

RL3625BLK-WP
Carter Small Table
Lamp in Black
Porcelain with White
Paper Shade
Height: 25"
Width: 19"
Base: 7" Round

Finishes: BLK, WHT
Shade Treatments: WP
Shade Details:
14" x 19" x 13"

Socket: E26 Dimmer
Wattage: 150 A

RL3625BLK-WP-EU
(European Wiring)



RL3625WT-WP
Carter Small Table
Lamp in White
Porcelain with White
Paper Shade

RL3625WT-WP-EU
(European Wiring)



RL3627BLK-WP
Carter Large Table
Lamp in Black
Porcelain with
White Paper Shade
Height: 36.5"
Width: 22"
Base: 12" Round

Finishes: BLK, WHT
Shade Treatments: WP
Shade Details:
19" x 22" x 15"

Socket: E26 Dimmer
Wattage: 150 A

RL3627BLK-WP-EU
(European Wiring)



RL3627WT-WP
Carter Large Table
Lamp in White
Porcelain with White
Paper Shade

RL3627WT-WP-EU
(European Wiring)



RL3470ICR-S
Upper Fifth Table
Lamp in Ivory Croc
and Polished Nickel
with Silk Shade
Height: 33" - 37.5"
Width: 19"
Base: 6.25" Round

Finishes:
BCR/PN, BLK/NB,
BLU, BRN, ICR/PN
Shade Treatments: S
Shade Details:
17" x 19" x 11"

Socket: E26 Dimmer
Wattage: 150 A

RL3470ICR-S-EU
(European Wiring)



RL3470BCR-S
Upper Fifth Table
Lamp in Black Croc
and Polished Nickel
with Silk Shade

RL3470BCR-S-EU
(European Wiring)



RL3470BRN-S
Upper Fifth Table
Lamp in Brown Croc
with Silk Shade

RL3470BRN-S-EU
(European Wiring)



RL3470BLU-S
Upper Fifth Table
Lamp in Navy Blue
Croc with Silk Shade

RL3470BLU-S-EU
(European Wiring)



RL3470BLK-S
Upper Fifth Table
Lamp in Black Faux
Croc and Natural Brass
with Silk Shade

RL3470BLK-S-EU
(European Wiring)





RL14042PN-L
Beckford Table Lamp
in Saddle Leather
with Linen Shade

RL14042PN-L-EU
(European Wiring)

R A L P H L A U R E N

RL14042PNCH-L
Beckford Table Lamp
in Chocolate with
Linen Shade
Height: 23" - 25.5"
Width: 15"
Base: 8.5" Round

Finishes:
BK, CHC, SDL
Shade Treatments: L
Shade Details:
14" x 15" x 10"

Socket: E26 Dimmer
Wattage: 150 A

RL14042PNCH-L-EU
(European Wiring)



RL14042BK-L
Beckford Table Lamp
in Black Faux Croc
with Linen Shade

RL14042BK-L-EU
(European Wiring)



RL3491NB/NVY-P
Garner Table Lamp
in Natural Brass
and Navy Leather
with Percale Shade
Height: 29.75" - 31"
Width: 20"
Base: 7.5" Round

Finishes:
NB/NVY, NB/SDL,
PN/CHC
Shade Treatments: P
Shade Details:
6" x 20" x 11.25"

Socket:
2 - E26 Keyless
w/Pull Chain
Wattage: 2 - 40 B

RL3491NB/NVY-P-EU
(European Wiring)



RL3491PN/CHC-P
Garner Table Lamp
in Polished Nickel
and Chocolate Leather
with Percale Shade

RL3491PN/CHC-P-EU
(European Wiring)



RL3480MHG-L
Healey Table Lamp
in Mahogany with
Linen Shade
Height: 30.5"
Width: 19"
Base: 10" Round

Finishes: EBO, MHG
Shade Treatments: L
Shade Details:
17" x 19" x 11.25"

Socket: E26 Dimmer
Wattage: 150 A

RL3480MHG-L-EU
(European Wiring)



RL3480EBO-L
Healey Table Lamp
in Ebonized Oak
with Linen Shade

RL3480EBO-L-EU
(European Wiring)



RL3592MCE/NB-P
Hardy Table Lamp
in Macassar Ebony
and Natural Brass
with Percale Shade
Height: 26.25"
Width: 18.25"
Base: 5" Square

Finishes: BKE, MCE
Shade Treatments: P
Shade Details:
16.5" x 18" x 10.25"
Rectangle

Socket: E26 Dimmer
Wattage: 100 A

RL3592MCE/NB-P-EU
(European Wiring)



RL3592BKE/PN-P
Hardy Table Lamp
in Black Ebony
and Polished Nickel
with Percale Shade

RL3592BKE/PN-P-EU
(European Wiring)





RL3480MHG-L
Healey Table Lamp
in Mahogany with
Linen Shade

RL3480MHG-L-EU
(European Wiring)

RL3468BZ-L
Beckfod XL Table
Lamp in Bronze
with Linen Shade
Height: 37"
Width: 22"
Base: 11" Round

Finishes: BZ
Shade Treatments: L
Shade Details:
20" x 22" x 14"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 75 A

RL3468BZ-L-EU
(European Wiring)



RL3467BZ-L
Beckford Table
Lamp in Bronze
with Linen Shade
Height: 25.5"
Width: 15"
Base: 8.5" Round

Finishes: BZ
Shade Treatments: L
Shade Details:
14" x 15" x 10"

Socket: E26 Dimmer
Wattage: 150 A

RL3467BZ-L-EU
(European Wiring)



RL3724MHG-WP
Holden Surveyor's
Table Lamp in
Mahogany with
White Paper Shade
Height: 36.5"
Width: 19"
Base: 18" Tripod

Finishes: BLK, MHG
Shade Treatments: WP
Shade Details:
13" x 19" x 14"

Socket:
2 - E26 Keyless
w/Pull Chain
Wattage: 2 - 60 A

RL3724MHG-WP-EU
(European Wiring)



RL3724BLK-WP
Holden Surveyor's
Table Lamp in
Black with White
Paper Shade

RL3724BLK-WP-EU
(European Wiring)



RL3467BZ-L
Beckford Table
Lamp in Bronze
with Linen Shade

RL3467BZ-L-EU
(European Wiring)



RL3501BZ-L
Brompton Swing Arm
Table Lamp in Bronze
with Linen Shade

RL3501BZ-L-EU
(European Wiring)



RALPH LAUREN

RL3501PN-L
Brompton Swing Arm
Table Lamp in
Polished Nickel
with Linen Shade
Height: 20" - 30"
Width: 14"
Extension: 21.5"
Base: 8.5" Round

Finishes:
BZ, NB, PN
Shade Treatments: L
Shade Details:
6" x 14" x 9"

Socket: E26 On-Off
Wattage: 100 A

RL3501PN-L-EU
(European Wiring)



RL3501NB-L
Brompton Swing Arm
Table Lamp in
Natural Brass
with Linen Shade

RL3501NB-L-EU
(European Wiring)



RL3151PN-P
Nolan Loft Table
Lamp in Polished
Nickel with
Percal Shade
Height: 25" - 35"
Extension: 23" - 31.75"
Base: 9" Round

Finishes: BLK, PN
Shade Treatments: P
Shade Details:
12" x 16" x 9"

Socket:
2 - E26 Keyless
w/Line Switch
Wattage: 2 - 60 A

RL3151PN-P-EU
(European Wiring)



RL3151BLK-P
Nolan Loft Table
Lamp in Black Nickel
with Percal Shade

RL3151BLK-P-EU
(European Wiring)





RL3147CG/NB
Warner Pharmacy
Table Lamp in Crystal
and Natural Brass
Height: 21"
Width: 22.25"
Base: 9" x 10"
T - Shaped

Finishes:
CG/NB, CG/PN

Socket: E26 Dimmer
Wattage: 60 T

RL3147CG/NB-EU
(European Wiring)

R A L P H L A U R E N

RL3345NB
Barrett Knurled Boom
Arm Desk Light
in Natural Brass
Height: 22.5"
Width: 36"
Base: 9" Round

Finishes: NB, PN

LED: 24w

RL3345NB-EU
(European Wiring)



RL3345PN
Barrett Knurled Boom
Arm Desk Light
in Polished Nickel

RL3345PN-EU
(European Wiring)



RL3320NB-CA
Daley Adjustable
Desk Lamp in
Natural Brass
with Clear Acrylic
Height: 26.25"
Width: 33"
Base: 7" Round

Finishes: NB, PN
Glass Options: CA

LED: 11w

RL3320NB-CA-EU
(European Wiring)



RL3320PN-CA
Daley Adjustable
Desk Lamp in
Polished Nickel
with Clear Acrylic

RL3320PN-CA-EU
(European Wiring)



RL11094BN
Carthage Table Lamp
in Natural Brass

RL11094BN-EU
(European Wiring)

RL11094BN
Carthage Table Lamp
in Natural Brass
Height: 23" - 30"
Width: 12.25"
Base: 7" Round

Finishes: NB, PN

Socket: E26 3-Way
Wattage: 100 A

RL11094BN-EU
(European Wiring)

RL3805PN
Carthage Mini Lamp
in Polished Nickel
Height: 16.25" - 20.25"
Width: 8.75"
Base: 4.75" Round

Finishes: NB, PN

Socket: E26 Dimmer
Wattage: 60 B

RL3805PN-EU
(European Wiring)



RL3250NB
Anette Table Lamp
in Natural Brass
Height: 19.25" - 24.5"
Width: 6.75"
Extension: 11.5" - 13"
Base: 5" Round

Finishes: NB, PN

Socket:
E12 Candelabra
w/Line Switch
Wattage: 40 B

RL3250NB-EU
(European Wiring)

RL3250PN
Anette Table Lamp
in Polished Nickel

RL3250PN-EU
(European Wiring)



RL14030BN
RL '67 Boom Arm
Desk Lamp in
Natural Brass
Height: 35"
Extension: 28"
Base: 8" Round

Finishes:
BZ, NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL14030BN-EU
(European Wiring)



RL14030PN
RL '67 Boom Arm
Desk Lamp in
Polished Nickel

RL14030PN-EU
(European Wiring)



RL3388NB
Langham Table Lamp
in Natural Brass
Height: 29.5"
Width: 12"
Extension: 9.5" - 10.25"
Base: 8" x 10" Rectangle

Finishes:
BZ, NB, PN

LED: 9w

Note:
Dimmer on Cord

RL3388NB-EU
(European Wiring)



RL3388BZ
Langham Table Lamp
in Bronze

RL3388BZ-EU
(European Wiring)



RL3388PN
Langham Table Lamp
in Polished Nickel

RL3388PN-EU
(European Wiring)



RL11173PN
Equilibrium Table Lamp
in Polished Nickel
Height: 45"
Extension: 38"
Base: 8" Round

Finishes:
BLK, PN

Socket: E26 Keyless
w/Dimmer
Wattage: 75 A

RL11173PN-EU
(European Wiring)





FLOOR LAMPS

RL11102BN-S
Darien Floor Lamp
in Natural Brass
with Silk Shade
Height: 62.25" - 66.5"
Width: 20"
Base: 10" Round

RL11102PS-S
Darien Floor Lamp
in Polished Silver
with Silk Shade

RL11102PS-S-EU
(European Wiring)

Finishes: NB, PS
Shade Treatments: S
Shade Details:
11" x 20" x 14"

Socket: E26 3-Way
Wattage: 150 A

RL11102BN-S-EU
(European Wiring)



RL1130NB-L
Hollis Floor Lamp
in Natural Brass
with Linen Shade
Height: 63.5"
Width: 20"
Base: 11" Round

RL1130PN-L
Hollis Floor Lamp
in Polished Nickel
with Linen Shade

RL1130PN-L-EU
(European Wiring)

Finishes: NB, PN
Shade Treatments: L
Shade Details:
18.5" x 20" x 14"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL1130NB-L-EU
(European Wiring)



RL1090NB-L
Barrett Large Knurled
Floor Lamp in
Natural Brass
with Linen Shade
Height: 63.25"
Width: 21"
Base: 12" Round

RL1090PN-L
Barrett Large Knurled
Floor Lamp in
Polished Nickel
with Linen Shade

RL1090PN-L-EU
(European Wiring)

Finishes: NB, PN
Shade Treatments: L
Shade Details:
20" x 21" x 13.5"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL1090NB-L-EU
(European Wiring)



RL1940CG/NB-P
Varick Floor Lamp
in Crystal and
Natural Brass with
Percalé Shade
Height: 58.75"
Width: 18"
Base: 8" Square

RL1940CG/PN-P
Varick Floor Lamp
in Crystal and
Polished Nickel with
Percalé Shade

RL1940CG/PN-P-EU
(European Wiring)

Finishes:
CG/NB, CG/PN
Shade Treatments: P
Shade Details:
13" x 18" x 13.5" Square

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL1940CG/NB-P-EU
(European Wiring)





RL1085PN-S
Briggs Floor Lamp
in Polished Nickel
with Silk Shade
 Height: 62"
 Width: 20"
 Base: 11" Round



Finishes: CG, PN
Shade Treatments: S
Shade Details:
 20" x 20" x 12"

Socket:
 2 - E26 Pull Chain
Wattage: 2 - 60 A

RL1085PN-S-EU
 (European Wiring)

RL1085CG-S
Briggs Floor Lamp
in Crystal with
Silk Shade

RL1085CG-S-EU
 (European Wiring)



RL11092BN-S
Stockton Swing
Arm Floor Lamp
in Natural Brass
with Silk Shade
Height: 48" - 64"
Width: 14"
Extension: 23"
Base: 10" Round

RL11092PS-S
Stockton Swing
Arm Floor Lamp
in Polished Silver
with Silk Shade

RL11092PS-S-EU
(European Wiring)

Finishes: NB, PS
Shade Treatments: S
Shade Details:
8.5" x 14" x 10.5"

Socket: E26 3-Way
Wattage: 150 A

RL11092BN-S-EU
(European Wiring)



RL12128BN-S
Sargent Swing
Arm Floor Lamp
in Natural Brass
with Silk Shade
Height: 64.75"
Width: 18"
Extension: 26"
Base: 11" Round

RL12128BS-S
Sargent Swing
Arm Floor Lamp
in Butler's Silver
with Silk Shade

RL12128BS-S-EU
(European Wiring)

Finishes: BS, NB
Shade Treatments: S
Shade Details:
12" x 18" x 12"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL12128BN-S-EU
(European Wiring)



RL1500PN-L
Brompton Swing
Arm Floor Lamp
in Polished Nickel
with Linen Shade

RL1500PN-L-EU
(European Wiring)



RL1500NB-L
Brompton Swing
Arm Floor Lamp
in Natural Brass
with Linen Shade
Height: 48" - 64.5"
Width: 16"
Extension: 26"
Base: 14" Round

Finishes:
BZ, NB, PN
Shade Treatments: L
Shade Details:
7" x 16" x 11"

Socket: E26 On-Off
Wattage: 100 A

RL1500NB-L-EU
(European Wiring)



RL1500BZ-L
Brompton Swing
Arm Floor Lamp
in Bronze with
Linen Shade

RL1500BZ-L-EU
(European Wiring)



RL1151PN-P
Nolan Loft Floor Lamp
in Polished Nickel
with Percale Shade
Height: 45.5" - 63"
Extension: 26.75" - 42"
Base: 12" Round

Finishes: BLK, PN
Shade Treatments: P
Shade Details:
14" x 19" x 11.5"

Socket:
2 - E26 Keyless
w/Dimmer
Wattage: 2 - 60 A

RL1151PN-P-EU
(European Wiring)

RL1151BLK-P
Nolan Loft Floor Lamp
in Black Nickel
with Percale Shade

RL1151BLK-P-EU
(European Wiring)



RL1151BLK-P
Nolan Loft Floor Lamp
in Black Nickel
with Percale Shade

RL1151BLK-P-EU
(European Wiring)



RL1470ICR-S
Upper Fifth Floor
Lamp in Ivory
Faux Croc and
Polished Nickel
with Silk Shade
Height: 63.5" - 66"
Width: 21"
Base: 9" Round

RL1470BLK-S
Upper Fifth Floor
Lamp in Black
Faux Croc and
Natural Brass
with Silk Shade

RL1470BLK-S-EU
(European Wiring)

Finishes:
BCR/PN, BLK/NB,
BLU, BRN, ICR/PN
Shade Treatments: S
Shade Details:
19" x 21" x 12.5"

Socket: E26 Dimmer
Wattage: 150 A

RL1470ICR-S-EU
(European Wiring)



RL1470BRN-S
Upper Fifth Floor
Lamp in Brown
Faux Croc with
Silk Shade

RL1470BRN-S-EU
(European Wiring)

RL1470BLU-S
Upper Fifth Floor
Lamp in Navy
Blue Faux Croc
with Silk Shade

RL1470BLU-S-EU
(European Wiring)



RL16031BN-L
Pierson Floor Lamp
in Saddle Braided
Leather with
Linen Shade
Height: 48" - 63.5"
Width: 22"
Base: 11" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
15" x 22" x 14"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 75 A

RL16031BN-L-EU
(European Wiring)

RL16031PN-L
Pierson Floor Lamp
in Chocolate
Braided Leather
with Linen Shade

RL16031PN-L-EU
(European Wiring)



RL1491NB/NVY-P
Garner Floor Lamp
in Natural Brass
and Navy Leather
with Percale Shade
Height: 54" - 70"
Width: 22"
Base: 10" Round

Finishes: NB/NVY,
NB/SDL, PN/CHC
Shade Treatments: P
Shade Details:
6.75" x 22" x 12.25"

Socket:
2 - E26 Keyless
w/Pull Chain
Wattage: 2 - 40 B

RL1491NB/NVY-P-EU
(European Wiring)

RL1491PN/CHC-P
Garner Floor Lamp
in Polished Nickel
and Chocolate Leather
with Percale Shade

RL1491PN/CHC-P-EU
(European Wiring)



RL1592MCE/NB-P
Hardy Floor Lamp
in Macassar Ebony
and Natural Brass
with Percale Shade
Height: 64"
Width: 19"
Base: 11" Square

Finishes: BKE, MCE
Shade Treatments: P
Shade Details:
17" x 19" x 12" Square

Socket: E26 Dimmer
Wattage: 100 A

RL1592MCE/NB-P-EU
(European Wiring)



RL1592BKE/PN-P
Hardy Floor Lamp
in Black Ebony
and Polished Nickel
with Percale Shade

RL1592BKE/PN-P-EU
(European Wiring)

RL1480MHG-L
Healey Floor Lamp
in Mahogany with
Linen Shade
Height: 66"
Width: 21"
Base: 12" Round

Finishes: EBO, MHG
Shade Treatments: L
Shade Details:
18.75" x 21" x 12.25"

Socket: E26 Dimmer
Wattage: 150 A

RL1480MHG-L-EU
(European Wiring)

RL1480EBO-L
Healey Floor Lamp
in Ebonized Oak
with Linen Shade

RL1480EBO-L-EU
(European Wiring)



RL1540NR-WP
Robertson Floor Lamp
in Natural Rust with
White Paper Shade
Height: 66"
Width: 21"
Base: 15.5" Tripod

Finishes: NR
Shade Treatments: WP
Shade Details:
14.5" x 21" x 16"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL1540NR-WP-EU
(European Wiring)



RL1716VO-WP
Quincy Floor Lamp
in Vintage Oak with
White Paper Shade
Height: 75.5"
Width: 30"
Base: 21.75" Tripod

Finishes: VO
Shade Treatments: WP
Shade Details:
20" x 30" x 18" Round

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL1716VO-WP-EU
(European Wiring)



RL1716VO-WP
Quincy Floor Lamp
in Vintage Oak with
White Paper Shade

RL1716VO-WP-EU
(European Wiring)





RL11180PN
Montauk Search Light
Floor Lamp in
Mahogany and
Polished Nickel
Height: 65" - 77.5"
Width: 24"
Base: 24" Tripod

Finishes: EBO, MHG
Glass Options: CG

Socket: E26 Dimmer
Wattage: 100 A

RL11180PN-EU
(European Wiring)



RL11180EBO
Montauk Search Light
Floor Lamp in Ebony
and Polished Nickel

RL11180EBO-EU
(European Wiring)



RL11180EBO
Montauk Search Light
Floor Lamp in Ebony
and Polished Nickel

RL11180EBO-EU
(European Wiring)



RL1730PN
Ames Extra Large
Pivoting Reflector
Floor Light in
Polished Nickel
 Height: 72.5"
 Width: 32.5"
 Base: 33.5" Tripod

Finishes: PN

LED: 12w

RL1730PN-EU
 (European Wiring)



RL11182PN-PN
Layne Torchiere
Floor Lamp in
Polished Nickel
 Height: 71.25"
 Width: 14"
 Base: 12" Round

Finishes: PN
Shade Treatments: PN

Socket: E26 3-Way
Wattage: 150 W

RL11182PN-PN-EU
 (European Wiring)



RL14028BZ
RL '67 Boom
Arm Floor Lamp
in Bronze

RL14028BZ-EU
(European Wiring)



RALPH LAUREN

RL14028BN
RL '67 Boom Arm
Floor Lamp in
Natural Brass

Height: 44.5" - 66.5"
Extension: 30.5"
Base: 10" Round

Finishes:
BZ, NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL14028BN-EU
(European Wiring)

RL14028PN
RL '67 Boom Arm
Floor Lamp in
Polished Nickel

RL14028PN-EU
(European Wiring)



RL11090BN
Fairfield Floor Lamp
in Natural Brass
Height: 40" - 60"
Extension: 31.5"
Base: 11" Round

Finishes: NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL11090BN-EU
(European Wiring)

RL11090PN
Fairfield Floor Lamp
in Polished Nickel

RL11090PN-EU
(European Wiring)



RL11165BN
Fairfield Pharmacy
Floor Lamp in
Natural Brass
Height: 41" - 56"
Extension: 15"
Base: 10" Round

Finishes: NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL11165BN-EU
(European Wiring)

RL11165PN
Fairfield Pharmacy
Floor Lamp in
Polished Nickel

RL11165PN-EU
(European Wiring)



RL11170BLK
Equilibrium Floor Lamp
in Black Nickel
Height: 44" - 66"
Extension: 33"
Base: 11.25" Round

Finishes:
BLK, PN

Socket: E26 Dimmer
Wattage: 75 A

RL11170BLK-EU
(European Wiring)

RL11170PN
Equilibrium Floor Lamp
in Polished Nickel

RL11170PN-EU
(European Wiring)



RL11170PN
Equilibrium Floor Lamp
in Polished Nickel


RL11170PN-EU
(European Wiring)

RL1250NB
Anette Floor Lamp
in Natural Brass
Height: 53" - 63"
Width: 8"
Extension: 6.5" - 11"
Base: 8" Round

Finishes: NB, PN


Socket:
E12 Candelabra
w/Foot Switch
Wattage: 40 B

RL1250NB-EU
(European Wiring)



RL1250PN
Anette Floor Lamp
in Polished Nickel

RL1250PN-EU
(European Wiring)



RL11093BN
Hayward Floor Lamp
in Natural Brass
Height: 36.5" - 52.5"
Extension: 14.75"
Base: 10" Round

Finishes: NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL11093BN-EU
(European Wiring)



RL11093PN
Hayward Floor Lamp
in Polished Nickel

RL11093PN-EU
(European Wiring)



RL1145CG/NB
Warner Pharmacy Floor
Lamp in Crystal
and Natural Brass
Height: 40.5" - 53.75"
Width: 16.75"
Base: 10.75" x 12.5"
T - Shaped

Finishes:
CG/NB, CG/PN

Socket: E26 Dimmer
Wattage: 60 T

RL1145CG/NB-EU
(European Wiring)



RL1145CG/PN
Warner Pharmacy Floor
Lamp in Crystal
and Polished Nickel

RL1145CG/PN-EU
(European Wiring)

RL1345NB
Barrett Knurled Boom
Arm Floor Light
in Natural Brass
Height: 46.25"
Width: 25.75"
Base: 10" Round

Finishes: NB, PN

LED: 12w

RL1345NB-EU
(European Wiring)



RL1345PN
Barrett Knurled Boom
Arm Floor Light
in Polished Nickel

RL1345PN-EU
(European Wiring)

RL1388NB
Langham Display Floor
Lamp in Natural Brass
Height: 72"
Width: 24"
Extension: 15.75"
Base: 14" x 24"
Rectangle

Finishes:
BZ, NB, PN

LED: 9w

Note:
Dimmer on Cord

RL1388NB-EU
(European Wiring)



RL1388BZ
Langham Display Floor
Lamp in Bronze

RL1388BZ-EU
(European Wiring)



RL1020PN
Colin Easel Floor Lamp
in Polished Nickel
Height: 65" - 81.5"
Width: 24"
Base: 17" x 24"
U-Shaped

Finishes: PN

Socket:
3 - E12 Candelabra
w/Dimmer
Wattage: 3 - 40 B

RL1020PN-EU
(European Wiring)



RL1520IS
Freeman Floor Lamp
in Industrial Steel
Height: 46" - 73.5"
Extension: 35"
Base: 25" Tripod

Finishes: IS

Socket: E26 Dimmer
Wattage: 60 A

RL1520IS-EU
(European Wiring)



RL1520IS
Freeman Floor Lamp
in Industrial Steel

RL1520IS-EU
(European Wiring)



RL1209PN
Ashcroft Floor Lamp
in Polished Nickel

Height: 47.5" - 57"
Width: 8.5"
Extension: 15"
Base: 8" x 12"
Rectangle

Finishes: Al, PN

Socket: E26 On-Off
Wattage: 60 A

RL1209PN-EU
(European Wiring)

RL1209AI
Ashcroft Floor Lamp
in Aged Iron

RL1209AI-EU
(European Wiring)



RL1704AI
Flint Pharmacy Floor
Lamp in Aged Iron

Height: 48" - 60"
Width: 7.5"
Extension: 16.5"
Base: 12" x 7.5"
Rectangle

Finishes: AI

Socket: E26 Dimmer
Wattage: 40 T

RL1704AI-EU
(European Wiring)

RL1739AI
Naomi Floor Lamp
in Aged Iron

Height: 46.5" - 61.5"
Width: 11"
Base: 8" Round

Finishes: AI

Socket: E26 Dimmer
Wattage: 40 B

RL1739AI-EU
(European Wiring)





CEILING

RL5262CG-L
Alexandra Large
Chandelier in
Crystal Glass and
Natural Brass with
Linen Shades

RL5262CG-L-EU
(European Wiring)



RALPH LAUREN

RL5262CG-L
Alexandra Large
Chandelier in
Crystal Glass and
Natural Brass with
Linen Shades
Height: 40"
Width: 41.25"
Canopy: 5.75" Round

Finishes: CG
Shade Treatments: L
Shade Details:
4" x 6" x 5.5"

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5262CG-L-EU
(European Wiring)



RL5311NB
Antoinette Medium
Chandelier in Natural
Brass and Crystal
Fixture Height: 37.75"
Width: 35"
Canopy: 5" Round

Finishes: NB

Socket:
18 - E12 Candelabra
Wattage: 18 - 40 B

Note: Shades
Sold Separately

RL5311NB-EU
(European Wiring)



RL5233GI-S
Adrianna Large
Chandelier in
Gilded Iron and
Crystal with
Silk Shades
Height: 54"
Width: 44"
Canopy: 6.75" Round

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
24 - E12 Candelabra
Wattage: 24 - 40 B

RL5233GI-S-EU
(European Wiring)



RL5233AG-S
Adrianna Large
Chandelier in
Antique Gild with
Antiqued Crystals
and Silk Shades

RL5233AG-S-EU
(European Wiring)

RL5231GI-S
Adrianna Medium
Chandelier in
Gilded Iron and
Crystal with
Silk Shades
Height: 44"
Width: 37.75"
Canopy: 6.75" Round

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
18 - E12 Candelabra
Wattage: 18 - 40 B

RL5231GI-S-EU
(European Wiring)



RL5231ASL-S
Adrianna Medium
Chandelier in
Antique Silver Leaf
and Crystal with
Silk Shades

RL5231ASL-S-EU
(European Wiring)

RL5230GI-S
Adrianna Small
Chandelier in Gilded
Iron and Crystal
with Silk Shades
Height: 34.25"
Width: 29"
Canopy: 6.75" Round

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5230GI-S-EU
(European Wiring)



RL5230AG-S
Adrianna Small
Chandelier in
Antique Gild with
Antiqued Crystals
and Silk Shades

RL5230AG-S-EU
(European Wiring)



RL5230ASL-S
Adrianna Small
Chandelier in
Antique Silver Leaf
and Crystal with
Silk Shades

RL5230ASL-S-EU
(European Wiring)



RL5280GI-CG
Alessandra Small
Chandelier in Gilded
Iron with Crystal
Fixture Height: 41.5"
Width: 26.5"
Canopy: 5" Round

Finishes:
AG, ASL, GI
Trim Options: CG

Socket:
10 - E12 Candelabra
Wattage: 10 - 40 B

RL5280GI-CG-EU
(European Wiring)



RL5280AG-CG
Alessandra Small
Chandelier in Antiqued
Gild with Crystal

RL5280AG-CG-EU
(European Wiring)



RL5280ASL-CG
Alessandra Small
Chandelier in
Antique Silver Leaf
with Crystal

RL5280ASL-CG-EU
(European Wiring)



RL5010CG
Daniela Twenty Four-Light
Chandelier in Crystal
Height: 60.5"
Width: 50"
Canopy: 7.5" Round

Finishes: CG

Socket:
24 - E12 Candelabra
Wattage: 24 - 40 B

RL5010CG-EU
(European Wiring)



RL5008CG
Daniela Two-Tier
Chandelier in Crystal
Fixture Height: 50.25"
Width: 45.5"
Canopy: 7.5" Round

Finishes: CG

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5008CG-EU
(European Wiring)



RL5007CG
Daniela Wide
Chandelier
in Crystal
Height: 41"
Width: 31.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 C

RL5007CG-EU
(European Wiring)





RL5006CG
Daniela Medium Two-Tier Chandelier in Crystal
Height: 50.25"
Width: 31.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
12 - E12 Candelabra
Wattage: 12 - 60 C

RL5006CG-EU
(European Wiring)



RL5005CG
Daniela Medium One-Tier Chandelier in Crystal
Height: 41"
Width: 27.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 C

RL5005CG-EU
(European Wiring)



RL5004CG
Daniela 4-Light Chandelier in Crystal
Height: 30.5"
Width: 21"
Canopy: 7.5" Round

Finishes: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5004CG-EU
(European Wiring)



RL5017CG
Georgina Large Chandelier in Crystal
Height: 41"
Width: 40"
Canopy: 7.5" Round

Finishes: CG

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 C

RL5017CG-EU
(European Wiring)



RL5016CG
Georgina Medium Chandelier in Crystal
Height: 31"
Width: 35.75"
Canopy: 7.5" Round

Finishes: CG

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 C

RL5016CG-EU
(European Wiring)

RL5241GI-CGQ
Marie Chandelier
in Gilded Iron
with Crystal, Quartz,
and Glass

RL5241GI-CGQ-EU
(European Wiring)



RL5241GI-CGQ
Marie Chandelier
in Gilded Iron
with Crystal, Quartz,
and Glass
Height: 43"
Width: 32"
Canopy: 6" Round

Finishes: GI
Glass Options: CGQ

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 C

RL5241GI-CGQ-EU
(European Wiring)





RL5114SN
Evalina Chandelier
in Sheffield Nickel
Height: 47.5"
Width: 36"
Canopy: 4" Round

Finishes: BS, SN
Trim Options: CG

Socket:
12 - E12 Candelabra
Wattage: 12 - 60 C

RL5114SN-EU
(European Wiring)

RALPH LAUREN

RL5341NB/PW-CG
Hailee Medium
Sculpted Chandelier
in Natural Brass
and Plaster White
with Crystal
Height: 55.75"
Width: 32"
Canopy: 10.5" Round

Finishes:
NB/PW, PN/PW
Trim Options: CG

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 T

RL5341NB/PW-CG-EU
(European Wiring)

RL5340NB/PW-CG
Hailee Small
Sculpted Chandelier
in Natural Brass
and Plaster White
with Crystal
Height: 52.25"
Width: 16"
Canopy: 5.5" Round

Finishes:
NB/PW, PN/PW
Trim Options: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 T

RL5340NB/PW-CG-EU
(European Wiring)



RL5630NB
Natalie Large Chandelier in Natural Brass
Height: 46.75"
Width: 36.75"
Canopy: 6" Round

Finishes: NB, PN

Socket:
8 - E12 Candelabra

Wattage:
8 - 60 C

RL5630NB-EU
(European Wiring)



RL5630PN
Natalie Large Chandelier in Polished Nickel

RL5630PN-EU
(European Wiring)



RL5621NB-ALB
Kayla Medium Sculpted Chandelier in Natural Brass with Alabaster
Height: 53.5"
Width: 28"
Canopy: 6.25" Round

Finishes: NB, PN
Trim Options: ALB

Socket:
3 - E12 Candelabra

Wattage:
3 - 9w LED B

RL5621NB-ALB-EU
(European Wiring)



RL5620PN-ALB
Kayla Small Sculpted Chandelier in Polished Nickel with Alabaster
Height: 38.5"
Width: 20.5"
Canopy: 6.25" Round

Finishes: NB, PN
Trim Options: ALB

Socket:
2 - E12 Candelabra

Wattage:
2 - 9w LED B

RL5620PN-ALB-EU
(European Wiring)



RL5205NB
Lillianne Single
Tier Chandelier
in Natural Brass
Height: 34.5"
Width: 44"
Canopy: 6.5" Round

Finishes: BS, NB

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 C

Note:
SH3X6X5NS Sold
Separately/Use 40
Watt Frosted Type "B"
with Clip On Shade

RL5205NB-EU
(European Wiring)



RL5206BS
Lillianne Double
Tiered Chandelier
in Butler's Silver
Height: 45.25"
Width: 48"
Canopy: 6.5" Round

Finishes: BS, NB

Socket:
16 - E12 Candelabra
Wattage: 16 - 40 B

Note:
SH3X6X5NS Sold
Separately/Use 40
Watt Frosted Type "B"
with Clip On Shade

RL5206BS-EU
(European Wiring)



RL5205BS
Lillianne Single
Tier Chandelier
in Butler's Silver

RL5205BS-EU
(European Wiring)



RL5528BN-CG
Straton Single Tier
Chandelier in
Natural Bone with
Antiqued Crystal

RL5528BN-CG-EU
(European Wiring)



RALPH LAUREN

RL5528BN-CG
Straton Single Tier
Chandelier in
Natural Bone with
Antiqued Crystal
Height: 45"
Width: 36"
Canopy: 6.75" Round

Finishes: BN
Trim Options: ACG

Socket:
8 - E12 Candelabra
Wattage: 8 - 60 C

RL5528BN-CG-EU
(European Wiring)

RL5528BN
Straton Single Tier
Chandelier in
Natural Bone

RL5528BN-EU
(European Wiring)



RL5529BN
Straton Double Tier
Chandelier in
Natural Bone
Height: 44"
Width: 42"
Canopy: 6.75" Round

Finishes: BN
Trim Options: ACG

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 C

RL5529BN-EU
(European Wiring)



RL5531BN-CG
Straton Wide Chandelier
in Natural Bone
with Antiqued Crystal
Height: 35"
Width: 57"
Canopy: 6.75" Round

Finishes: BN
Trim Options: ACG

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 C

RL5531BN-CG-EU
(European Wiring)



RL5530BN-CG
Straton Triple Tier
Chandelier in
Natural Bone with
Antiqued Crystal
Height: 56"
Width: 53"
Canopy: 6.75" Round

Finishes: BN
Trim Options: ACG

Socket:
18 - E12 Candelabra
Wattage: 18 - 40 C

RL5530BN-CG-EU
(European Wiring)





RL5184NB-L
Westbury Triple
Tier Chandelier
in Natural Brass
and Saddle Leather
with Linen Shades
Height: 57"
Width: 57"
Canopy: 6.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3" x 6" x 5"

Socket:
24 - E12 Candelabra
Wattage: 24 - 40 B

RL5184NB-L-EU
(European Wiring)



RL5183NB-L
Westbury Double
Tier Chandelier
in Natural Brass
and Saddle Leather
with Linen Shades
Height: 45"
Width: 43"
Canopy: 6.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3" x 6" x 5"

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5183NB-L-EU
(European Wiring)



RL5181NB-L
Westbury Chandelier
in Natural Brass
and Saddle Leather
with Linen Shades
Height: 31"
Width: 30.25"
Canopy: 6.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3" x 6" x 5"

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5181NB-L-EU
(European Wiring)



RL5183PN-L
Westbury Double
Tier Chandelier
in Polished Nickel
and Chocolate Leather
with Linen Shades

RL5183PN-L-EU
(European Wiring)



RL5181PN-L
Westbury Chandelier
in Polished Nickel
and Chocolate Leather
with Linen Shades

RL5181PN-L-EU
(European Wiring)



RL5614NB/SDL-L
Riley Large Two Tier
Chandelier in Natural
Brass and Saddle
Leather with Leather
Trimmed Linen Shades
Fixture Height: 54"
Width: 45"
Canopy: 6.5" Round

Finishes:
NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
4" x 6" x 5.75"

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5614NB/SDL-L-EU
(European Wiring)



RL5614PN/CHC-L
Riley Large Two Tier
Chandelier in Polished
Nickel and Chocolate
Leather with Leather
Trimmed Linen Shades

RL5614PN/CHC-L-EU
(European Wiring)



RL5612NB/SDL-L
Riley Large Ring
Chandelier in Natural
Brass and Saddle
Leather with Leather
Trimmed Linen Shades
Fixture Height: 40"
Width: 47.75"
Canopy: 6.5" Round

Finishes:
NB/NVY, NB/SDL,
PN/CHC
Shade Treatments: L
Shade Details:
4" x 6" x 5.75"

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5612NB/SDL-L-EU
(European Wiring)



RL5610NB/SDL-L
Riley Medium Ring
Chandelier in Natural
Brass and Saddle
Leather with Leather
Trimmed Linen Shades
Fixture Height: 39"
Width: 36"
Canopy: 6.5" Round

Finishes:
NB/NVY, NB/SDL,
PN/CHC
Shade Treatments: L
Shade Details:
4" x 6" x 5.75"

Socket:
6 - E12 Candelabra
Wattage: 6 - 40 B

RL5610NB/SDL-L-EU
(European Wiring)



RL5612NB/NVY-L
Riley Large Ring
Chandelier in Natural
Brass and Navy
Leather with Leather
Trimmed Linen Shades

RL5612NB/NVY-L-EU
(European Wiring)



RL5610PN/CHC-L
Riley Medium Ring
Chandelier in Nickel
and Chocolate Leather
with Leather Trimmed
Linen Shades

RL5610PN/CHC-L-EU
(European Wiring)

RL5752AI
Branson Medium
Two-Tiered Ring
Torch Chandelier
in Aged Iron
Height: 54.5"
Width: 48.5"
Canopy: 7.5" Round

Finishes: AI

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B


RL5752AI-EU
(European Wiring)

RL5754AI
Branson Large
Two-Tier Ring
Torch Chandelier
in Aged Iron
Fixture Height: 63"
Min. Custom Height: 75"
Width: 68.5"
Canopy: 8" Round

Finishes: AI

Socket:
20 - E12 Candelabra
Wattage: 20 - 60 C

RL5754AI-EU
(European Wiring)



RL5750AI
Branson Small
One-Tier Ring
Torch Chandelier
in Aged Iron
Height: 30.5"
Width: 28.25"
Canopy: 7.5" Round

Finishes: AI

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5750AI-EU
(European Wiring)

RL5748AI-L
Branson Medium
Hanging Shade
in Aged Iron
with Linen Shade
Fixture Height: 22.75"
Width: 30"
Canopy: 8" Round

Finishes: AI
Shade Treatments: L
Shade Details:
26.5" x 30" x 14.25"

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5748AI-L-EU
(European Wiring)



RL5753AI
Branson Large
One-Tier Ring
Torch Chandelier
in Aged Iron
Fixture Height: 38.25"
Width: 68.25"
Canopy: 7.5" Round

Finishes: AI

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5753AI-EU
(European Wiring)




RL5540NR
Robertson Single
Tier Chandelier
in Natural Rust
Height: 27.5"
Width: 43"
Canopy: 8" Octagon

Finishes: NR

Socket:
8 - E12 Candelabra
Wattage: 8 - 60 C

RL5540NR-EU
(European Wiring)



RL5542NR
Robertson Double
Tier Chandelier
in Natural Rust
Fixture Height: 40.25"
Width: 65.75"
Canopy: 8" Octagon

Finishes: NR

Socket:
16 - E12 Candelabra
Wattage: 16 - 60 C

RL5542NR-EU
(European Wiring)



RL5545NR
Robertson Linear
Chandelier in
Natural Rust
Height: 26"
Width: 54"
Canopy: 7.5" Octagon

Finishes: NR

Socket:
10 - E12 Candelabra
Wattage: 10 - 40 B

RL5545NR-EU
(European Wiring)





RL5730AI
Allegra Large
Two-Tiered
Chandelier in
Aged Iron

RL5730AI-EU
(European Wiring)

RALPH LAUREN

RL5729AI
Allegra Medium
Chandelier in
Aged Iron
Height: 35"
Width: 44"
Canopy: 5.5" Round

Finishes: AI

Socket:
6 - E12 Candelabra
Wattage: 6 - 40 B

RL5729AI-EU
(European Wiring)



RL5728AI
Allegra Small
Chandelier in
Aged Iron
Height: 26.25"
Width: 33.25"
Canopy: 5.5" Round

Finishes: AI

Socket:
6 - E12 Candelabra
Wattage: 6 - 40 B

RL5728AI-EU
(European Wiring)



RL5730AI
Allegra Large
Two-Tiered
Chandelier in
Aged Iron
Height: 37.5"
Width: 69"
Canopy: 5.5" Round

Finishes: AI

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5730AI-EU
(European Wiring)



RL5197IS
Archer Extra
Large Chandelier
in Industrial Steel
Fixture Height: 42"
Width: 48.5"
Canopy: 9" Round

Finishes: IS, PN

Socket:
16 - E26 Keyless
Wattage: 16 - 40 A

RL5197IS-EU
(European Wiring)



RL5197PN
Archer Extra
Large Chandelier
in Polished Nickel

RL5197PN-EU
(European Wiring)



RL5196IS
Archer Large
Chandelier in
Industrial Steel
Fixture Height: 34.75"
Width: 36"
Canopy: 8" Round

Finishes: IS, PN

Socket:
12 - E26 Keyless
Wattage: 12 - 40 A

RL5196IS-EU
(European Wiring)



RL5195IS
Archer Medium
Chandelier in
Industrial Steel
Fixture Height: 29.25"
Width: 28.25"
Canopy: 7.25" Round

Finishes: IS, PN

Socket:
8 - E26 Keyless
Wattage: 8 - 60 A

RL5195IS-EU
(European Wiring)



RL5196PN
Archer Large
Chandelier in
Polished Nickel

RL5196PN-EU
(European Wiring)



RL5195PN
Archer Medium
Chandelier in
Polished Nickel

RL5195PN-EU
(European Wiring)



RL5131AI
Roark 30" Modular
Ring Chandelier
in Aged Iron
Fixture Height: 21.5"
Width: 30"
Canopy: 6.5" Round

Finishes:
AI, NB, PN

Socket:
16 - E26 Keyless
Wattage: 16 - 40 A

Note: Bulb Sold
Separately (B-30M)

RL5131AI-EU
(European Wiring)



RL5130PN
Roark 20" Modular
Ring Chandelier
in Polished Nickel
Fixture Height: 21"
Width: 20"
Canopy: 6.5" Round

Finishes:
AI, NB, PN

Socket:
12 - E26 Keyless
Wattage: 12 - 40 A

Note: Bulb Sold
Separately (B-30M)

RL5130PN-EU
(European Wiring)



RL5132NB
Roark 40" Modular
Ring Chandelier
in Natural Brass
Fixture Height: 24.5"
Width: 40"
Canopy: 6.5" Round

Finishes:
AI, NB, PN

Socket:
20 - E26 Keyless
Wattage: 20 - 40 A

Note: Bulb Sold
Separately (B-30M)

RL5132NB-EU
(European Wiring)



RL5131PN
Roark 30" Modular
Ring Chandelier
in Polished Nickel

RL5131PN-EU
(European Wiring)



RL5133AI
Roark 50" Modular
Ring Chandelier
in Aged Iron
Fixture Height: 31.5"
Width: 50"
Canopy: 6.5" Round

Finishes:
AI, NB, PN

Socket:
24 - E26 Keyless
Wattage: 24 - 40 A

Note: Bulb Sold
Separately (B-30M)

RL5133AI-EU
(European Wiring)



RL5133PN
Roark 50" Modular
Ring Chandelier
in Polished Nickel

RL5133PN-EU
(European Wiring)



RL5134NB
Roark Medium
Rectangular Chandelier
in Natural Brass
Fixture Height: 22"
Width: 45" x 16.5"
Canopy: 6" Round

Finishes:
AI, NB, PN

Socket:
24 - E26 Keyless
Wattage: 24 - 40 A

Note: Bulb Sold
Separately (B-30M)

RL5134NB-EU
(European Wiring)



RL5134PN
Roark Rectangular
Chandelier in
Polished Nickel

RL5134PN-EU
(European Wiring)



RL5226PN
Barrett Large
Knurled Linear
Chandelier in
Polished Nickel
O/A Height: 37.5"
Fixture Height: 11.75"
Min. Custom Height: 37.5"
Width: 56.5"
Canopy:
6" x 42.75" Oval

Finishes: NB, PN
Shade Treatments:
NB, PN

Socket:
5 - E12 Candelabra
Wattage: 5 - 40 C

RL5226PN-EU
(European Wiring)



RL5226NB-NB
Barrett Large
Knurled Linear
Chandelier in
Natural Brass
with Natural
Brass Shades

RL5226NB-NB-EU
(European Wiring)




RL5224NB
Barrett Medium
Knurled Chandelier
in Natural Brass
O/A Height: 46.75"
Fixture Height: 26.75"
Min. Custom Height: 42"
Width: 36"
Canopy: 6" Round

Finishes: NB, PN
Shade Treatments:
NB, PN

Socket:
9 - E12 Candelabra
Wattage: 9 - 40 T

Note: Custom
Height Available

RL5224NB-EU
(European Wiring)



RL5224PN-PN
Barrett Medium
Knurled Chandelier
in Polished Nickel
with Polished
Nickel Shades

RL5224PN-PN-EU
(European Wiring)



RL5225NB-NB
Barrett Large
Knurled Chandelier
in Natural Brass
with Natural
Brass Shades
O/A Height: 46.75"
Fixture Height: 19.5"
Min. Custom Height: 46.75"
Width: 45.75"
Canopy: 6" Round

Finishes: NB, PN
Shade Treatments:
NB, PN

Socket:
15 - E12 Candelabra
Wattage: 15 - 40 C

RL5225NB-NB-EU
(European Wiring)





RL5032BN
RL '67 Extra Large
Triple Arm Chandelier
in Natural Brass
O/A Height: 55.5"
Fixture Height: 26"
Min. Custom Height: 43"
Width: 66.75"
Canopy: 8" Round

Finishes:
BZ, NB, PN

Socket:
6 - E26 Keyless
Wattage: 6 - 40 A

Note: Custom
Height Available

RL5032BN-EU
(European Wiring)



RL5032BZ
RL '67 Extra Large
Triple Arm Chandelier
in Bronze

RL5032BZ-EU
(European Wiring)



RL5032PN
RL '67 Extra Large
Triple Arm Chandelier
in Polished Nickel

RL5032PN-EU
(European Wiring)

RL5247CG/NB-S
Parker Large Chandelier
in Natural Brass
and Crystal with
Silk Shade
Fixture Height: 27"
Width: 42"
Canopy: 6" Round

Finishes:
CG/NB, CG/PN
Shade Treatments: S
Shade Details:
4.25" x 5.75" x 6"

Socket:
12 - E12 Candelabra
Wattage: 12 - 60 B

RL5247CG/NB-S-EU
(European Wiring)



RL5247CG/PN-S
Parker Large Chandelier
in Polished Nickel
and Crystal with
Silk Shade

RL5247CG/PN-S-EU
(European Wiring)



RL5321NB-CA
Daley Large Six
Light Chandelier
in Natural Brass
with Clear Acrylic
O/A Height: 49.75"
Fixture Height: 12.25"
Min. Custom Height: 16.5"
Width: 55"
Canopy: 8" Round

Finishes: NB, PN
Glass Options: CA

LED: 30w

RL5321NB-CA-EU
(European Wiring)



RL5321PN-CA
Daley Large Six
Light Chandelier
in Polished Nickel
with Clear Acrylic

RL5321PN-CA-EU
(European Wiring)



RL5080NB
Allen Mini Pendant
in Natural Brass
and Glass Rods
O/A Height: 45"
Fixture Height: 11"
Min. Custom Height: 17"
Width: 3.25"
Canopy: 4.5" Round

Finishes: NB, PN

Socket: E26 Keyless
Wattage: 40 T

Note: Custom
Height Available

RL5080NB-EU
(European Wiring)



RL5080PN
Allen Mini Pendant
in Polished Nickel
and Glass Rods

RL5080PN-EU
(European Wiring)



RL5075NB-FA
Perry Medium
Linear Pendant in
Natural Brass with
White Glass
O/A Height: 25"
Fixture Height: 5"
Min. Custom Height: 10"
Width: 55"
Canopy: 7" x 25.5"
Rectangle

Finishes: NB, PN
Glass Options: WG

Socket:
16 - E26 Keyless
Wattage: 16 - 40 T

RL5075NB-FA-EU
(European Wiring)



RL5082NB
Allen Large Chandelier
in Natural Brass
and Glass Rods
O/A Height: 44"
Fixture Height: 16"
Min. Custom Height: 21"
Width: 18"
Canopy: 4.5" Round

Finishes: NB, PN
Glass Options: CG

Socket:
8 - E26 Keyless
Wattage: 8 - 40 A

Note: Custom
Height Available

RL5082NB-EU
(European Wiring)



RL5082PN
Allen Large Chandelier
in Polished Nickel
and Glass Rods

RL5082PN-EU
(European Wiring)



RL5086NB
Allen Large Tiered
Chandelier in
Natural Brass and
Glass Rods
O/A Height: 48.25"
Fixture Height: 13"
Min. Custom Height: 21"
Width: 32"
Canopy: 12.25" Round

Finishes: NB, PN
Glass Options: CG

Socket:
20 - E17 Keyless
Wattage: 20 - 25 T

Note: Custom
Height Available

RL5086NB-EU
(European Wiring)



RL5086PN
Allen Large Tiered
Chandelier in
Polished Nickel

RL5086PN-EU
(European Wiring)



RL5067NB-CG
Rivington Large
Billiard Chandelier in
Natural Brass with
Clear Ribbed Glass
 O/A Height: 46.5"
 Fixture Height: 23.5"
 Min. Custom Height: 35"
 Width: 56.25"
 Canopy: 7.5" x 30.25"
 Rectangle

Finishes:
 BZ, NB, PN
Glass Options:
 AM, CG, MG, WG

Socket: 7 - E26 Keyless
Wattage: 7 - 40 A

RL5067NB-CG-EU
 (European Wiring)



RL5067PN-MG
Rivington Large
Billiard Chandelier
in Polished Nickel
with Ribbed Mirror

RL5067PN-MG-EU
 (European Wiring)



RL5067BZ-WG
Rivington Large
Billiard Chandelier
in Bronze with
White Glass

RL5067BZ-WG-EU
 (European Wiring)





RL5065BZ
Rivington Large
Ten-Paneled
Chandelier in
Bronze with
Antiqued
Ribbed Mirror

RL5065BZ-EU
(European Wiring)

RALPH LAUREN

RL5065NB
Rivington Large
Ten-Paneled
Chandelier in
Natural Brass with
Antiqued Ribbed Mirror
O/A Height: 44.75"
Fixture Height: 16"
Min. Custom Height: 30"
Width: 42"
Canopy: 8" Round

Finishes:
BZ, NB, PN
Glass Options:
AM, CG, MG, WG

Socket:
10 - E26 Keyless
Wattage: 10 - 60 A

RL5065NB-EU
(European Wiring)



RL5065PN
Rivington Large
Ten-Paneled
Chandelier in
Polished Nickel
with Ribbed Mirror

RL5065PN-EU
(European Wiring)



RL5064NB-CG
Rivington Medium
Eight-Paneled
Chandelier in
Natural Brass
with Clear Glass
O/A Height: 37.5"
Fixture Height: 12.5"
Min. Custom Height: 29"
Width: 31.75"
Canopy: 7" Round

Finishes:
BZ, NB, PN
Glass Options:
AM, CG, MG, WG

Socket:
8 - E26 Keyless
Wattage: 8 - 40 A

RL5064NB-CG-EU
(European Wiring)



RL5064BZ-CG
Rivington Medium
Eight-Paneled
Chandelier in
Bronze with Clear
Ribbed Glass

RL5064BZ-CG-EU
(European Wiring)



RL5064NB-WG
Rivington Medium
Eight-Paneled
Chandelier in
Natural Brass
with White Glass

RL5064NB-WG-EU
(European Wiring)



RL5064PN-WG
Rivington Medium
Eight-Paneled
Chandelier in
Polished Nickel
with White Glass

RL5064PN-WG-EU
(European Wiring)



RL5060BZ-WG
Cannes Pendant
in Bronze with
White Glass
Height: 30.5"
Width: 22"
Canopy: 6" Octagon

Finishes: BZ, PN
Glass Options: WG

Socket:
4 - E26 Keyless
Wattage: 4 - 40 A

RL5060BZ-WG-EU
(European Wiring)



RL5060PN-WG
Cannes Pendant
in Polished Nickel
with White Glass

RL5060PN-WG-EU
(European Wiring)



RL5042BZ-PW
Cara Large Sculpted
Pendant in Bronze with
Plaster White Shade
O/A Height: 47.75"
Fixture Height: 20"
Min. Custom Height: 31"
Width: 40"
Canopy: 7" Round

Finishes:
BZ, NB, PN
Shade Treatments: PW

LED: 18w

Note:
Cannot Be Modified
in the Field/Custom
Height Available

RL5042BZ-PW-EU
(European Wiring)



RL5042PN-PW
Cara Large Sculpted
Pendant in Polished
Nickel with Plaster
White Shade

RL5042PN-PW-EU
(European Wiring)




RL5041NB-PW
Cara Medium Sculpted
Pendant in Natural
Brass with Plaster
White Shade
O/A Height: 34"
Fixture Height: 14.25"
Min. Custom Height: 23"
Width: 28"
Canopy: 6.25" Round

Finishes:
BZ, NB, PN
Shade Treatments: PW

LED: 18w

Note:
Cannot Be Modified
in the Field/Custom
Height Available

RL5041NB-PW-EU
(European Wiring)



RL5041PN-PW
Cara Medium Sculpted
Pendant in Polished
Nickel with Plaster
White Shade

RL5041PN-PW-EU
(European Wiring)



RL5040NB-PW
Cara Small Sculpted
Pendant in Natural
Brass with Plaster
White Shade
O/A Height: 21.75"
Fixture Height: 9.75"
Min. Custom Height: 16.25"
Width: 18"
Canopy: 5.5" Round

Finishes:
BZ, NB, PN
Shade Treatments: PW

LED: 12w

Note:
Cannot Be Modified
in the Field/Custom
Height Available

RL5040NB-PW-EU
(European Wiring)



RL5040PN-PW
Cara Small Sculpted
Pendant in Polished
Nickel with Plaster
White Shade

RL5040PN-PW-EU
(European Wiring)





RL5251NB-SP
Windsor Medium
Hanging Shade in
Natural Brass with
Boxpleat Silk Shade
Height: 14.75"
Width: 20"
Canopy: 6" Octagon

Finishes:
BZ, NB, PN
Shade Treatments: SP

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 B

RL5251NB-SP-EU
(European Wiring)



RL5251PN-SP
Windsor Medium
Hanging Shade in
Polished Nickel with
Boxpleat Silk Shade

RL5251PN-SP-EU
(European Wiring)



RL5252NB-SP
Windsor Large
Hanging Shade in
Natural Brass with
Boxpleat Silk Shade
Height: 16"
Width: 30"
Canopy: 7" Octagon

Finishes:
BZ, NB, PN
Shade Treatments: SP

Socket:
8 - E12 Candelabra
Wattage: 8 - 60 B

RL5252NB-SP-EU
(European Wiring)



RL5252PN-SP
Windsor Large
Hanging Shade in
Polished Nickel with
Boxpleat Silk Shade

RL5252PN-SP-EU
(European Wiring)



RL5147NB-CG
Chatham Small Lantern
in Natural Brass
with Clear Glass
O/A Height: 44"
Fixture Height: 12.75"
Min. Custom Height: 27"
Width: 13.25"
Canopy: 5.75" Round

Finishes:
BZ, NB, PN
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 T

RL5147NB-CG-EU
(European Wiring)



RL5147PN-CG
Chatham Small Lantern
in Polished Nickel
with Clear Glass

RL5147PN-CG-EU
(European Wiring)



RL5148NB-CG
Chatham Large Lantern
in Natural Brass
with Clear Glass
O/A Height: 47"
Fixture Height: 17"
Min. Custom Height: 32"
Width: 18.5"
Canopy: 7" Round

Finishes:
BZ, NB, PN
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 T

RL5148NB-CG-EU
(European Wiring)



RL5148PN-CG
Chatham Large Lantern
in Polished Nickel
with Clear Glass

RL5148PN-CG-EU
(European Wiring)





RL5180NB
Westbury Lantern in
Natural Brass and
Saddle Leather
Height: 36"
Width: 16"
Canopy: 7.5" Round

Finishes: NB, PN
Glass Options: CG


Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5180NB-EU
(European Wiring)



RL5180PN
Westbury Lantern in
Polished Nickel and
Chocolate Leather

RL5180PN-EU
(European Wiring)



RL5175NB
Modern Small Lantern
in Natural Brass
O/A Height: 55.25"
Fixture Height: 17"
Min. Custom Height: 23"
Width: 9"
Canopy: 6" Round

Finishes:
BZ, NB, PN
Glass Options: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 C

Note: Custom
Height Available

RL5175NB-EU
(European Wiring)



RL5175BZ
Modern Small Lantern
in Bronze

RL5175BZ-EU
(European Wiring)



RL5175PN
Modern Small Lantern
in Polished Nickel

RL5175PN-EU
(European Wiring)



RL5177NB
Modern Large Lantern
in Natural Brass
O/A Height: 71.5"
Fixture Height: 31"
Min. Custom Height: 39"
Width: 15.25"
Canopy: 7" Round

Finishes:
BZ, NB, PN
Glass Options: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

Note: Custom
Height Available

RL5177NB-EU
(European Wiring)



RL5177BZ
Modern Large Lantern
in Bronze

RL5177BZ-EU
(European Wiring)



RL5177PN
Modern Large Lantern
in Polished Nickel

RL5177PN-EU
(European Wiring)

RL5101NB-CG
Cambridge Medium
Smoke Bell Lantern
in Natural Brass
with Clear Glass
Height: 16"
Width: 14.25"
Canopy: 5" Round

Finishes: BS, NB
Glass Options: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 C

RL5101NB-CG-EU
(European Wiring)



RL5101BS-CG
Cambridge Medium
Smoke Bell Lantern
in Butler's Silver
with Clear Glass

RL5101BS-CG-EU
(European Wiring)



RL5103NB-CG
Cambridge Large
Smoke Bell Lantern
in Natural Brass
with Clear Glass
Height: 38.5"
Width: 19.25"
Canopy: 7" Round

Finishes: BS, NB
Glass Options: CG

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 C

RL5103NB-CG-EU
(European Wiring)



RL5103BS-CG
Cambridge Large
Smoke Bell Lantern
in Butler's Silver
with Clear Glass

RL5103BS-CG-EU
(European Wiring)



RL5415NB-WG
Xavier Small Pendant
in Natural Brass
with White Glass
Height: 23.5"
Width: 14"
Canopy: 4.75" Round

Finishes:
BS, BZ, NB
Glass Options: WG

Socket: E26 Keyless
Wattage: 75 A

RL5415NB-WG-EU
(European Wiring)



RL5415BZ-WG
Xavier Small Pendant
in Bronze with
White Glass

RL5415BZ-WG-EU
(European Wiring)



RL5416NB-WG
Xavier Large Pendant
in Natural Brass
with White Glass
Height: 33.5"
Width: 20"
Canopy: 5.75" Round

Finishes:
BS, BZ, NB
Glass Options: WG

Socket: E26 Keyless
Wattage: 75 A

RL5416NB-WG-EU
(European Wiring)



RL5416BZ-WG
Xavier Large Pendant
in Bronze with
White Glass

RL5416BZ-WG-EU
(European Wiring)



RL5222NB-CG
Barrett Small Knurled
Pendant in Natural
Brass with Clear Glass
O/A Height: 54"
Fixture Height: 19"
Min. Custom Height: 28"
Width: 7"
Canopy: 6" Round

Finishes: NB, PN
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 T

Note: Custom
Height Available

RL5222NB-CG-EU
(European Wiring)



RL5222PN-CG
Barrett Small Knurled
Pendant in Polished
Nickel with Clear Glass

RL5222PN-CG-EU
(European Wiring)



RL5220NB-CG
Barrett Medium
Knurled Pendant
in Natural Brass
with Clear Glass
O/A Height: 56"
Fixture Height: 21"
Min. Custom Height: 30"
Width: 13"
Canopy: 6" Round

Finishes: NB, PN
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 T

Note: Custom
Height Available

RL5220NB-CG-EU
(European Wiring)



RL5220PN-CG
Barrett Medium
Knurled Pendant
in Polished Nickel
with Clear Glass

RL5220PN-CG-EU
(European Wiring)



RL5030BZ-EC
Barton Mini Single
Pendant in Bronze
with Etched Crystal
O/A Height: 48"
Fixture Height: 13"
Min. Custom Height: 21"
Width: 2.75"
Canopy: 4.5" Round

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 2 - 12w

Note: Custom
Height Available

RL5030BZ-EC-EU
(European Wiring)



RL5030PN-EC
Barton Mini Single
Pendant in Polished
Nickel with
Etched Crystal

RL5030PN-EC-EU
(European Wiring)



RL5156BZ
Upton Large Lantern
in Bronze with Clear
and White Glass
O/A Height: 78"
Fixture Height: 28.5"
Min. Custom Height: 36"
Width: 14"
Canopy: 8" Round

Finishes: BZ, PN

Socket: E26 Keyless
Wattage: 60 T

RL5156BZ-EU
(European Wiring)



RL5156PN
Upton Large Lantern
in Polished Nickel
with Clear and
White Glass

RL5156PN-EU
(European Wiring)



RL5739AI
Naomi Hand-Forged
Hanging Shade
in Aged Iron
O/A Height: 40.25"
Min. Custom Height: 24.75"
Fixture Height: 12"
Width: 26.5"
Canopy: 5.5" Round

Finishes: AI

Socket:
3 - E26 Keyless
Wattage: 3 - 60 B

RL5739AI-EU
(European Wiring)



RL5371AI-CG
Cheyenne Medium
Lantern in Aged Iron
with Clear Glass
Fixture Height: 33.75"
Width: 20.5"
Canopy: 6.75" Round

Finishes: AI
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 A

RL5371AI-CG-EU
(European Wiring)



RL5740GI-RG
Beatrice Small Lantern
in Gilded Iron with
Restoration Glass
Height: 26.75"
Width: 15.5"
Canopy: 8" Round

Finishes: AI, GI
Glass Options: RG

Socket:
4 - E12 Candelabra
Wattage: 4 - 40 B

RL5740GI-RG-EU
(European Wiring)



RL5740AI-RG
Beatrice Small Lantern
in Aged Iron with
Restoration Glass

RL5740AI-RG-EU
(European Wiring)



RL5742GI-RG
Beatrice Large Lantern
in Gilded Iron with
Restoration Glass
Height: 41.5"
Width: 24"
Canopy: 8" Round

Finishes: AI, GI
Glass Options: RG

Socket:
4 - E12 Candelabra
Wattage: 4 - 40 B

RL5742GI-RG-EU
(European Wiring)



RL5742AI-RG
Beatrice Large Lantern
in Aged Iron with
Restoration Glass

RL5742AI-RG-EU
(European Wiring)



RL5802AI-RG
Mills Large Hanging
Lantern in Aged Iron
with Restoration Glass
Height: 34"
Width: 18.25"
Canopy: 7" Round

Finishes: AI, GZ
Glass Options: RG

Socket:
4 - E12 Candelabra
Wattage: 4 - 40 C

RL5802AI-RG-EU
(European Wiring)



A large, square lantern with a black metal frame and clear glass panels. It has a decorative top with a ring for hanging. Inside, four candle-style bulbs are visible. The lantern is suspended by a chain.

RL5802GZ-RG
Mills Large Hanging
Lantern in Garden Zinc
with Restoration Glass

RL5802GZ-RG-EU
(European Wiring)



A large, square lantern with a dark, weathered metal frame and clear glass panels. It has a decorative top with a ring for hanging. Inside, four candle-style bulbs are visible. The lantern is suspended by a chain.

RL5801AI-RG
Mills Medium Hanging
Lantern in Aged Iron
with Restoration Glass
Height: 26.25"
Width: 14.5"
Canopy: 6" Round

Finishes: AI, GZ
Glass Options: RG

Socket:
4 - E12 Candelabra
Wattage: 4 - 40 C

RL5801AI-RG-EU
(European Wiring)



A medium-sized, square lantern with a black metal frame and clear glass panels. It has a decorative top with a ring for hanging. Inside, four candle-style bulbs are visible. The lantern is suspended by a chain.

RL5801GZ-RG
Mills Medium Hanging
Lantern in Garden Zinc
with Restoration Glass

RL5801GZ-RG-EU
(European Wiring)



A medium-sized, square lantern with a dark, weathered metal frame and clear glass panels. It has a decorative top with a ring for hanging. Inside, four candle-style bulbs are visible. The lantern is suspended by a chain.

RL5800AI-RG
Mills Small Hanging
Lantern in Aged Iron
with Restoration Glass
Height: 18.75"
Width: 10.5"
Canopy: 6" Round

Finishes: AI, GZ
Glass Options: RG

Socket:
4 - E12 Candelabra
Wattage: 4 - 40 C

RL5800AI-RG-EU
(European Wiring)



A small, square lantern with a black metal frame and clear glass panels. It has a decorative top with a ring for hanging. Inside, four candle-style bulbs are visible. The lantern is suspended by a chain.

RL5800GZ-RG
Mills Small Hanging
Lantern in Garden Zinc
with Restoration Glass

RL5800GZ-RG-EU
(European Wiring)



A small, square lantern with a dark, weathered metal frame and clear glass panels. It has a decorative top with a ring for hanging. Inside, four candle-style bulbs are visible. The lantern is suspended by a chain.

RL5711OBT-CG
Brinkley Large Lantern
in Old Black Tole
with Clear Glass
Height: 34.5"
Width: 21.5"
Canopy: 5.75" Round

Finishes: OBT
Glass Options: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 40 B

RL5711OBT-CG-EU
(European Wiring)



RL5710OBT-CG
Brinkley Small Lantern
in Old Black Tole
with Clear Glass
Height: 26.25"
Width: 16"
Canopy: 4.25" Round

Finishes: OBT
Glass Options: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 40 B

RL5710OBT-CG-EU
(European Wiring)



RL5735FR-CG
Carrington Large Lantern
in French Rust
with Clear Glass
Fixture Height: 48.5"
Width: 22.5"
Canopy: 6.75" Square

Finishes: FR, WVG
Glass Options: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5735FR-CG-EU
(European Wiring)



RL5733WVG-CG
Carrington Small Lantern
in Weathered
Verdigris with
Clear Glass
Fixture Height: 34.5"
Width: 16"
Canopy: 5.25" Square

Finishes: FR, WVG
Glass Options: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5733WVG-CG-EU
(European Wiring)



RL5733WVG-CG
Carrington Small
Lantern in Weathered
Verdigris with
Clear Glass

RL5733WVG-CG-EU
(European Wiring)





RL5122IS-BK
Fulton Large Pendant
in Industrial Steel with
Black Enamel Shade

RL5122IS-BK-EU
(European Wiring)



RL5122PN-PN
Fulton Large Pendant
in Polished Nickel
O/A Height: 62.5"
Fixture Height: 23"
Min. Custom Height: 34.5"
Width: 22"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Wattage: 75 A

Note: Custom
Height Available

RL5122PN-PN-EU
(European Wiring)



RL5122PN-WT
Fulton Large Pendant
in Polished Nickel with
White Enamel Shade

RL5122PN-WT-EU
(European Wiring)



RL5121IS-IS
Fulton Medium Pendant
in Industrial Steel
O/A Height: 55"
Fixture Height: 18"
Min. Custom Height: 29"
Width: 17"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Wattage: 75 A

Note: Custom
Height Available

RL5121IS-IS-EU
(European Wiring)



RL5121IS-BK
Fulton Medium Pendant
in Industrial Steel with
Black Enamel Shade

RL5121IS-BK-EU
(European Wiring)

RL5120PN-PN
Fulton Small Pendant in Polished Nickel
O/A Height: 49"
Fixture Height: 13"
Min. Custom Height: 19.25"
Width: 13"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments: BK, IS, PN, WT

Socket: E26 Keyless
Wattage: 75 A

Note: Custom Height Available

RL5120PN-PN-EU
(European Wiring)



RL5120PN-WT
Fulton Small Pendant in Polished Nickel with White Enamel Shade

RL5120PN-WT-EU
(European Wiring)



RL5120IS-IS
Fulton Small Pendant in Industrial Steel

RL5120IS-IS-EU
(European Wiring)



RL5120IS-BK
Fulton Small Pendant in Industrial Steel with Black Enamel Shade

RL5120IS-BK-EU
(European Wiring)



RL4143AI-CG
Crosby Flush Mount in Aged Iron with Clear Glass
Height: 8.25"
Width: 13"

Finishes: AI, PN
Glass Options: CG, WG

Socket: 2 - E26 Keyless
Wattage: 2 - 60 A

RL4143AI-CG-EU
(European Wiring)



RL4143PN-WG
Crosby Flush Mount in Polished Nickel with White Glass

RL4143PN-WG-EU
(European Wiring)



RL5119PN-PN
Fulton Mini Pendant in Polished Nickel
O/A Height: 46.5"
Fixture Height: 8"
Min. Custom Height: 18"
Width: 6.75"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments: BK, IS, PN, WT

Socket: E26 Keyless
Wattage: 60 A

Note: Custom Height Available

RL5119PN-PN-EU
(European Wiring)



RL5119PN-WT
Fulton Mini Pendant in Polished Nickel with White Enamel Shade

RL5119PN-WT-EU
(European Wiring)



RL5119IS-IS
Fulton Mini Pendant in Industrial Steel

RL5119IS-IS-EU
(European Wiring)



RL5119IS-BK
Fulton Mini Pendant in Industrial Steel with Black Enamel Shade

RL5119IS-BK-EU
(European Wiring)



RL5143AI-CG
Crosby Large Lantern in Aged Iron with Clear Glass
O/A Height: 52"
Fixture Height: 18.5"
Min. Custom Height: 24"
Width: 11.5"
Canopy: 7.25" Round

Finishes: AI, PN
Glass Options: CG, WG

Socket: E26 Keyless
Wattage: 60 A

Note: Custom Height Available

RL5143AI-CG-EU
(European Wiring)



RL5143PN-CG
Crosby Large Lantern in Polished Nickel with Clear Glass

RL5143PN-CG-EU
(European Wiring)



RL5143PN-WG
Crosby Large Lantern in Polished Nickel with White Glass

RL5143PN-WG-EU
(European Wiring)



RL5508AN-WG
Montgomery Large
Globe Pendant in
Antique Nickel
with White Glass
Height: 18.75"
Width: 16.25"
Canopy: 6" Round

Finishes: AN, PN
Glass Options: WG

Socket: 2 - E26 Keyless
Wattage: 2 - 60 B

RL5508AN-WG-EU
(European Wiring)



RL5508PN-WG
Montgomery Large
Globe Pendant in
Polished Nickel
with White Glass

RL5508PN-WG-EU
(European Wiring)



RL5507AN-WG
Montgomery Medium
Globe Pendant in
Antique Nickel
with White Glass
Height: 14.5"
Width: 12.25"
Canopy: 6" Round

Finishes: AN, PN
Glass Options: WG

Socket: 2 - E26 Keyless
Wattage: 2 - 40 B

RL5507AN-WG-EU
(European Wiring)



RL5506PN-WG
Montgomery Small
Globe Pendant in
Polished Nickel
with White Glass
Height: 9.75"
Width: 8.25"
Canopy: 6" Round

Finishes: AN, PN
Glass Options: WG

Socket: 2 - E26 Keyless
Wattage: 2 - 40 B

RL5506PN-WG-EU
(European Wiring)



RL5402NB-WG
Hendricks Large Globe
Pendant in Natural
Brass with White Glass
O/A Height: 55"
Fixture Height: 23"
Min. Custom Height: 27"
Width: 18"
Canopy: 6.75" Round

Finishes: NB, PN
Glass Options: WG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

Note: Custom
Height Available

RL5402NB-WG-EU
(European Wiring)



RL5402PN-WG
Hendricks Large Globe
Pendant in Polished
Nickel with White Glass

RL5402PN-WG-EU
(European Wiring)



RL5400NB-WG
Hendricks Small Globe
Pendant in Natural
Brass with White Glass
O/A Height: 49"
Fixture Height: 16.5"
Min. Custom Height: 21"
Width: 12"
Canopy: 6.75" Round

Finishes: NB, PN
Glass Options: WG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

Note: Custom
Height Available

RL5400NB-WG-EU
(European Wiring)



RL5400PN-WG
Hendricks Small Globe
Pendant in Polished
Nickel with White Glass

RL5400PN-WG-EU
(European Wiring)



RL5461NB-WG
McCarren Large Globe
Pendant in Natural
Brass with White Glass
O/A Height: 50.25"
Fixture Height: 21.5"
Min. Custom Height: 31"
Width: 16.25"
Canopy: 5.5" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 75 A

Note: Custom Height
Available/Requires
A-15 Bulb.

RL5461NB-WG-EU
(European Wiring)



RL5461PN-WG
McCarren Large Globe
Pendant in Polished
Nickel with White Glass

RL5461PN-WG-EU
(European Wiring)



RL5460NB-WG
McCarren Small Globe
Pendant in Natural
Brass with White Glass
O/A Height: 46.5"
Fixture Height: 17.25"
Min. Custom Height: 26"
Width: 12"
Canopy: 5.5" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 75 A

Note: Custom Height
Available/Requires
A-15 Bulb.

RL5460NB-WG-EU
(European Wiring)



RL5460PN-WG
McCarren Small Globe
Pendant in Polished
Nickel with White Glass

RL5460PN-WG-EU
(European Wiring)



RL4462NB-WG
McCarren Large
Flush Mount in
Natural Brass
with White Glass
Height: 20.75"
Width: 16.25"
Canopy: 7.75" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 60 A

Note:
Requires A-15 Bulb

RL4462NB-WG-EU
(European Wiring)



RL4462PN-WG
McCarren Large
Flush Mount in
Polished Nickel
with White Glass

RL4462PN-WG-EU
(European Wiring)



RL4461NB-WG
McCarren Medium
Flush Mount in
Natural Brass
with White Glass
Height: 16"
Width: 12"
Canopy: 6.5" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 60 A

Note:
Requires A-15 Bulb

RL4461NB-WG-EU
(European Wiring)



RL4461PN-WG
McCarren Medium
Flush Mount in
Polished Nickel
with White Glass

RL4461PN-WG-EU
(European Wiring)



RL4460NB-WG
McCarren Small
Flush Mount in
Natural Brass
with White Glass
Height: 11.75"
Width: 8"
Canopy: 6.5" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 60 A

Note:
Requires A-15 Bulb

RL4460NB-WG-EU
(European Wiring)



RL4460PN-WG
McCarren Small
Flush Mount in
Polished Nickel
with White Glass

RL4460PN-WG-EU
(European Wiring)



RL4802NB
Allen Large Round
Flush Mount in
Natural Brass and
Glass Rods with
White Glass
Height: 7"
Width: 18"

Finishes: NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Wattage: 3 - 60 T

RL4802NB-EU
(European Wiring)



RL4802PN
Allen Large Round
Flush Mount in
Polished Nickel and
Glass Rods with
White Glass

RL4802PN-EU
(European Wiring)



RL4800NB
Allen Medium Round
Flush Mount in
Natural Brass and
Glass Rods with
White Glass
Height: 7.5"
Width: 12.25"

Finishes: NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Wattage: 3 - 40 A

RL4800NB-EU
(European Wiring)



RL4800PN
Allen Medium Round
Flush Mount in
Polished Nickel and
Glass Rods with
White Glass

RL4800PN-EU
(European Wiring)



RL4801NB
Allen Small Round
Flush Mount in
Natural Brass and
Glass Rods with
White Glass
Height: 4.5"
Width: 12"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 40 B

RL4801NB-EU
(European Wiring)



RL4801PN
Allen Small Round
Flush Mount in
Polished Nickel and
Glass Rods with
White Glass

RL4801PN-EU
(European Wiring)



RL4072NB-FA
Perry Large Flush
Mount in Natural
Brass and Glass
Rods with
White Glass
Height: 4"
Width: 14"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 40 T

RL4072NB-FA-EU
(European Wiring)



RL4072PN-FA
Perry Large Flush
Mount in Polished
Nickel with
White Glass

RL4072PN-FA-EU
(European Wiring)



RL4803NB
Allen Square Flush
Mount in Natural
Brass and Glass Rods
with White Glass
Height: 4.5"
Width: 12.25"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 T

RL4803NB-EU
(European Wiring)



RL4803PN
Allen Square Flush
Mount in Polished
Nickel and Glass Rods
with White Glass

RL4803PN-EU
(European Wiring)



RL19023PN
Berling Large
Flush Mount in
Polished Nickel
with Frosted Glass
Height: 4.5"
Width: 18"

Finishes: PN
Glass Options: FG

Socket:
3 - E26 Keyless
Wattage: 3 - 60 A

RL19023PN-EU
(European Wiring)



RL19022PN
Berling Small
Flush Mount in
Polished Nickel
with Frosted Glass
Height: 4.25"
Width: 12.75"

Finishes: PN
Glass Options: FG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL19022PN-EU
(European Wiring)



RL19024BN
Marine Porthole
Large Flush Mount
in Natural Brass
with White Glass
Height: 5.5"
Width: 16"

Finishes: NB, PN
Glass Options: FG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL19024BN-EU
(European Wiring)



RL19024PN
Marine Porthole
Large Flush Mount
in Polished Nickel
with White Glass

RL19024PN-EU
(European Wiring)



RL19025BN
Marine Porthole
Medium Flush Mount
in Natural Brass
with White Glass
Height: 5"
Width: 12.5"

Finishes: NB, PN
Glass Options: FG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL19025BN-EU
(European Wiring)



RL19025PN
Marine Porthole
Medium Flush Mount
in Polished Nickel
with White Glass

RL19025PN-EU
(European Wiring)



RL19026BN
Marine Porthole
Small Flush Mount
in Natural Brass
with White Glass
Height: 4.5"
Width: 9.5"

Finishes: NB, PN
Glass Options: FG

Socket: E26 Keyless
Wattage: 60 A

RL19026BN-EU
(European Wiring)



RL19026PN
Marine Porthole
Small Flush Mount
in Polished Nickel
with White Glass

RL19026PN-EU
(European Wiring)



RL4114NB-WG
Wainscott Medium
Flush Mount in
Natural Brass
with White Glass
Height: 5"
Width: 15"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 40 A

RL4114NB-WG-EU
(European Wiring)



RL4114PN-WG
Wainscott Medium
Flush Mount in
Polished Nickel
with White Glass

RL4114PN-WG-EU
(European Wiring)



RL4113NB-WG
Wainscott Small
Flush Mount in
Natural Brass
with White Glass
Height: 4.25"
Width: 12"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 C

RL4113NB-WG-EU
(European Wiring)



RL4113PN-WG
Wainscott Small
Flush Mount in
Polished Nickel
with White Glass

RL4113PN-WG-EU
(European Wiring)



RL4700NB
Niles Flush Mount
in Natural Brass
Height: 5.5"
Width: 11"

Finishes:
AN, BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 40 A

RL4700NB-EU
(European Wiring)



RL4700PN
Niles Flush Mount
in Polished Nickel

RL4700PN-EU
(European Wiring)



RL4090NB-WG
Ella Woven Small
Flush Mount in
Natural Brass
with White Glass
Height: 6"
Width: 14"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL4090NB-WG-EU
(European Wiring)



RL4090PN-WG
Ella Woven Small
Flush Mount in
Polished Nickel
with White Glass

RL4090PN-WG-EU
(European Wiring)



RL4530NB-WG
Bleeker Flush Mount
in Natural Brass
with White Glass
Height: 5"
Width: 12.25"

Finishes: NB, PN
Glass Options: WG

LED: 15w

RL4530NB-WG-EU
(European Wiring)



RL4530PN-WG
Bleeker Flush Mount
in Polished Nickel
with White Glass

RL4530PN-WG-EU
(European Wiring)



RL4967NB/Q
Ellis Petite Flush
Mount in Natural
Brass and
Natural Quartz
Height: 3"
Width: 5"

Finishes: NB, PN
Glass Options: Q

LED: 2 - 6w

RL4967NB/Q-EU
(European Wiring)



RL4967PN/Q
Ellis Petite Flush
Mount in Polished
Nickel and
Natural Quartz

RL4967PN/Q-EU
(European Wiring)



RL4031NB-EC
Barton 6" Flush
Mount in Natural
Brass with
Etched Crystal
Height: 3.5"
Width: 6.5"

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 15w

RL4031NB-EC-EU
(European Wiring)



RL4030NB-EC
Barton 4" Flush
Mount in Natural
Brass with
Etched Crystal
Height: 3"
Width: 4.5"

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 12w

RL4030NB-EC-EU
(European Wiring)



RL4031BZ-EC
Barton 6" Flush
Mount in Bronze
with Etched Crystal

RL4031BZ-EC-EU
(European Wiring)



RL4030BZ-EC
Barton 4" Flush
Mount in Bronze
with Etched Crystal

RL4030BZ-EC-EU
(European Wiring)



RL4031PN-EC
Barton 6" Flush
Mount in Polished
Nickel with
Etched Crystal

RL4031PN-EC-EU
(European Wiring)



RL4030PN-EC
Barton 4" Flush
Mount in Polished
Nickel with
Etched Crystal

RL4030PN-EC-EU
(European Wiring)





WALL

RL2231GI-S
Adrianna Double
Sconce in Gilded
Iron and Crystal
with Silk Shades
Height: 25"
Width: 14"
Extension: 10"
Backplate:
5.5" x 7.5" Oval

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2231GI-S-EU
(European Wiring)



RL2231ASL-S
Adrianna Double
Sconce in Antique
Silver Leaf and
Crystal with
Silk Shades

RL2231ASL-S-EU
(European Wiring)



RL2232GI-S
Adrianna Triple
Sconce in Gilded
Iron and Crystal
with Silk Shades
Height: 27.5"
Width: 16.5"
Extension: 11.25"
Backplate:
5.5" x 7.5" Oval

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
3 - E12 Candelabra
Wattage: 3 - 40 B

RL2232GI-S-EU
(European Wiring)



RL2232ASL-S
Adrianna Triple
Sconce in Antique
Silver Leaf and
Crystal with
Silk Shades

RL2232ASL-S-EU
(European Wiring)



RL2262CG-L
Alexandra Large Sconce
in Crystal Glass
and Natural Brass
with Linen Shades
Height: 26.5"
Width: 23.75"
Extension: 10.75"
Backplate:
6" Semi-Circle

Finishes: CG
Shade Treatments: L
Shade Details:
4" x 6" x 5.5"

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2262CG-L-EU
(European Wiring)



RL2311NB
Antoinette Large
Sconce in Natural
Brass and Crystal
Height: 24.75"
Width: 17"
Extension: 13"
Backplate: 5" Round

Finishes: NB

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

Note: Shades
Sold Separately

RL2311NB-EU
(European Wiring)



RL2241GI-CGQ
Marie Sconce in
Gilded Iron with
Crystal, Quartz,
and Glass
Height: 19"
Width: 15.75"
Extension: 11.25"
Backplate: 4.25" Round

Finishes: GI
Trim Options: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 25 C

RL2241GI-CGQ-EU
(European Wiring)



RL2280GI-CG
Alessandra Large
Chandelier Sconce
in Gilded Iron
with Crystal
Height: 24.25"
Width: 12.5"
Extension: 8"
Backplate: 5" Round

Finishes:
AG, ASL, GI
Trim Options: CG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2280GI-CG-EU
(European Wiring)



RL2280ASL-CG
Alessandra Large
Chandelier Sconce
in Antique Silver
Leaf with Crystal

RL2280ASL-CG-EU
(European Wiring)



RL2017CG
Georgina Sconce
in Crystal
Height: 16.5"
Width: 17"
Extension: 11.75"
Backplate: 6.5" Round

Finishes: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 40 C

RL2017CG-EU
(European Wiring)



RL2005CG
Daniela Medium
Double Sconce
in Crystal
Height: 23.5"
Width: 18.5"
Extension: 12.5"
Backplate: 5.5" Round

Finishes: CG

Socket:
2 - E12 Candelabra
Wattage: 2 - 60 C

RL2005CG-EU
(European Wiring)



RL2005CG
Daniela Medium
Double Sconce
in Crystal

RL2005CG-EU
(European Wiring)



RL2620NB-ALB
Kayla Medium
Sculpted Sconce
in Natural Brass
with Alabaster

RL2620NB-ALB-EU
(European Wiring)



RL2620NB-ALB
Kayla Medium
Sculpted Sconce
in Natural Brass
with Alabaster
Height: 18"
Width: 10.5"
Extension: 8.5"
Backplate:
4.5" x 15.25" Rectangle

Finishes: NB, PN
Trim Options: ALB

Socket:
E12 Candelabra
Wattage: 9w LED B

RL2620NB-ALB-EU
(European Wiring)



R A L P H L A U R E N

RL2620PN-ALB
Kayla Medium
Sculpted Sconce
in Polished Nickel
with Alabaster

RL2620PN-ALB-EU
(European Wiring)



RL2146CG/NB-S
Parker Double Sconce
in Natural Brass with
Silk Shade

Height: 17.75"
Width: 13.5"
Extension: 8.75"
Backplate: 4.5" Round

Finishes:
CG/NB, CG/PN
Shade Treatments: S
Shade Details:
4.25" x 5.75" x 6"

Socket:
2 - E12 Candelabra
Wattage: 2 - 60 B

RL2146CG/NB-S-EU
(European Wiring)



RL2146CG/PN-S
Parker Double Sconce
in Polished Nickel
with Silk Shade

RL2146CG/PN-S-EU
(European Wiring)



RL2145CG/NB-S
Parker Single Sconce
in Natural Brass
with Silk Shade

Height: 25.25"
Width: 5.75"
Extension: 8"
Backplate: 4.5" Round

Finishes:
CG/NB, CG/PN
Shade Treatments: S
Shade Details:
4.25" x 5.75" x 6"

Socket:
E12 Candelabra
Wattage: 60 B

RL2145CG/NB-S-EU
(European Wiring)



RL2145CG/PN-S
Parker Single Sconce
in Polished Nickel
with Silk Shade

RL2145CG/PN-S-EU
(European Wiring)



RL2105BS-S
Aymeline Single Sconce
in Butler's Silver
with Silk Shade

Height: 10"
Width: 7"
Extension: 12"
Backplate: 6" Round

Finishes: BS
Shade Treatments: S
Shade Details:
4" x 7" x 5.5"

Socket:
E12 Candelabra
Wattage: 60 B

RL2105BS-S-EU
(European Wiring)



RL2101NB-CG
Cambridge Single
Sconce in Natural
Brass with Clear Glass
Height: 18.25"
Width: 7.25"
Extension: 9"
Backplate: 5" Round

Finishes: BS, NB
Glass Options: CG

Socket:
E12 Candelabra
Wattage: 60 C

RL2101NB-CG-EU
(European Wiring)



RL2101BS-CG
Cambridge Single
Sconce in Butler's
Silver with Clear Glass

RL2101BS-CG-EU
(European Wiring)



RL2640NB-S
Clarissa Single
Sconce in Natural
Brass and Cut
Mirror with Silk
Hardback Shade
Height: 18.75"
Width: 8"
Extension: 8"
Backplate:
7" x 14.5" Rectangle

Finishes: BS, NB
Shade Treatments: S
Shade Details:
3.75" x 5" x 4.75"

Socket:
E12 Candelabra
Wattage: 40 B

RL2640NB-S-EU
(European Wiring)



RL2641BS-S
Clarissa Double
Sconce in Butler's
Silver and Cut
Mirror with Silk
Hardback Shades
Height: 24.5"
Width: 11"
Extension: 7.25"
Backplate:
10" x 21" Rectangle

Finishes: BS, NB
Shade Treatments: S
Shade Details:
3.75" x 5" x 4.75"

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2641BS-S-EU
(European Wiring)



RL2205NB
Lillianne Single
Sconce in
Natural Brass
Height: 12"
Width: 5"
Extension: 14.25"
Backplate:
4.25" x 7.25"
Rectangle

Finishes: BS, NB

Socket:
E12 Candelabra
Wattage: 60 C

RL2205NB-EU
(European Wiring)



RL2205BS
Lillianne Single
Sconce in
Butler's Silver

RL2205BS-EU
(European Wiring)



RL2206NB
Lillianne Double
Sconce in
Natural Brass
Height: 12"
Width: 16.25"
Extension: 13"
Backplate:
4.25" x 6.5"
Rectangle

Finishes: BS, NB

Socket:
2 - E12 Candelabra
Wattage: 2 - 60 C

Note:
SH3X6X5NS
Sold Separately/
Use 40 Watt
Frosted Type "B"
with Clip On Shade

RL2206BS-EU
(European Wiring)



RL2206BS
Lillianne Double
Sconce in
Butler's Silver

RL2206BS-EU
(European Wiring)

RL11095BN-S
Kerry Swing Arm Wall
Lamp in Natural Brass
with Silk Shade
Height: 35.5" - 38"
Extension: 20.5"
Backplate:
2.5" x 5" Rectangle

Finishes: NB, PS
Shade Treatments: S
Shade Details:
7.5" x 11.25" x 9.75"

Socket: E26 3-Way
Wattage: 100 A

Note: Item Cannot
be Hardwired

RL11095BN-S-EU
(European Wiring)



RL11095PS-S
Kerry Swing Arm Wall
Lamp in Polished Silver
with Silk Shade

RL11095PS-S-EU
(European Wiring)

RL15835NB
Railroad Sconce in
Natural Brass with
White Paper Shade
Height: 15"
Width: 8"
Extension: 14.5"
Backplate:
3.75" x 7.5" Rectangle

Finishes:
BZ, NB, PN, RB
Shade Treatments: WP
Shade Details:
4" x 8" x 6.5"

Socket:
E12 Candelabra
Wattage: 60 C

Note: Requires a
Smaller Outlet Box

RL15835NB-EU
(European Wiring)



RL15835BZ
Railroad Sconce Wall
Lamp in Bronze with
White Paper Shade

RL15835BZ-EU
(European Wiring)



RL15835PN
Railroad Sconce Wall
Lamp in Polished
Nickel with White
Paper Shade

RL15835PN-EU
(European Wiring)

RL14021BN
Payson Sconce in
Natural Brass
with Silk Shade
Height: 11"
Extension: 7"
Backplate:
2.5" x 5" Rectangle

Finishes:
BZ, NB, PN
Shade Treatments: S
Shade Details:
4" x 6" x 5.25"

Socket:
E12 Candelabra
Wattage: 40 B

Note: Requires a
Smaller Outlet Box

RL14021BN-EU
(European Wiring)



RL14021BZ
Payson Sconce
in Bronze with
Silk Shade

RL14021BZ-EU
(European Wiring)



RL14021PN
Payson Sconce in
Polished Nickel
with Silk Shade

RL14021PN-EU
(European Wiring)



RL2007NB-P
Evans Double
Arm Sconce in
Natural Brass with
Percalé Shade
Height: 9.5"
Width: 12.75"
Extension: 6.75"
Backplate: 4.25" Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3" x 5" x 4.5"

Socket:
2 - E12 Candelabra
Wattage: 2 - 25 B

RL2007NB-P-EU
(European Wiring)



RL2003NB-P
Evans Single
Arm Sconce in
Natural Brass with
Percalé Shade
Height: 9.5"
Width: 5"
Extension: 7.25"
Backplate: 4.25" Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3" x 5" x 4.5"

Socket:
E12 Candelabra
Wattage: 25 B

Note: Requires
Smaller Outlet Box

RL2003NB-P-EU
(European Wiring)



RL2004PN-P
Evans Library Sconce
in Polished Nickel
with Percalé Shade
Height: 9.5"
Width: 5"
Extension: 7.25"
Backplate:
2.5" x 4.25" Rectangle

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3" x 5" x 4.5"

Socket:
E12 Candelabra
Wattage: 25 B

Note: Requires
Smaller Outlet Box

RL2004PN-P-EU
(European Wiring)



RL2010NB-P
Evans Swing
Arm Sconce in
Natural Brass with
Percalé Shade
Height: 12.75"
Width: 10"
Extension: 11" - 19.5"
Backplate: 4.25" Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
8" x 10" x 7.5" Nordy

Socket: E26 Dimmer
Wattage: 60 A

Note:
Cord Cover Included

RL2010NB-P-EU
(European Wiring)



RL2010PN-P
Evans Swing
Arm Sconce in
Polished Nickel with
Percalé Shade

RL2010PN-P-EU
(European Wiring)



RL2611NB/SDL-L
Riley Single Sconce
in Natural Brass
and Saddle Leather
with Leather Trimmed
Linen Shades
Height: 12.25"
Width: 6"
Extension: 7.75"
Backplate: 5.25" Round

Finishes:
NB/NVY, NB/SDL,
PN/CHC
Shade Treatments: L
Shade Details:
4" x 6" x 5.75"

Socket:
E12 Candelabra
Wattage: 40 B

RL2611NB/SDL-L-EU
(European Wiring)



RL2611PN/CHC-L
Riley Single Sconce
in Polished Nickel
and Chocolate Leather
with Leather Trimmed
Linen Shades

RL2611PN/CHC-L-EU
(European Wiring)



RL2501NB-L
Brompton Large
Extension Swing
Arm Sconce in
Natural Brass
with Linen Shade

RL2501NB-L-EU
(European Wiring)



RL2500NB-L
Brompton Extension
Swing Arm in
Natural Brass with
Linen Shade

Height: 18.75"
Width: 14"
Extension: 22" - 36"
Backplate:
3" x 12" Rectangle

Finishes:
BZ, NB, PN
Shade Treatments: L
Shade Details:
6" x 14" x 9"

Socket: E26 Hi-Lo
Wattage: 100 A

RL2500NB-L-EU
(European Wiring)



RL2500PN-L
Brompton Extension
Swing Arm in
Polished Nickel with
Linen Shade

RL2500PN-L-EU
(European Wiring)

RL2501PN-L
Brompton Large
Extension Swing
Arm Sconce in
Polished Nickel
with Linen Shade

Height: 25.5"
Width: 26"
Extension: 79"
Backplate:
4.75" x 23.5" Rectangle

Finishes:
BZ, NB, PN
Shade Treatments: L
Shade Details:
7" x 26" x 14.5"

Socket: E26 Dimmer
Wattage: 100 A

RL2501PN-L-EU
(European Wiring)



RL2250NB
Anette Single Sconce
in Natural Brass
Height: 10"
Width: 6.75"
Extension:
11.75" - 16.25"
Backplate: 4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Wattage: 40 B

RL2250NB-EU
(European Wiring)



RL2250PN
Anette Single Sconce
in Polished Nickel

RL2250PN-EU
(European Wiring)



RL2260NB
Anette Swing
Arm Sconce in
Natural Brass
Height: 10"
Width: 6.75"
Extension: 17.5" - 22"
Backplate: 4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Wattage: 40 B

RL2260NB-EU
(European Wiring)



RL2260PN
Anette Swing
Arm Sconce in
Polished Nickel

RL2260PN-EU
(European Wiring)



RL2252NB
Anette Double Sconce
in Natural Brass
Height: 10"
Width: 15" - 18.5"
Extension: 7" - 10.25"
Backplate: 4.75" Round

Finishes: NB, PN

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2252NB-EU
(European Wiring)



RL2252PN
Anette Double Sconce
in Polished Nickel

RL2252PN-EU
(European Wiring)



RL2270NB
Anette Library Light
in Natural Brass
Height: 12"
Width: 6.75"
Extension: 15" - 27.25"
Backplate: 4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Wattage: 40 B

RL2270NB-EU
(European Wiring)



RL2270PN
Anette Library Light
in Polished Nickel

RL2270PN-EU
(European Wiring)



RL14034NB
RL '67 Swing Arm
Wall Lamp in
Natural Brass
Height: 12.5"
Extension: 23"
Backplate: 5" Round

Finishes:
BZ, NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL14034NB-EU
(European Wiring)



RL14034PN
RL '67 Swing Arm
Wall Lamp in
Polished Nickel

RL14034PN-EU
(European Wiring)



RL14029BN
RL '67 Boom Arm
Wall Lamp in
Natural Brass
Height: 9" - 17"
Extension: 12" - 32"
Backplate: 5" Round

Finishes:
BZ, NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL14029BN-EU
(European Wiring)



RL14029PN
RL '67 Boom Arm
Wall Lamp in
Polished Nickel

RL14029PN-EU
(European Wiring)



RL14029PN
RL '67 Boom Arm
Wall Lamp in
Polished Nickel

RL14029PN-EU
(European Wiring)



RL2220NB-NB
Barrett Small Single
Knurled Sconce in
Natural Brass with
Brass Shade
Height: 12.5"
Width: 7"
Extension: 9"
Backplate:
4.5" x 1" Round

Finishes: NB, PN
Shade Treatments:
NB, PN

Socket:
E12 Candelabra
Wattage: 40 T

RL2220NB-NB-EU
(European Wiring)



RL2220PN-PN
Barrett Small Single
Knurled Sconce in
Polished Nickel
with Polished
Nickel Shade

RL2220PN-PN-EU
(European Wiring)



RL2220NB
Barrett Small Single
Knurled Sconce in
Natural Brass

RL2220NB-EU
(European Wiring)



RL2220PN
Barrett Small Single
Knurled Sconce in
Polished Nickel

RL2220PN-EU
(European Wiring)



RL2190NB
Dawes Sconce in
Natural Brass
Height: 6.25"
Width: 5"
Extension: 6.5"
Backplate:
3.75" x 6.5" Rectangle

Finishes: NB, PN

Socket: E26 Keyless
Wattage: 60 A

Note: Requires a
Smaller Outlet Box

RL2190NB-EU
(European Wiring)



RL2190PN
Dawes Sconce in
Polished Nickel

RL2190PN-EU
(European Wiring)



RL2160NB
Westbury Mirrored
Sconce in
Natural Brass
Height: 11"
Width: 7.75"
Extension: 4.25"
Backplate:
3" x 4" Rectangle

Finishes: NB, PN

Socket: E26 Keyless
Wattage: 60 A

Note: Requires a
Smaller Outlet Box

RL2160NB-EU
(European Wiring)



RL2160PN
Westbury Mirrored
Sconce in
Polished Nickel

RL2160PN-EU
(European Wiring)



RL2802AI-RG
Mills Large Wall
Lantern in Aged Iron
with Restoration Glass
Height: 34"
Width: 18.75"
Extension: 13.75"
Backplate: 16.25" x 16.5"
Rectangle

Finishes: AI, GZ
Glass Options: RG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 C

Note: Wet Rated

RL2802AI-RG-EU
(European Wiring)



RL2802GZ-RG
Mills Large Wall
Lantern in Garden Zinc
with Restoration Glass

RL2802GZ-RG-EU
(European Wiring)



RL2801AI-RG
Mills Medium Wall
Lantern in Aged Iron
with Restoration Glass
Height: 26.25"
Width: 14.5"
Extension: 10.75"
Backplate: 12.25" x 12.5"
Rectangle

Finishes: AI, GZ
Glass Options: RG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 C

Note: Wet Rated

RL2801AI-RG-EU
(European Wiring)



RL2801GZ-RG
Mills Medium Wall
Lantern in Garden Zinc
with Restoration Glass

RL2801GZ-RG-EU
(European Wiring)



RL2800AI-RG
Mills Small Wall
Lantern in Aged Iron
with Restoration Glass
Height: 18.75"
Width: 10.25"
Extension: 7.75"
Backplate: 8.5" x 8.75"
Rectangle

Finishes: AI, GZ
Glass Options: RG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 C

Note: Wet Rated

RL2800AI-RG-EU
(European Wiring)



RL2800GZ-RG
Mills Small Wall
Lantern in Garden Zinc
with Restoration Glass

RL2800GZ-RG-EU
(European Wiring)



RL2734FR-CG
Carrington Large
Wall Lantern in
French Rust
with Clear Glass
Height: 30"
Width: 16.75"
Extension: 11.5"
Backplate:
9" x 11" Rectangle

Finishes: FR, WVG
Glass Options: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 C

RL2734FR-CG-EU
(European Wiring)



RL2734WVG-CG
Carrington Large
Wall Lantern in
Weathered Verdigris
with Clear Glass

RL2734WVG-CG-EU
(European Wiring)



RL2733FR-CG
Carrington Medium
Sconce in French Rust
with Clear Glass
Height: 24.25"
Width: 13.5"
Extension: 9.25"
Backplate:
8.5" x 13.5" Trapezoid

Finishes: FR, WVG
Glass Options: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 C

RL2733FR-CG-EU
(European Wiring)



RL2732WVG-CG
Carrington Small
Wall Lantern in
Weathered Verdigris
with Clear Glass
Height: 18.5"
Width: 10.25"
Extension: 7.25"
Backplate:
9" x 11" Rectangle

Finishes: FR, WVG
Glass Options: CG

Socket:
E12 Candelabra
Wattage: 60 C

RL2732WVG-CG-EU
(European Wiring)



RL2743OBT-CG
Brinkley Large
Bracketed Lantern
in Old Black Tole
with Clear Glass
Height: 47.25"
Width: 21.25"
Extension: 16.25"
Backplate:
8.25" x 21" Rectangle

Finishes: OBT
Glass Options: CG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2743OBT-CG-EU
(European Wiring)



RL2742OBT-CG
Brinkley Medium
Bracketed Lantern
in Old Black Tole
with Clear Glass
Height: 35.5"
Width: 16"
Extension: 12.25"
Backplate:
6.25" x 15.75" Rectangle

Finishes: OBT
Glass Options: CG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2742OBT-CG-EU
(European Wiring)



RL2741OBT-CG
Brinkley Small
Bracketed Lantern
in Old Black Tole
with Clear Glass
Height: 25.5"
Width: 11.5"
Extension: 8.5"
Backplate:
4.5" x 11.25" Rectangle

Finishes: OBT
Glass Options: CG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2741OBT-CG-EU
(European Wiring)





RL2066BZ
Rivington Shield
Sconce in Bronze
with Antiqued
Ribbed Mirror

RL2066BZ-EU
(European Wiring)



RL2066BZ
Rivington Shield
Sconce in Bronze
with Antiqued
Ribbed Mirror
Height: 12.5"
Width: 6"
Extension: 7.5"
Backplate: 5" Round

Finishes: BZ, PN
Glass Options:
AM, MG

Socket:
E26 Keyless
Wattage: 60 A

RL2066BZ-EU
(European Wiring)



RL2066PN
Rivington Shield
Sconce in Polished
Nickel with
Ribbed Mirror

RL2066PN-EU
(European Wiring)



RL2065BZ
Rivington Large
Round Sconce
in Bronze
with Antiqued
Ribbed Mirror
Height: 20.5"
Width: 18"
Extension: 6.5"
Backplate: 5" Round

Finishes: BZ, PN
Glass Options:
AM, MG

Socket:
E26 Keyless
Wattage: 60 A

RL2065BZ-EU
(European Wiring)



RL2064PN
Rivington Small
Round Sconce in
Polished Nickel
with Ribbed Mirror
Height: 12.25"
Width: 10"
Extension: 5"
Backplate: 4.25" Round

Finishes: BZ, PN
Glass Options:
AM, MG

Socket: E26 Keyless
Wattage: 60 A

RL2064PN-EU
(European Wiring)



RL2181BZ
Grant Large
Sconce in Bronze
with Industrial
Prismatic Glass

RL2181BZ-EU
(European Wiring)



RALPH LAUREN

RL2181NB
Grant Large
Sconce in Natural
Brass with Industrial
Prismatic Glass
Height: 10.5"
Width: 7.5"
Extension: 6.25"
Backplate:
10" x 7.5" Triangle

Finishes:
BZ, NB, PN, WZ
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 A

RL2181NB-EU
(European Wiring)



RL2181BZ
Grant Large
Sconce in Bronze
with Industrial
Prismatic Glass

RL2181BZ-EU
(European Wiring)



RL2180PN
Grant Small
Sconce in Polished
Nickel with Industrial
Prismatic Glass
Height: 7.5"
Width: 5.25"
Extension: 4.75"
Backplate:
5.25" x 7" Triangle

Finishes:
BZ, NB, PN, WZ
Glass Options: CG

Socket:
E12 Candelabra
Wattage: 60 B

RL2180PN-EU
(European Wiring)



RL2180WZ
Grant Small
Sconce in Weathered
Zinc with Industrial
Prismatic Glass

RL2180WZ-EU
(European Wiring)



RL2120PN-PN
Fulton Small Sconce
in Polished Nickel
Height: 8.25"
Width: 6.75"
Extension: 9.25"
Backplate: 4.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Wattage: 75 A

RL2120PN-PN-EU
(European Wiring)



RL2120PN-WT
Fulton Small Sconce
in Polished Nickel with
White Enamel Shade

RL2120PN-WT-EU
(European Wiring)



RL2120IS-IS
Fulton Small Sconce
in Industrial Steel

RL2120IS-IS-EU
(European Wiring)



RL2120IS-BK
Fulton Small Sconce
in Industrial Steel with
Black Enamel Shade

RL2120IS-BK-EU
(European Wiring)



RL2175PN
Upton Large
Sconce in Polished
Nickel with Clear
and White Glass
Height: 13.25"
Width: 7.5"
Extension: 9"
Backplate: 5" Round

Finishes: BZ, PN
Glass Options:
CG, WG

Socket: E26 Keyless
Wattage: 60 T

RL2175PN-EU
(European Wiring)



RL2175BZ
Upton Large
Sconce in Bronze
with Clear and
White Glass

RL2175BZ-EU
(European Wiring)



RL2142PN-CG
Crosby Small Sconce
in Polished Nickel
with Clear Glass
Height: 12"
Width: 6.25"
Extension: 8.25"
Backplate:
4.5" x 5" Rectangle

Finishes: AI, PN
Glass Options:
CG, WG

Socket: E26 Keyless
Wattage: 60 A

RL2142PN-CG-EU
(European Wiring)



RL2142AI-CG
Crosby Small Sconce
in Aged Iron
with Clear Glass

RL2142AI-CG-EU
(European Wiring)



RL2162NB-WG
Westbury Double
Sconce in Natural
Brass with White Glass
Height: 12"
Width: 6"
Extension: 3.75"
Backplate: 4.5" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2162NB-WG-EU
(European Wiring)



RL2162BZ-WG
Westbury Double
Sconce in Bronze
with White Glass

RL2162BZ-WG-EU
(European Wiring)



RL2162PN-WG
Westbury Double
Sconce in Polished
Nickel with White Glass

RL2162PN-WG-EU
(European Wiring)



RL2530NB
Modern Hurricane
Sconce in
Natural Brass
Height: 13"
Width: 6"
Extension: 7.5"
Backplate: 4" Round

Finishes:
BZ, NB, PN
Glass Options:
CG/WG

Socket: E26 Keyless
Wattage: 60 B

RL2530NB-EU
(European Wiring)



RL2530BZ
Modern Hurricane
Sconce in Bronze

RL2530BZ-EU
(European Wiring)



RL2530PN
Modern Hurricane
Sconce in
Polished Nickel

RL2530PN-EU
(European Wiring)



RL2551NB-WG
McCarren Single
Sconce in Natural
Brass with White Glass
Height: 15.25"
Width: 8"
Extension: 11"
Backplate: 5.25" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 60 A

Note:
Requires A-15 Bulb

RL2551NB-WG-EU
(European Wiring)



RL2551BZ-WG
McCarren Single
Sconce in Bronze
with White Glass

RL2551BZ-WG-EU
(European Wiring)



RL2551PN-WG
McCarren Single
Sconce in Polished
Nickel with White Glass

RL2551PN-WG-EU
(European Wiring)



RL2550NB-WG
McCarren Double
Sconce in Natural
Brass with
White Glass
Height: 20"
Width: 8"
Extension: 11"
Backplate: 5.25" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

Note:
Requires A-15 Bulb

RL2550NB-WG-EU
(European Wiring)



RL2550BZ-WG
McCarren Double
Sconce in Bronze
with White Glass

RL2550BZ-WG-EU
(European Wiring)



RL2550PN-WG
McCarren Double
Sconce in Polished
Nickel with
White Glass

RL2550PN-WG-EU
(European Wiring)



RL2165NB-WG
Keating Large
Sconce in Natural
Brass with White Glass
Height: 35.75"
Width: 5"
Backplate:
3.25" x 33" Rectangle

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
4 - E26 Keyless
Wattage: 4 - 25 T

Note: Requires a
Smaller Outlet Box

RL2165NB-WG-EU
(European Wiring)



RL2165BZ-WG
Keating Large
Sconce in Bronze
with White Glass

RL2165BZ-WG-EU
(European Wiring)



RL2165PN-WG
Keating Large
Sconce in Polished
Nickel with White Glass

RL2165PN-WG-EU
(European Wiring)



RL2164NB-WG
Keating Medium
Sconce in Natural
Brass with White Glass
Height: 23.75"
Width: 5"
Backplate:
3.25" x 21" Rectangle

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 T

Note: Requires a
Smaller Outlet Box

RL2164NB-WG-EU
(European Wiring)



RL2164BZ-WG
Keating Medium
Sconce in Bronze
with White Glass

RL2164BZ-WG-EU
(European Wiring)



RL2164PN-WG
Keating Medium
Sconce in Polished
Nickel with White Glass

RL2164PN-WG-EU
(European Wiring)



RL2027NB-WG
Geneva Large Sconce
in Natural Brass
with White Glass
Height: 34"
Width: 5"
Extension: 4"
Backplate:
4" x 30.5" Rectangle

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
4 - E26 Keyless
Wattage: 4 - 60 T

RL2027NB-WG-EU
(European Wiring)



RL2027BZ-WG
Geneva Large Sconce
in Bronze with
White Glass

RL2027BZ-WG-EU
(European Wiring)



RL2027PN-WG
Geneva Large Sconce
in Polished Nickel
with White Glass

RL2027PN-WG-EU
(European Wiring)



RL2026NB-WG
Geneva Medium
Sconce in Natural
Brass with
White Glass
Height: 26"
Width: 5"
Extension: 4"
Backplate:
4" x 22" Rectangle

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Wattage: 3 - 40 B

RL2026NB-WG-EU
(European Wiring)



RL2026BZ-WG
Geneva Medium
Sconce in Bronze
with White Glass

RL2026BZ-WG-EU
(European Wiring)



RL2026PN-WG
Geneva Medium
Sconce in Polished
Nickel with
White Glass

RL2026PN-WG-EU
(European Wiring)



RL2025NB-WG
Geneva Small Sconce
in Natural Brass
with White Glass
Height: 17"
Width: 5"
Extension: 4"
Backplate:
4" x 13" Rectangle

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 40 B

RL2025NB-WG-EU
(European Wiring)



RL2025BZ-WG
Geneva Small Sconce
in Bronze with
White Glass

RL2025BZ-WG-EU
(European Wiring)



RL2025PN-WG
Geneva Small Sconce
in Polished Nickel
with White Glass

RL2025PN-WG-EU
(European Wiring)



RL19021PN
Berling Triple Wall
Sconce in Polished
Nickel with
Frosted Glass
Height: 36.25"
Width: 6.5"
Extension: 4"
Backplate:
4" x 35.75" Rectangle

Finishes: PN
Glass Options: FG

Socket:
3 - E26 Keyless
Wattage: 3 - 60 A

RL19021PN-EU
(European Wiring)



RL19020PN
Berling Double Wall
Sconce in Polished
Nickel with
Frosted Glass
Height: 24.25"
Width: 6.5"
Extension: 4"
Backplate:
4" x 23.25" Rectangle

Finishes: PN
Glass Options: FG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL19020PN-EU
(European Wiring)



RL19035PN
Deco Double Wall
Sconce in Polished
Nickel with White Glass
Height: 20.25"
Width: 6"
Extension: 7"
Backplate:
4" x 19.75" Rectangle

Finishes: PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL19035PN-EU
(European Wiring)



RL2535PN-WG
Bleeker Triple
Bath Sconce in
Polished Nickel
with White Glass
Height: 34.5"
Width: 5.25"
Extension: 4.5"
Backplate:
4" x 34" Rectangle

Finishes: NB, PN
Glass Options: WG

LED: 18w

RL2535PN-WG-EU
(European Wiring)



RL2534PN-WG
Bleeker Double
Bath Sconce in
Polished Nickel
with White Glass
Height: 23.25"
Width: 5.25"
Extension: 4.5"
Backplate:
4" x 23.25" Rectangle

Finishes: NB, PN
Glass Options: WG

LED: 12w

RL2534PN-WG-EU
(European Wiring)



RL2533PN-WG
Bleeker Single
Bath Sconce in
Polished Nickel
with White Glass
Height: 12"
Width: 5.25"
Extension: 4.5"
Backplate:
4" x 12" Rectangle

Finishes: NB, PN
Glass Options: WG

LED: 6w

RL2533PN-WG-EU
(European Wiring)



RL2035NB-EC
Barton Single Arm
Sconce in Natural
Brass with
Etched Crystal
Height: 13"
Width: 5"
Extension: 4"
Backplate: 5" Round

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 9w

RL2035NB-EC-EU
(European Wiring)



RL2035BZ-EC
Barton Single Arm
Sconce in Bronze
with Etched Crystal

RL2035BZ-EC-EU
(European Wiring)



RL2035PN-EC
Barton Single Arm
Sconce in Polished
Nickel with
Etched Crystal

RL2035PN-EC-EU
(European Wiring)



RL2032NB-EC
Barton Medium
Bath Sconce in
Natural Brass with
Etched Crystal
Height: 16"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 13.25"
Rectangle

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 4 - 18w

Note: Requires
Smaller Junction Box

RL2032NB-EC-EU
(European Wiring)



RL2031BZ-EC
Barton Small
Bath Sconce in
Bronze with
Etched Crystal
Height: 13"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 14"
Rectangle

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 4 - 12w

Note: Requires
Smaller Junction Box

RL2031BZ-EC-EU
(European Wiring)



RL2031PN-EC
Barton Small
Bath Sconce in
Polished Nickel
with Etched Crystal

RL2031PN-EC-EU
(European Wiring)



RL2034NB-EC
Barton Grande
Bath Sconce in
Natural Brass with
Etched Crystal
Height: 30"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 26.25"
Rectangle

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 4 - 24w

Note: Requires
Smaller Junction Box

RL2034NB-EC-EU
(European Wiring)



RL2033BZ-EC
Barton Large
Bath Sconce
in Bronze with
Etched Crystal
Height: 24"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 20.75"
Rectangle

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 4 - 24w

Note: Requires
Smaller Junction Box

RL2033BZ-EC-EU
(European Wiring)



RL2033PN-EC
Barton Large
Bath Sconce
in Polished Nickel
with Etched Crystal

RL2033PN-EC-EU
(European Wiring)



RL2042NB-WG
Jones Small Single Sconce in Natural Brass with White Glass
Height: 11.5"
Width: 5"
Extension: 4"
Backplate: 5" Round

Finishes: NB, PN
Glass Options: WG

LED: 9w

RL2042NB-WG-EU
(European Wiring)



RL2042PN-WG
Jones Small Single Sconce in Polished Nickel with White Glass

RL2042PN-WG-EU
(European Wiring)




RL2043NB-WG
Jones Medium Double Sconce in Natural Brass with White Glass
Height: 18"
Width: 5"
Extension: 4"
Backplate: 5" Round

Finishes: NB, PN
Glass Options: WG

LED: 18w

RL2043NB-WG-EU
(European Wiring)



RL2043PN-WG
Jones Medium Double Sconce in Polished Nickel with White Glass

RL2043PN-WG-EU
(European Wiring)



RL2080NB
Allen Single Sconce in Natural Brass and Glass Rods
Height: 11"
Width: 4.5"
Extension: 5"
Backplate: 4.5" Round

Finishes: NB, PN

Socket: E26 Keyless
Wattage: 40 T

RL2080NB-EU
(European Wiring)



RL2080PN
Allen Single Sconce in Polished Nickel and Glass Rods

RL2080PN-EU
(European Wiring)




RL2082NB
Allen Double Light Sconce in Natural Brass and Glass Rods
Height: 4.5"
Width: 17.5"
Extension: 5"
Backplate: 4.5" Round

Finishes: NB, PN

Socket:
2 - E26 Keyless
Wattage: 2 - 40 T

RL2082NB-EU
(European Wiring)



RL2082PN
Allen Double Light Sconce in Polished Nickel and Glass Rods

RL2082PN-EU
(European Wiring)



RL2086NB
Allen Large Linear
Sconce in Natural
Brass and Glass Rods
Height: 27.5"
Width: 6"
Extension: 5"
Backplate:
4.25" x 21" Rectangle

Finishes: NB, PN

Socket:
3 - E26 Keyless
Wattage: 3 - 60 B

RL2086NB-EU
(European Wiring)

RL2086PN
Allen Large Linear
Sconce in Polished
Nickel and Glass Rods

RL2086PN-EU
(European Wiring)



RL2085NB
Allen Medium Linear
Sconce in Natural
Brass and Glass Rods
Height: 18.5"
Width: 6"
Extension: 5"
Backplate:
4.25" x 18" Rectangle

Finishes: NB, PN

Socket:
2 - E26 Keyless
Wattage: 2 - 60 B

RL2085NB-EU
(European Wiring)

RL2085PN
Allen Medium Linear
Sconce in Polished
Nickel and Glass Rods

RL2085PN-EU
(European Wiring)



RL2084NB
Allen Small Linear
Sconce in Natural
Brass and Glass Rods
Height: 12"
Width: 6"
Extension: 5"
Backplate: 4.25" x 21"

Finishes: NB, PN

Socket: E26 Keyless
Wattage: 2 - 60 B

RL2084NB-EU
(European Wiring)

RL2084PN
Allen Small Linear
Sconce in Polished
Nickel and Glass Rods

RL2084PN-EU
(European Wiring)



RL2969NB/Q
Ellis Medium
Linear Sconce in
Natural Brass
and Natural Quartz
Height: 18.75"
Width: 5"
Extension: 3"
Backplate:
5" x 18.75" Rectangle

Finishes: NB, PN
Glass Options: Q

LED: 18w

RL2969NB/Q-EU
(European Wiring)

RL2969PN/Q
Ellis Medium
Linear Sconce in
Polished Nickel
and Natural Quartz

RL2969PN/Q-EU
(European Wiring)



RL2321NB-CG
Daley Medium
Linear Sconce in
Natural Brass
with Crystal
Height: 18"
Width: 4.25"
Extension: 3.5"
Backplate:
4.25" x 17.5" Rectangle

Finishes: NB, PN
Glass Options: CG

LED: 19w

RL2321NB-CG-EU
(European Wiring)

RL2321PN-CG
Daley Medium
Linear Sconce in
Polished Nickel
with Crystal

RL2321PN-CG-EU
(European Wiring)



RL2320NB-CG
Daley Small
Linear Sconce in
Natural Brass
with Crystal
Height: 12"
Width: 3"
Extension: 2.5"
Backplate:
4" x 12" Rectangle

Finishes: NB, PN
Glass Options: CG

LED: 12w

RL2320NB-CG-EU
(European Wiring)

RL2320PN-CG
Daley Small
Linear Sconce in
Polished Nickel
with Crystal

RL2320PN-CG-EU
(European Wiring)



RL2788NB
Langham Large Picture Light in Natural Brass
Height: 2.5"
Width: 36"
Extension: 5" - 5.75"
Backplate:
24" x 2.5" Rectangle

Finishes:
BZ, NB, PN

LED: 27w

RL2788NB-EU
(European Wiring)



RL2787BZ
Langham Medium Picture Light in Bronze
Height: 2.5"
Width: 24"
Extension: 5" - 5.75"
Backplate:
12" x 2.5" Rectangle

Finishes:
BZ, NB, PN

LED: 18w

RL2787BZ-EU
(European Wiring)



RL2786PN
Langham Small Picture Light in Polished Nickel
Height: 2.5"
Width: 13"
Extension: 5" - 5.75"
Backplate:
4.75" x 2.5" Rectangle

Finishes:
BZ, NB, PN

LED: 9w

RL2786PN-EU
(European Wiring)



RL2698NB
Willoughby Large Picture Light in Natural Brass
Height: 8.75"
Width: 24"
Extension: 10.5"
Backplate:
2.75" x 5" Decorative

Finishes:
BZ, NB, PN

Socket:
4 - E26 Keyless
Wattage: 4 - 40 T

Note: Requires
Smaller Outlet Box

RL2698NB-EU
(European Wiring)



RL2697BZ
Willoughby Medium Picture Light in Bronze
Height: 8.75"
Width: 18"
Extension: 10.5"
Backplate:
2.5" x 5" Decorative

Finishes:
BZ, NB, PN

Socket:
2 - E26 Keyless
Wattage: 2 - 40 T

Note: Requires
Smaller Outlet Box

RL2697BZ-EU
(European Wiring)



RL2696PN
Willoughby Small Picture Light in Polished Nickel
Height: 8.75"
Width: 9"
Extension: 10.5"
Backplate:
2.75" x 5" Decorative

Finishes:
BZ, NB, PN

Socket:
E26 Keyless
Wattage: 40 T

Note: Requires
Smaller Outlet Box

RL2696PN-EU
(European Wiring)



RL2277NB
Anette 24" Picture Light
in Natural Brass
Height: 2.25"
Width: 24"
Extension: 12.25"
Backplate:
2" x 19.5"
Rectangle

Finishes:
BZ, NB, PN

Socket:
2 - E26 Keyless
Wattage: 2 - 40 T

Note: Requires
Smaller Outlet Box

RL2277NB-EU
(European Wiring)



RL2277BZ
Anette 24" Picture Light
in Bronze

RL2277BZ-EU
(European Wiring)



RL2277PN
Anette 24" Picture Light
in Polished Nickel

RL2277PN-EU
(European Wiring)



RL2276NB
Anette 16" Picture Light
in Natural Brass
Height: 2.25"
Width: 16"
Extension: 12.25"
Backplate:
2" x 11.25" Rectangle

Finishes:
BZ, NB, PN

Socket:
2 - E26 Keyless
Wattage: 2 - 40 T

Note: Requires
Smaller Outlet Box

RL2276NB-EU
(European Wiring)



RL2276BZ
Anette 16" Picture
Light in Bronze

RL2276BZ-EU
(European Wiring)



RL2275PN
Anette 9" Picture Light
in Polished Nickel
Height: 2.25"
Width: 9"
Extension: 12.25"
Backplate:
2" x 3.5" Rectangle

Finishes:
BZ, NB, PN

Socket: E26 Keyless
Wattage: 40 T

Note: Requires
Smaller Outlet Box

RL2275PN-EU
(European Wiring)



RL2712PN
Montgomery 36" Picture Light in Polished Nickel
Height: 4.25"
Width: 36.5"
Extension: 8.5"
Backplate:
4.25" x 20.5" Rectangle

Finishes: PN

Socket:
4 - E26 Keyless
Wattage: 4 - 40 T

RL2712PN-EU
(European Wiring)



RL2711PN
Montgomery 26" Picture Light in Polished Nickel
Height: 4.25"
Width: 26.5"
Extension: 8.5"
Backplate:
4.25" x 12" Rectangle

Finishes: PN

Socket:
3 - E26 Keyless
Wattage: 3 - 40 T

RL2711PN-EU
(European Wiring)



RL2710PN
Montgomery 16" Picture Light in Polished Nickel
Height: 4.25"
Width: 16.5"
Extension: 8.5"
Backplate: 4.25" Square

Finishes: PN

Socket:
2 - E26 Keyless
Wattage: 2 - 40 T

RL2710PN-EU
(European Wiring)



RL2186BS
Irving 24" Picture Light in Butler's Silver
Height: 4.25"
Width: 24"
Extension: 6"
Backplate:
4.25" x 10.5" Rectangle

Finishes: BS

Socket: 2 - E26 Keyless
Wattage: 2 - 40 T

RL2186BS-EU
(European Wiring)



RL2185BS
Irving 15" Picture Light in Butler's Silver
Height: 4.25"
Width: 15"
Extension: 6"
Backplate: 4.25" Square

Finishes: BS

Socket: E26 Keyless
Wattage: 40 T

RL2185BS-EU
(European Wiring)



INDEX

RL1020	81	RL16031	58	RL2142	207	RL2611	187
RL1085	48, 49	RL1704	85	RL2145	180	RL2620	178, 179
RL1090	46	RL1716	62, 63	RL2146	180	RL2640	182
RL11090	72	RL1724	64, 65	RL2160	195	RL2641	182
RL11092	50	RL1730	42, 68	RL2162	208	RL2696	225
RL11093	77	RL1739	85	RL2164	211	RL2697	225
RL11094	38, 39	RL19020	214	RL2165	210	RL2698	225
RL11095	184	RL19021	214	RL2175	207	RL2710	228
RL11102	44	RL19022	167	RL2180	205	RL2711	228
RL11165	73	RL19023	167	RL2181	204, 205	RL2712	228
RL11167	7	RL19024	168	RL2185	229	RL2713	200
RL11170	74, 75	RL19025	168	RL2186	229	RL2732	198
RL11173	41	RL19026	168	RL2190	195	RL2733	198
RL11180	66, 67	RL19035	214	RL2205	183	RL2734	198
RL11182	69	RL1940	47	RL2206	183	RL2741	199
RL1130	45	RL2003	187	RL2220	194	RL2742	199
RL1145	78	RL2004	187	RL2231	172, 174	RL2743	199
RL1151	54, 55	RL2005	176, 177	RL2232	174	RL2747	200
RL1209	84	RL2007	186	RL2241	175	RL2786	224
RL12128	51	RL2010	187	RL2250	190	RL2787	224
RL1250	76	RL2017	176	RL2252	191	RL2788	224
RL1345	79	RL2025	213	RL2260	190	RL2800	197
RL1388	80	RL2026	213	RL2262	175	RL2801	197
RL14000	10	RL2027	212	RL2270	191	RL2802	196
RL14021	185	RL2031	216	RL2275	227	RL2969	222
RL14028	70, 71	RL2032	216	RL2276	227	RL3040	14, 15
RL14029	192, 193	RL2033	217	RL2277	226	RL3082	17
RL14030	40	RL2034	217	RL2280	176	RL3086	9
RL14034	192	RL2035	216	RL2311	175	RL3094	13
RL14040	11	RL2042	218	RL2320	223	RL3130	14
RL14042	28, 29	RL2043	218	RL2321	223	RL3147	36
RL14072	10	RL2064	203	RL2323	200	RL3151	35
RL1470	56, 57	RL2065	203	RL2329	201	RL3183	12
RL1480	61	RL2066	202, 203	RL2370	200	RL3250	39
RL1491	59	RL2080	219	RL2500	189	RL3320	37
RL1500	52, 23	RL2082	219	RL2501	188, 189	RL3345	37
RL15020	8, 9	RL2084	221	RL2530	208	RL3388	40
RL15032	18, 19	RL2085	221	RL2533	215	RL3393	13
RL1520	82, 83	RL2086	220	RL2534	215	RL3467	32, 33
RL1540	62	RL2101	182	RL2535	215	RL3468	32
RL15835	185	RL2105	181	RL2550	209	RL3470	26, 27
RL1592	60	RL2120	206	RL2551	209	RL3472	4, 5

INDEX

RL3473	5	RL4967	170	RL5180	146	RL5540	116
RL3480	30, 31	RL5004	96	RL5181	111	RL5542	116
RL3491	29	RL5005	96	RL5183	111	RL5545	117
RL3501	34, 35	RL5006	96	RL5184	110	RL5610	113
RL3531	16, 17	RL5007	95	RL5195	121	RL5612	113
RL3592	30	RL5008	95	RL5196	121	RL5614	112
RL3622	2, 22, 23	RL5010	94	RL5197	120	RL5620	103
RL3623	22	RL5016	97	RL5205	104, 105	RL5621	103
RL3625	24, 25	RL5017	97	RL5206	104	RL5630	102
RL3627	25	RL5030	151	RL5220	150	RL5710	156
RL3633	20	RL5032	128, 129	RL5222	150	RL5711	156
RL3634	20, 21	RL5040	141	RL5224	127	RL5728	119
RL3649	19	RL5041	141	RL5225	127	RL5729	119
RL3650	19	RL5042	140	RL5226	126	RL5730	118, 119
RL3724	32	RL5060	139	RL5230	92	RL5733	156, 157
RL3805	39	RL5064	138	RL5231	91	RL5735	156
RL3822	17	RL5065	136, 137	RL5233	90	RL5739	152
RL3905	10	RL5067	134, 135	RL5241	98, 99	RL5740	153
RL3909	10	RL5075	133	RL5247	130	RL5742	153
RL3920	9	RL5080	132	RL5251	144	RL5748	115
RL3921	6	RL5082	132	RL5252	144	RL5750	115
RL3936	6	RL5086	133	RL5262	86, 88, 89	RL5752	114
RL3941	12	RL5101	148	RL5280	93	RL5753	115
RL3943	6	RL5103	148	RL5311	89	RL5754	114
RL3965	5	RL5114	100	RL5321	131	RL5800	155
RL3966	5	RL5119	160	RL5340	101	RL5801	155
RL4030	171	RL5120	160	RL5341	101	RL5802	154
RL4031	171	RL5121	159	RL5371	152		
RL4072	167	RL5122	158, 159	RL5400	163		
RL4090	170	RL5130	122	RL5402	163		
RL4113	169	RL5131	122, 123	RL5415	149		
RL4114	169	RL5132	122	RL5416	149		
RL4143	161	RL5133	124	RL5460	164		
RL4460	165	RL5134	125	RL5461	164		
RL4461	165	RL5143	161	RL5506	162		
RL4462	165	RL5147	145	RL5507	162		
RL4530	170	RL5148	145	RL5508	162		
RL4700	169	RL5156	151	RL5528	106, 107		
RL4800	166	RL5161	143	RL5529	108		
RL4801	166	RL5162	143	RL5530	109		
RL4802	166	RL5175	147	RL5531	108		
RL4803	167	RL5177	147	RL5532	142		

FINISH CODES

Antiqued Gild	AG	French Rust	FR
Aged Iron	AI	Gilded Iron	GI
Antique Nickel	AN	Garden Zinc	GZ
Antique Silver Leaf	ASL	Coconut Porcelain	ICO
Blue Ceramic	BC	Ivory Faux Croc with Polished Nickel	ICR/PN
Black Faux Croc with Polished Nickel	BCR/PN	Industrial Steel	IS
Black Crystal	BG	Macassar Ebony and Natural Brass	MCE
Black Faux Croc with Polished Nickel	BK	Mercury Glass	MG
Black Ebony and Polished Nickel	BKE	Mahogany	MHG
Blue Ceramic	BLC	Natural Brass	NB
Black and Gold	BLK	Natural Brass and Chocolate Leather	NB/CHC
Black Ceramic	BLK	Natural Brass and Navy Leather	NB/NVY
Black Nickel	BLK	Natural Brass and Plaster White	NB/PW
Black Porcelain	BLK	Natural Brass and Saddle Leather	NB/SDL
Ebony	BLK	Natural Rust	NR
Black Faux Croc with Natural Brass	BLK/NB	Natural Rusted Iron	NR
Navy Faux Croc with Polished Nickel	BLU	Old Black Tole	OBT
Blue and White Porcelain	BLW	Polished Nickel	PN
Natural Bone	BN	Polished Nickel and Chocolate Leather	PN/CHC
Brown Faux Croc with Polished Nickel	BRN	Polished Nickel and Plaster White	PN/PW
Butler's Silver	BS	Polished Nickel and Saddle Leather	PN/SDL
Bronze	BZ	Polished Silver	PS
Crystal Bronze Ceramic	CBZ	Natural Brass	RB
Clear Carved Glass	CCG	Saddle Leather	SDL
Clear Glass	CG	Sheffield Nickel	SN
Clear Soda Glass	CG	Vintage Oak	VO
Crystal	CG	White Leather Ceramic	WLC
Crystal with Brass	CG/NB	White and Gold	WHT
Crystal with Polished Nickel	CG/PN	White	WT
Chocolate Leather	CHC	Weathered Verdigris	WVG
Ebonized Oak	EBO	Weathered Zinc	WZ

CHANDELIER AND SCONCE OPTIONS

RLS201DS
5" Drum Shade
Candle Clip

Shade Details:
3" x 5" x 5"
Drum Shade



RLS201L
5" Linen Candle
Clip Shade

Shade Details:
3" x 5" x 5"
Linen



RLS201SB
5" Silk Bell Candle
Clip Shade

Shade Details:
3" x 5" x 5"
Silk Bell



RLS201SP
5" Silk Pleated
Candle Clip Shade

Shade Details:
3" x 5" x 5"
Silk Pleat



RLS201WF
5" Wire Frame
Candle Clip Shade

Shade Details:
3" x 5" x 5"
Wire Frame



RLS202DS
6" Drum Shade
Candle Clip

Shade Details:
3.25" x 6" x 5.25"
Drum Shade



RLS202L
6" Linen Candle
Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Linen



RLS202SB
6" Silk Bell Candle
Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Silk Bell



RLS202SP
6" Silk Pleated
Candle Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Silk Pleat



RLS202WF
6" Wire Frame
Candle Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Wire Frame



General Note: Use 40 Watt Frosted Type "B" With Clip on Shade

SHADE OPTIONS

RL14040PN-S2 RL14040PN-S2-EU Daniela Table Lamp in Crystal with Silk Hardback Shade Shade Details: 10" x 21" x 13¼" Silk Hardback		RL14072PN-S2 RL14072PN-S2-EU Noble Estate Large Vase Table Lamp in Crystal with Silk Hardback Shade Shade Details: 10" x 21" x 13¼" Silk Hardback		RL14000BG-S2 RL14000BG-S2-EU Marissa Table Lamp in Black Glass with Silk Shade Shade Details: 10" x 21" x 13¼" Silk	
RL15032BKP-S2 RL15032BKP-S2-EU Gable Table Lamp in Black and Gold Porcelain with Silk Shade Shade Details: 10" x 21" x 13" Silk		RL15032GD-S2 RL15032GD-S2-EU Gable Table Lamp in White and Gold Porcelain with Silk Hardback Shade Shade Details: 10" x 21" x 13" Silk Hardback		RL3633BLK-DS RL3633BLK-DS-EU Halifax Small Table Lamp in Black Ceramic with Faux Drum Skin Shade Shade Details: 14" x 19" x 13" Faux Drum Skin	
RL3634BLK-DS RL3634BLK-DS-EU Halifax Large Table Lamp in Black Ceramic with Faux Drum Skin Shade Shade Details: 19" x 25" x 18" Faux Drum Skin					

EU INDEX

RL1020PN-EU Height: 165.1cm - 207cm Width: 61cm Base: 43.2cm x 61cm U-Shaped Socket: 3 - E14 Wattage: 3 - 40 C		RL1085CG-S-EU Height: 157.5cm Width: 50.8cm Base: 27.9cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: S Shade Details: 50.8cm x 50.8cm x 30.5cm	
RL1085PN-S-EU Height: 157.5cm Width: 50.8cm Base: 27.9cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: S Shade Details: 50.8cm x 50.8cm x 30.5cm		RL1090NB-L-EU Height: 160.7cm Width: 53.3cm Base: 30.5cm Round Socket: 2 - E27 Wattage: 2 - 60 Shade Treatments: L Shade Details: 50.8cm x 53.3cm x 34.3cm	
RL1090PN-L-EU Height: 160.7cm Width: 53.3cm Base: 30.5cm Round Socket: 2 - E27 Wattage: 2 - 60 Shade Treatments: L Shade Details: 50.8cm x 53.3cm x 34.3cm		RL11090BN-EU Height: 101.6cm - 152.4cm Extension: 80cm Base: 27.9cm Round Socket: E27 Wattage: 60 A	
RL11090PN-EU Height: 101.6cm - 152.4cm Extension: 80cm Base: 27.9cm Round Socket: E27 Wattage: 60 A		RL11092BN-S-EU Height: 121.9cm - 162.6cm Width: 35.6cm Extension: 58.4cm Base: 25.4cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 21.6cm x 35.6cm x 26.7cm	
RL11092PS-S-EU Height: 121.9cm - 162.6cm Width: 35.6cm Extension: 58.4cm Base: 25.4cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 21.6cm x 35.6cm x 26.7cm		RL11093BN-EU Height: 92.7cm - 133.4cm Extension: 37.5cm Base: 25.4cm Round Socket: E27 Wattage: 60 A	
RL11093PN-EU Height: 92.7cm - 133.4cm Extension: 37.5cm Base: 25.4cm Round Socket: E27 Wattage: 60 A		RL11094BN-EU Height: 58.4cm - 76.2cm Width: 31.1cm Base: 17.8cm Round Socket: E27 Wattage: 100 A	
RL11094PN-EU Height: 58.4cm - 76.2cm Width: 31.1cm Base: 17.8cm Round Socket: E27 Wattage: 100 A		RL11095BN-S-EU Height: 90.2cm - 96.5cm Extension: 52.1cm Backplate: 6.4cm x 12.7cm Rec. Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 19cm x 28.6cm x 24.8cm	

EU INDEX

RL1109PS-S-EU Height: 90.2cm - 96.5cm Extension: 52.1cm Backplate: 6.4cm x 12.7cm Rec. Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 19cm x 28.6cm x 24.8cm		RL11102BN-S-EU Height: 158.1cm - 168.9cm Width: 50.8cm Base: 25.4cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 27.9cm x 50.8cm x 35.6cm	
RL11102PS-S-EU Height: 158.1cm - 168.9cm Width: 50.8cm Base: 25.4cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 27.9cm x 50.8cm x 35.6cm		RL11165BN-EU Height: 104.1cm - 142.2cm Extension: 38.1cm Base: 25.4cm Round Socket: E27 Wattage: 60 A	
RL11165PN-EU Height: 104.1cm - 142.2cm Extension: 38.1cm Base: 25.4cm Round Socket: E27 Wattage: 60 A		RL11167BN-P-EU Height: 76.2cm - 83.8cm Width: 66cm Base: 23.5cm Round Socket: E27 Wattage: 100 A Shade Treatments: WP Shade Details: 17.8cm x 66cm x 36.8cm	
RL11167BZ-P-EU Height: 76.2cm - 83.8cm Width: 66cm Base: 23.5cm Round Socket: E27 Wattage: 100 A Shade Treatments: WP Shade Details: 17.8cm x 66cm x 36.8cm		RL11167PS-P-EU Height: 76.2cm - 83.8cm Width: 66cm Base: 23.5cm Round Socket: E27 Wattage: 100 A Shade Treatments: WP Shade Details: 17.8cm x 66cm x 36.8cm	
RL11170BLK-EU Height: 111.8cm - 167.6cm Extension: 83.8cm Base: 28.6cm Round Socket: E27 Wattage: 75 A		RL11170PN-EU Height: 111.8cm - 167.6cm Extension: 83.8cm Base: 28.6cm Round Socket: E27 Wattage: 75 A	
RL11173BLK-EU Height: 114.3cm Extension: 96.5cm Base: 20.3cm Round Socket: E27 Wattage: 75 A		RL11173PN-EU Height: 114.3cm Extension: 96.5cm Base: 20.3cm Round Socket: E27 Wattage: 75 A	
RL11180EBO-EU Height: 165.1cm - 196.8cm Width: 61cm Base: 61cm Tripod Socket: E27 Wattage: 100 A Glass Options: CG		RL11180PN-EU Height: 165.1cm - 196.8cm Width: 61cm Base: 61cm Tripod Socket: E27 Wattage: 100 A Glass Options: CG	

EU INDEX

RL11182PN-PN-EU Height: 181cm Width: 35.6cm Base: 30.5cm Round Socket: E27 Wattage: 100 A Shade Treatments: PN		RL1130NB-L-EU Height: 161.3cm Width: 50.8cm Base: 27.9cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: L Shade Details: 47cm x 50.8cm x 35.6cm	
RL1130PN-L-EU Height: 161.3cm Width: 50.8cm Base: 27.9cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: L Shade Details: 47cm x 50.8cm x 35.6cm		RL1145CG/NB-EU Height: 102.9cm - 136.5cm Width: 42.5cm Base: 27.3cm x 31.8cm T - Shaped Socket: E27 Wattage: 60 T	
RL1145CG/PN-EU Height: 102.9cm - 136.5cm Width: 42.5cm Base: 27.3cm x 31.8cm T - Shaped Socket: E27 Wattage: 60 T		RL1151BLK-P-EU Height: 115.6cm - 160cm Extension: 68cm - 106.7cm Base: 30.5cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: P Shade Details: 35.6cm x 48.3cm x 29.2cm	
RL1151PN-P-EU Height: 115.6cm - 160cm Extension: 68cm - 106.7cm Base: 30.5cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: P Shade Details: 35.6cm x 48.3cm x 29.2cm		RL1209AI-EU Height: 120.7cm - 144.8cm Width: 21.6cm Extension: 38.1cm Base: 20.3cm x 30.5cm Rec. Socket: E27 Wattage: 60 A	
RL1209PN-EU Height: 120.7cm - 144.8cm Width: 21.6cm Extension: 38.1cm Base: 20.3cm x 30.5cm Rec. Socket: E27 Wattage: 60 A		RL12128BN-S-EU Height: 164.5cm Width: 45.7cm Extension: 66cm Base: 27.9cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: S Shade Details: 30.5cm x 45.7cm x 30.5cm	
RL12128BS-S-EU Height: 164.5cm Width: 45.7cm Extension: 66cm Base: 27.9cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: S Shade Details: 30.5cm x 45.7cm x 30.5cm		RL1250NB-EU Height: 134.6cm - 160cm Width: 20.3cm Extension: 16.5cm - 28cm Base: 20.3cm Round Socket: E14 Wattage: 40 C	
RL1250PN-EU Height: 134.6cm - 160cm Width: 20.3cm Extension: 16.5cm - 28cm Base: 20.3cm Round Socket: E14 Wattage: 40 C		RL1345NB-EU Height: 117.5cm Width: 65.4cm Base: 25.4cm Round LED: 12w	

EU INDEX

RL1345PN-EU Height: 117.5cm Width: 65.4cm Base: 25.4cm Round LED: 12w		RL1388BZ-EU Height: 182.9cm Width: 61cm Extension: 40cm Base: 35.6cm x 61cm Rec. LED: 9w	
RL1388NB-EU Height: 182.9cm Width: 61cm Extension: 40cm Base: 35.6cm x 61cm Rec. LED: 9w		RL1388PN-EU Height: 182.9cm Width: 61cm Extension: 40cm Base: 35.6cm x 61cm Rec. LED: 9w	
RL14000BG-S-EU Height: 68.6cm - 80cm Width: 53.3cm Base: 22.9cm Octagon Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 25.4cm x 53.3cm x 33.7cm		RL14000PN-S-EU Height: 68.6cm - 80cm Width: 53.3cm Base: 22.9cm Octagon Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 25.4cm x 53.3cm x 33.7cm	
RL14021BN-EU Height: 27.9cm Extension: 17.8cm Backplate: 6.4cm x 12.7cm Rec. Socket: E14 Wattage: 40 C Shade Treatments: S Shade Details: 10.2cm x 15.2cm x 13.3cm		RL14021BZ-EU Height: 27.9cm Extension: 17.8cm Backplate: 6.4cm x 12.7cm Rec. Socket: E14 Wattage: 40 C Shade Treatments: S Shade Details: 10.2cm x 15.2cm x 13.3cm	
RL14021PN-EU Height: 27.9cm Extension: 17.8cm Backplate: 6.4cm x 12.7cm Rec. Socket: E14 Wattage: 40 C Shade Treatments: S Shade Details: 10.2cm x 15.2cm x 13.3cm		RL14028BN-EU Height: 113cm - 168.9cm Extension: 77.5cm Base: 25.4cm Round Socket: E27 Wattage: 60 A	
RL14028BZ-EU Height: 113cm - 168.9cm Extension: 77.5cm Base: 25.4cm Round Socket: E27 Wattage: 60 A		RL14028PN-EU Height: 113cm - 168.9cm Extension: 77.5cm Base: 25.4cm Round Socket: E27 Wattage: 60 A	
RL14029BN-EU Height: 22.9cm - 43.2cm Extension: 30.5cm - 81.3cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 A		RL14029BZ-EU Height: 22.9cm - 43.2cm Extension: 30.5cm - 81.3cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 A	

EU INDEX

RL14029PN-EU Height: 22.9cm - 43.2cm Extension: 30.5cm - 81.3cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 A		RL14030BN-EU Height: 88.9cm Extension: 71.1cm Base: 20.3cm Round Socket: E27 Wattage: 60 A	
RL14030BZ-EU Height: 88.9cm Extension: 71.1cm Base: 20.3cm Round Socket: E27 Wattage: 60 A		RL14030PN-EU Height: 88.9cm Extension: 71.1cm Base: 20.3cm Round Socket: E27 Wattage: 60 A	
RL14034NB-EU Height: 31.8cm Extension: 58.4cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 A		RL14034OB-EU Height: 31.8cm Extension: 58.4cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 A	
RL14034PN-EU Height: 31.8cm Extension: 58.4cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 A		RL14040PN-S-EU Height: 71.1cm - 81.3cm Width: 53.3cm Base: 17.8cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 25.4cm x 53.3cm x 33.7cm	
RL14042BK-L-EU Height: 58.4cm - 64.8cm Width: 38.1cm Base: 21.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 35.6cm x 38.1cm x 25.4cm		RL14042PNCH-L-EU Height: 58.4cm - 64.8cm Width: 38.1cm Base: 21.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 35.6cm x 38.1cm x 25.4cm	
RL14042PN-L-EU Height: 58.4cm - 64.8cm Width: 38.1cm Base: 21.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 35.6cm x 38.1cm x 25.4cm		RL14072PN-S-EU Height: 73.7cm - 83.8cm Width: 45.7cm Base: 14.6cm Square Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 25.4cm x 45.7cm x 33cm	
RL1470BCR-S-EU Height: 161.3cm - 167.6cm Width: 53.3cm Base: 22.9cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 48.3cm x 53.3cm x 31.8cm		RL1470BLK-S-EU Height: 161.3cm - 167.6cm Width: 53.3cm Base: 22.9cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 48.3cm x 53.3cm x 31.8cm	

EU INDEX

RL1470BLU-S-EU Height: 161.3cm - 167.6cm Width: 53.3cm Base: 22.9cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 48.3cm x 53.3cm x 31.8cm		RL1470BRN-S-EU Height: 161.3cm - 167.6cm Width: 53.3cm Base: 22.9cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 48.3cm x 53.3cm x 31.8cm	
RL1470ICR-S-EU Height: 161.3cm - 167.6cm Width: 53.3cm Base: 22.9cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 48.3cm x 53.3cm x 31.8cm		RL1480EBO-L-EU Height: 167.6cm Width: 53.3cm Base: 30.5cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 47.6cm x 53.3cm x 31.1cm	
RL1480MHG-L-EU Height: 167.6cm Width: 53.3cm Base: 30.5cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 47.6cm x 53.3cm x 31.1cm		RL1491NB/NVY-P-EU Height: 137.2cm - 177.8cm Width: 55.9cm Base: 25.4cm Round Socket: 2 - E27 Wattage: 2 - 40 B Shade Treatments: P Shade Details: 17.1cm x 55.9cm x 31.1cm	
RL1491NB/SDL-P-EU Height: 137.2cm - 177.8cm Width: 55.9cm Base: 25.4cm Round Socket: 2 - E27 Wattage: 2 - 40 B Shade Treatments: P Shade Details: 17.1cm x 55.9cm x 31.1cm		RL1491PN/CHC-P-EU Height: 137.2cm - 177.8cm Width: 55.9cm Base: 25.4cm Round Socket: 2 - E27 Wattage: 2 - 40 B Shade Treatments: P Shade Details: 17.1cm x 55.9cm x 31.1cm	
RL1500BZ-L-EU Height: 121.9cm - 163.8cm Width: 40.6cm Extension: 66cm Base: 35.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 17.8cm x 40.6cm x 27.9cm		RL1500NB-L-EU Height: 121.9cm - 163.8cm Width: 40.6cm Extension: 66cm Base: 35.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 17.8cm x 40.6cm x 27.9cm	
RL1500PN-L-EU Height: 121.9cm - 163.8cm Width: 40.6cm Extension: 66cm Base: 35.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 17.8cm x 40.6cm x 27.9cm		RL15020PN-EU Height: 55.9cm Width: 38.1cm Base: 20.3cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: WP Shade Details: 35.6cm x 38.1cm x 21.6cm	
RL15032BKP-EU Height: 86.4cm Width: 53.3cm Base: 24.8cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 25.4cm x 53.3cm x 33cm		RL15032GD-EU Height: 86.4cm Width: 53.3cm Base: 24.8cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 25.4cm x 53.3cm x 33cm	

EU INDEX

RL1520IS-EU Height: 116.8cm - 186.7cm Extension: 88.9cm Base: 63.5cm Tripod Socket: E27 Wattage: 60 A		RL1540NR-WP-EU Height: 167.6cm Width: 53.3cm Base: 39.4cm Tripod Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: WP Shade Details: 36.8cm x 53.3cm x 40.6cm	
RL15835BZ-EU Height: 38.1cm Width: 20.3cm Extension: 36.8cm Backplate: 9.5cm x 19cm Rec. Socket: E14 Wattage: 60 C Shade Treatments: WP Shade Details: 10.2cm x 20.3cm x 16.5cm		RL15835NB-EU Height: 38.1cm Width: 20.3cm Extension: 36.8cm Backplate: 9.5cm x 19cm Rec. Socket: E14 Wattage: 60 C Shade Treatments: WP Shade Details: 10.2cm x 20.3cm x 16.5cm	
RL15835PN-EU Height: 38.1cm Width: 20.3cm Extension: 36.8cm Backplate: 9.5cm x 19cm Rec. Socket: E14 Wattage: 60 C Shade Treatments: WP Shade Details: 10.2cm x 20.3cm x 16.5cm		RL15835RB-EU Height: 38.1cm Width: 20.3cm Extension: 36.8cm Backplate: 9.5cm x 19cm Rec. Socket: E14 Wattage: 60 C Shade Treatments: WP Shade Details: 10.2cm x 20.3cm x 16.5cm	
RL1592BKE/PN-P-EU Height: 162.6cm Width: 48.3cm Base: 27.9cm Square Socket: E27 Wattage: 100 A Shade Treatments: P Shade Details: 43.2cm x 48.3cm x 30.5cm Square		RL1592MCE/NB-P-EU Height: 162.6cm Width: 48.3cm Base: 27.9cm Square Socket: E27 Wattage: 100 A Shade Treatments: P Shade Details: 43.2cm x 48.3cm x 30.5cm Square	
RL16031BN-L-EU Height: 121.9cm - 161.3cm Width: 55.9cm Base: 27.9cm Round Socket: 2 - E27 Wattage: 2 - 75 A Shade Treatments: L Shade Details: 38.1cm x 55.9cm x 35.6cm		RL16031PN-L-EU Height: 121.9cm - 161.3cm Width: 55.9cm Base: 27.9cm Round Socket: 2 - E27 Wattage: 2 - 75 A Shade Treatments: L Shade Details: 38.1cm x 55.9cm x 35.6cm	
RL1704AI-EU Height: 121.9cm - 152.4cm Width: 19cm Extension: 41.9cm Base: 30.5cm x 19cm Rec. Socket: E27 Wattage: 40 T		RL1716VO-WP-EU Height: 191.8cm Width: 76.2cm Base: 55.2cm Tripod Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: WP Shade Details: 50.8cm x 76.2cm x 45.7cm	
RL1724BLK-WP-EU Height: 170.2cm Width: 62.2cm - 94cm Base: 62.2cm - 94cm Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: WP Shade Details: 45.7cm x 61cm x 43.2cm		RL1724MHG-WP-EU Height: 170.2cm Width: 62.2cm - 94cm Base: 62.2cm - 94cm Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: WP Shade Details: 45.7cm x 61cm x 43.2cm	

EU INDEX

RL1730PN-EU Height: 184.2cm Width: 82.6cm Base: 85.1cm Tripod LED: 12w		RL1739AI-EU Height: 118.1cm - 156.2cm Width: 27.9cm Base: 20.3cm Round Socket: E27 Wattage: 40 B	
RL19020PN-EU Height: 61.6cm Width: 16.5cm Extension: 10.2cm Backplate: 10.2cm x 59.1cm Rec. Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: FG		RL19021PN-EU Height: 92.1cm Width: 16.5cm Extension: 10.2cm Backplate: 10.2cm x 90.8cm Rec. Socket: 3 - E27 Wattage: 3 - 60 A Glass Options: FG	
RL19022PN-EU Height: 10.8cm Width: 32.4cm Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: FG		RL19023PN-EU Height: 11.4cm Width: 45.7cm Socket: 3 - E27 Wattage: 3 - 60 A Glass Options: FG	
RL19024BN-EU Height: 14cm Width: 40.6cm Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: FG		RL19024PN-EU Height: 14cm Width: 40.6cm Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: FG	
RL19025BN-EU Height: 12.7cm Width: 31.8cm Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: FG		RL19025PN-EU Height: 12.7cm Width: 31.8cm Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: FG	
RL19026BN-EU Height: 11.4cm Width: 24.1cm Socket: E27 Wattage: 60 A Glass Options: FG		RL19026PN-EU Height: 11.4cm Width: 24.1cm Socket: E27 Wattage: 60 A Glass Options: FG	
RL19035PN-EU Height: 51.4cm Width: 15.2cm Extension: 17.8cm Backplate: 10.2cm x 50.2cm Rec. Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: WG		RL1940CG/NB-P-EU Height: 149.2cm Width: 45.7cm Base: 20.3cm Square Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: P Shade Details: 33cm x 45.7cm x 34.3cm Square	

EU INDEX

RL1940CG/PN-P-EU Height: 149.2cm Width: 45.7cm Base: 20.3cm Square Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: P Shade Details: 33cm x 45.7cm x 34.3cm Square		RL2003AN-P-EU Height: 24.1cm Width: 12.7cm Extension: 18.4cm Backplate: 10.8cm Square Socket: E14 Wattage: 40 C Shade Treatments: P Shade Details: 7.6cm x 15.2cm x 12.7cm	
RL2003BZ-P-EU Height: 24.1cm Width: 12.7cm Extension: 18.4cm Backplate: 10.8cm Square Socket: E14 Wattage: 40 C Shade Treatments: P Shade Details: 7.6cm x 15.2cm x 12.7cm		RL2003NB-P-EU Height: 24.1cm Width: 12.7cm Extension: 18.4cm Backplate: 10.8cm Square Socket: E14 Wattage: 40 C Shade Treatments: P Shade Details: 7.6cm x 15.2cm x 12.7cm	
RL2003PN-P-EU Height: 24.1cm Width: 12.7cm Extension: 18.4cm Backplate: 10.8cm Square Socket: E14 Wattage: 40 C Shade Treatments: P Shade Details: 7.6cm x 15.2cm x 12.7cm		RL2004AN-P-EU Height: 24.1cm Width: 12.7cm Extension: 18.4cm Backplate: 6.4cm x 10.8cm Rec. Socket: E14 Wattage: 40 C Shade Treatments: P Shade Details: 7.6cm x 12.7cm x 11.4cm	
RL2004BZ-P-EU Height: 24.1cm Width: 12.7cm Extension: 18.4cm Backplate: 6.4cm x 10.8cm Rec. Socket: E14 Wattage: 40 C Shade Treatments: P Shade Details: 7.6cm x 12.7cm x 11.4cm		RL2004NB-P-EU Height: 24.1cm Width: 12.7cm Extension: 18.4cm Backplate: 6.4cm x 10.8cm Rec. Socket: E14 Wattage: 40 C Shade Treatments: P Shade Details: 7.6cm x 12.7cm x 11.4cm	
RL2004PN-P-EU Height: 24.1cm Width: 12.7cm Extension: 18.4cm Backplate: 6.4cm x 10.8cm Rec. Socket: E14 Wattage: 40 C Shade Treatments: P Shade Details: 7.6cm x 12.7cm x 11.4cm		RL2005CG-EU Height: 59.7cm Width: 47cm Extension: 31.8cm Backplate: 14cm Round Socket: 2 - E14 Wattage: 2 - 60 C	
RL2007AN-P-EU Height: 24.1cm Width: 32.4cm Extension: 17.1cm Backplate: 10.8cm Square Socket: 2 - E14 Wattage: 2 - 40 C Shade Treatments: P Shade Details: 7.6cm x 12.7cm x 11.4cm		RL2007BZ-P-EU Height: 24.1cm Width: 32.4cm Extension: 17.1cm Backplate: 10.8cm Square Socket: 2 - E14 Wattage: 2 - 40 C Shade Treatments: P Shade Details: 7.6cm x 12.7cm x 11.4cm	
RL2007NB-P-EU Height: 24.1cm Width: 32.4cm Extension: 17.1cm Backplate: 10.8cm Square Socket: 2 - E14 Wattage: 2 - 40 C Shade Treatments: P Shade Details: 7.6cm x 12.7cm x 11.4cm		RL2007PN-P-EU Height: 24.1cm Width: 32.4cm Extension: 17.1cm Backplate: 10.8cm Square Socket: 2 - E14 Wattage: 2 - 40 C Shade Treatments: P Shade Details: 7.6cm x 12.7cm x 11.4cm	

EU INDEX

RL2010AN-P-EU Height: 32.4cm Width: 25.4cm Extension: 27.9cm - 49.5cm Backplate: 10.8cm Square Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 20.3cm x 25.4cm x 19cm Nordy		RL2010BZ-P-EU Height: 32.4cm Width: 25.4cm Extension: 27.9cm - 49.5cm Backplate: 10.8cm Square Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 20.3cm x 25.4cm x 19cm Nordy	
RL2010NB-P-EU Height: 32.4cm Width: 25.4cm Extension: 27.9cm - 49.5cm Backplate: 10.8cm Square Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 20.3cm x 25.4cm x 19cm Nordy		RL2010PN-P-EU Height: 32.4cm Width: 25.4cm Extension: 27.9cm - 49.5cm Backplate: 10.8cm Square Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 20.3cm x 25.4cm x 19cm Nordy	
RL2017CG-EU Height: 41.9cm Width: 43.2cm Extension: 29.8cm Backplate: 11.4cm x 14.6cm Rec. Socket: 3 - E27 Wattage: 3 - 40 C		RL2025BZ-WG-EU Height: 43.2cm Width: 12.7cm Extension: 10.2cm Backplate: 10.2cm x 33cm Rec. Socket: 2 - E27 Wattage: 2 - 40 C Glass Options: WG	
RL2025NB-WG-EU Height: 43.2cm Width: 12.7cm Extension: 10.2cm Backplate: 10.2cm x 33cm Rec. Socket: 2 - E27 Wattage: 2 - 40 C Glass Options: WG		RL2025PN-WG-EU Height: 43.2cm Width: 12.7cm Extension: 10.2cm Backplate: 10.2cm x 33cm Rec. Socket: 2 - E27 Wattage: 2 - 40 C Glass Options: WG	
RL2026BZ-WG-EU Height: 66cm Width: 12.7cm Extension: 10.2cm Backplate: 10.2cm x 55.9cm Rec. Socket: 3 - E27 Wattage: 3 - 40 C Glass Options: WG		RL2026NB-WG-EU Height: 66cm Width: 12.7cm Extension: 10.2cm Backplate: 10.2cm x 55.9cm Rec. Socket: 3 - E27 Wattage: 3 - 40 C Glass Options: WG	
RL2026PN-WG-EU Height: 66cm Width: 12.7cm Extension: 10.2cm Backplate: 10.2cm x 55.9cm Rec. Socket: 3 - E27 Wattage: 3 - 40 C Glass Options: WG		RL2027BZ-WG-EU Height: 86.4cm Width: 12.7cm Extension: 10.2cm Backplate: 10.2cm x 77.5cm Rec. Socket: 4 - E27 Wattage: 4 - 40 C Glass Options: WG	
RL2027NB-WG-EU Height: 86.4cm Width: 12.7cm Extension: 10.2cm Backplate: 10.2cm x 77.5cm Rec. Socket: 4 - E27 Wattage: 4 - 40 C Glass Options: WG		RL2027PN-WG-EU Height: 86.4cm Width: 12.7cm Extension: 10.2cm Backplate: 10.2cm x 77.5cm Rec. Socket: 4 - E27 Wattage: 4 - 40 C Glass Options: WG	

EU INDEX

RL2031BZ-EC-EU Height: 33cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 35.6cm Rec. LED: 4 - 12w Glass Options: EC		RL2031NB-EC-EU Height: 33cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 35.6cm Rec. LED: 4 - 12w Glass Options: EC	
RL2031PN-EC-EU Height: 33cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 35.6cm Rec. LED: 4 - 12w Glass Options: EC		RL2032BZ-EC-EU Height: 40.6cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 33.7cm Rec. LED: 4 - 18w Glass Options: EC	
RL2032NB-EC-EU Height: 40.6cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 33.7cm Rec. LED: 4 - 18w Glass Options: EC		RL2032PN-EC-EU Height: 40.6cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 33.7cm Rec. LED: 4 - 18w Glass Options: EC	
RL2033BZ-EC-EU Height: 61cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 52.7cm Rec. LED: 4 - 24w Glass Options: EC		RL2033NB-EC-EU Height: 61cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 52.7cm Rec. LED: 4 - 24w Glass Options: EC	
RL2033PN-EC-EU Height: 61cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 52.7cm Rec. LED: 4 - 24w Glass Options: EC		RL2034BZ-EC-EU Height: 76.2cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 66.7cm Rec. LED: 4 - 24w Glass Options: EC	
RL2034NB-EC-EU Height: 76.2cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 66.7cm Rec. LED: 4 - 24w Glass Options: EC		RL2034PN-EC-EU Height: 76.2cm Width: 7cm Extension: 10.2cm Backplate: 6.4cm x 66.7cm Rec. LED: 4 - 24w Glass Options: EC	
RL2035BZ-EC-EU Height: 33cm Width: 12.7cm Extension: 10.2cm Backplate: 12.7cm Round LED: 9w Glass Options: EC		RL2035NB-EC-EU Height: 33cm Width: 12.7cm Extension: 10.2cm Backplate: 12.7cm Round LED: 9w Glass Options: EC	

EU INDEX

RL2035PN-EC-EU Height: 33cm Width: 12.7cm Extension: 10.2cm Backplate: 12.7cm Round LED: 9w Glass Options: EC		RL2042NB-WG-EU Height: 29.2cm Width: 12.7cm Extension: 10.2cm Backplate: 12.7cm Round LED: 11w Glass Options: WG	
RL2042PN-WG-EU Height: 29.2cm Width: 12.7cm Extension: 10.2cm Backplate: 12.7cm Round LED: 11w Glass Options: WG		RL2043NB-WG-EU Height: 45.7cm Width: 12.7cm Extension: 10.2cm Backplate: 12.7cm Round LED: 2 - 18w Glass Options: WG	
RL2043PN-WG-EU Height: 45.7cm Width: 12.7cm Extension: 10.2cm Backplate: 12.7cm Round LED: 2 - 18w Glass Options: WG		RL2064BZ-EU Height: 31.1cm Width: 25.4cm Extension: 12.7cm Backplate: 10.8cm Round Socket: E27 Wattage: 60 A	
RL2064PN-EU Height: 31.1cm Width: 25.4cm Extension: 12.7cm Backplate: 10.8cm Round Socket: E27 Wattage: 60 A		RL2065BZ-EU Height: 52.1cm Width: 45.7cm Extension: 16.5cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 A	
RL2065PN-EU Height: 52.1cm Width: 45.7cm Extension: 16.5cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 A		RL2066BZ-EU Height: 31.8cm Width: 15.2cm Extension: 19cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 A	
RL2066PN-EU Height: 31.8cm Width: 15.2cm Extension: 19cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 A		RL2080NB-EU Height: 27.9cm Width: 11.4cm Extension: 12.7cm Backplate: 11.4cm Round Socket: E27 Wattage: 40 T	
RL2080PN-EU Height: 27.9cm Width: 11.4cm Extension: 12.7cm Backplate: 11.4cm Round Socket: E27 Wattage: 40 T		RL2082NB-EU Height: 11.4cm Width: 44.4cm Extension: 12.7cm Backplate: 11.4cm Round Socket: 2 - E27 Wattage: 2 - 40 T	

EU INDEX

RL2082PN-EU Height: 11.4cm Width: 44.4cm Extension: 12.7cm Backplate: 11.4cm Round Socket: 2 - E27 Wattage: 2 - 40 T		RL2084NB-EU Height: 30.5cm Width: 15.2cm Extension: 12.7cm Backplate: 10.8cm x 53.3cm Socket: 2 - E27 Wattage: 2 - 60 C	
RL2084PN-EU Height: 30.5cm Width: 15.2cm Extension: 12.7cm Backplate: 10.8cm x 53.3cm Socket: 2 - E27 Wattage: 2 - 60 C		RL2085NB-EU Height: 47cm Width: 15.2cm Extension: 12.7cm Backplate: 10.8cm x 45.7cm Rec. Socket: 2 - E27 Wattage: 2 - 60 C	
RL2085PN-EU Height: 47cm Width: 15.2cm Extension: 12.7cm Backplate: 10.8cm x 45.7cm Rec. Socket: 2 - E27 Wattage: 2 - 60 C		RL2086NB-EU Height: 69.8cm Width: 15.2cm Extension: 12.7cm Backplate: 10.8cm x 53.3cm Rec. Socket: 3 - E27 Wattage: 3 - 60 C	
RL2086PN-EU Height: 69.8cm Width: 15.2cm Extension: 12.7cm Backplate: 10.8cm x 53.3cm Rec. Socket: 3 - E27 Wattage: 3 - 60 C		RL2101BS-CG-EU Height: 46.4cm Width: 18.4cm Extension: 22.9cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 C Glass Options: CG	
RL2101NB-CG-EU Height: 46.4cm Width: 18.4cm Extension: 22.9cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 C Glass Options: CG		RL2105BS-S-EU Height: 25.4cm Width: 17.8cm Extension: 30.5cm Backplate: 15.2cm Round Socket: E14 Wattage: 60 C Shade Treatments: S 10.2cm x 17.8cm x 14cm	
RL2120IS-BK-EU Height: 21cm Width: 17.1cm Extension: 23.5cm Backplate: 10.8cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT		RL2120IS-IS-EU Height: 21cm Width: 17.1cm Extension: 23.5cm Backplate: 10.8cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT	
RL2120PN-PN-EU Height: 21cm Width: 17.1cm Extension: 23.5cm Backplate: 10.8cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT		RL2120PN-WT-EU Height: 21cm Width: 17.1cm Extension: 23.5cm Backplate: 10.8cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT	

EU INDEX

RL2142AI-CG-EU Height: 30.5cm Width: 15.9cm Extension: 21cm Backplate: 11.4cm x 12.7cm Rec Socket: E27 Wattage: 60 A Glass Options: CG, WG		RL2142PN-CG-EU Height: 30.5cm Width: 15.9cm Extension: 21cm Backplate: 11.4cm x 12.7cm Rec Socket: E27 Wattage: 60 A Glass Options: CG, WG	
RL2142PN-WG-EU Height: 30.5cm Width: 15.9cm Extension: 21cm Backplate: 11.4cm x 12.7cm Rec Socket: E27 Wattage: 60 A Glass Options: CG, WG		RL2145CG/NB-S-EU Height: 64.1cm Width: 14.6cm Extension: 20.3cm Backplate: 11.4cm Round Socket: E14 Wattage: 60 C Shade Treatments: S Shade Details: 10.8cm x 14.6cm x 15.2cm	
RL2145CG/PN-S-EU Height: 64.1cm Width: 14.6cm Extension: 20.3cm Backplate: 11.4cm Round Socket: E14 Wattage: 60 C Shade Treatments: S Shade Details: 10.8cm x 14.6cm x 15.2cm		RL2146CG/NB-S-EU Height: 45.1cm Width: 34.3cm Extension: 22.2cm Backplate: 11.4cm Round Socket: 2 - E14 Wattage: 2 - 60 C Shade Treatments: S Shade Details: 10.8cm x 14.6cm x 15.2cm	
RL2146CG/PN-S-EU Height: 45.1cm Width: 34.3cm Extension: 22.2cm Backplate: 11.4cm Round Socket: 2 - E14 Wattage: 2 - 60 C Shade Treatments: S Shade Details: 10.8cm x 14.6cm x 15.2cm		RL2160NB-EU Height: 27.9cm Width: 19.7cm Extension: 10.8cm Backplate: 7.6cm x 10.2cm Rec. Socket: E27 Wattage: 60 A	
RL2160PN-EU Height: 27.9cm Width: 19.7cm Extension: 10.8cm Backplate: 7.6cm x 10.2cm Rec. Socket: E27 Wattage: 60 A		RL2162BZ-WG-EU Height: 30.5cm Width: 15.2cm Extension: 9.5cm Backplate: 11.4cm Round Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: WG	
RL2162NB-WG-EU Height: 30.5cm Width: 15.2cm Extension: 9.5cm Backplate: 11.4cm Round Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: WG		RL2162PN-WG-EU Height: 30.5cm Width: 15.2cm Extension: 9.5cm Backplate: 11.4cm Round Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: WG	
RL2164NB-WG-EU Height: 60.3cm Width: 12.7cm Backplate: 8.3cm x 53.3cm Rec. Socket: 2 - E27 Wattage: 2 - 60 T Glass Options: WG		RL2164PN-WG-EU Height: 60.3cm Width: 12.7cm Backplate: 8.3cm x 53.3cm Rec. Socket: 2 - E27 Wattage: 2 - 60 T Glass Options: WG	

EU INDEX

RL2164BZ-WG-EU Height: 60.3cm Width: 12.7cm Backplate: 8.3cm x 53.3cm Rec. Socket: 2 - E27 Wattage: 2 - 60 T Glass Options: WG		RL2165NB-WG-EU Height: 90.8cm Width: 12.7cm Backplate: 8.3cm x 83.8cm Rec. Socket: 4 - E27 Wattage: 4 - 25 T Glass Options: WG	
RL2165PN-WG-EU Height: 90.8cm Width: 12.7cm Backplate: 8.3cm x 83.8cm Rec. Socket: 4 - E27 Wattage: 4 - 25 T Glass Options: WG		RL2165BZ-WG-EU Height: 90.8cm Width: 12.7cm Backplate: 8.3cm x 83.8cm Rec. Socket: 4 - E27 Wattage: 4 - 25 T Glass Options: WG	
RL2175BZ-EU Height: 33.7cm Width: 19cm Extension: 22.9cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 T Glass Options: CG/WG		RL2175PN-EU Height: 33.7cm Width: 19cm Extension: 22.9cm Backplate: 12.7cm Round Socket: E27 Wattage: 60 T Glass Options: CG/WG	
RL2180BZ-EU Height: 19cm Width: 13.3cm Extension: 12.1cm Backplate: 13.3cm x 17.8cm Triangle Socket: E14 Wattage: 60 C Glass Options: CG		RL2180NB-EU Height: 19cm Width: 13.3cm Extension: 12.1cm Backplate: 13.3cm x 17.8cm Triangle Socket: E14 Wattage: 60 C Glass Options: CG	
RL2180PN-EU Height: 19cm Width: 13.3cm Extension: 12.1cm Backplate: 13.3cm x 17.8cm Triangle Socket: E14 Wattage: 60 C Glass Options: CG		RL2180WZ-EU Height: 19cm Width: 13.3cm Extension: 12.1cm Backplate: 13.3cm x 17.8cm Triangle Socket: E14 Wattage: 60 C Glass Options: CG	
RL2181BZ-EU Height: 26.7cm Width: 19cm Extension: 15.9cm Backplate: 25.4cm x 19cm Triangle Socket: E27 Wattage: 60 A Glass Options: CG		RL2181NB-EU Height: 26.7cm Width: 19cm Extension: 15.9cm Backplate: 25.4cm x 19cm Triangle Socket: E27 Wattage: 60 A Glass Options: CG	
RL2181PN-EU Height: 26.7cm Width: 19cm Extension: 15.9cm Backplate: 25.4cm x 19cm Triangle Socket: E27 Wattage: 60 A Glass Options: CG		RL2181WZ-EU Height: 26.7cm Width: 19cm Extension: 15.9cm Backplate: 25.4cm x 19cm Triangle Socket: E27 Wattage: 60 A Glass Options: CG	

EU INDEX

RL2185BS-EU Height: 10.8cm Width: 38.1cm Extension: 15.2cm Backplate: 10.8cm Square Socket: E27 Wattage: 40 T		RL2186BS-EU Height: 10.8cm Width: 61cm Extension: 15.2cm Backplate: 10.8cm x 26.7cm Rec. Socket: 2 - E27 Wattage: 2 - 40 T	
RL2190NB-EU Height: 15.9cm Width: 12.7cm Extension: 16.5cm Backplate: 9.5cm x 16.5cm Rec. Socket: E27 Wattage: 60 A		RL2190PN-EU Height: 15.9cm Width: 12.7cm Extension: 16.5cm Backplate: 9.5cm x 16.5cm Rec. Socket: E27 Wattage: 60 A	
RL2205BS-EU Height: 30.5cm Width: 12.7cm Extension: 36.2cm Backplate: 10.8cm x 18.4cm Rec. Socket: E14 Wattage: 60 C		RL2205NB-EU Height: 30.5cm Width: 12.7cm Extension: 36.2cm Backplate: 10.8cm x 18.4cm Rec. Socket: E14 Wattage: 60 C	
RL2206BS-EU Height: 30.5cm Width: 41.3cm Extension: 33cm Backplate: 10.8cm x 16.5cm Rec. Socket: 2 - E14 Wattage: 60 C		RL2206NB-EU Height: 30.5cm Width: 41.3cm Extension: 33cm Backplate: 10.8cm x 16.5cm Rec. Socket: 2 - E14 Wattage: 60 C	
RL2220NB-EU Height: 31.8cm Width: 17.8cm Extension: 22.9cm Backplate: 11.4cm x 2.5cm Round Socket: E14 Wattage: 40 T Shade Treatments: NB, PN		RL2220NB-NB-EU Height: 31.8cm Width: 17.8cm Extension: 22.9cm Backplate: 11.4cm x 2.5cm Round Socket: E14 Wattage: 40 T Shade Treatments: NB, PN	
RL2220PN-EU Height: 31.8cm Width: 17.8cm Extension: 22.9cm Backplate: 11.4cm x 2.5cm Round Socket: E14 Wattage: 40 T Shade Treatments: NB, PN		RL2220PN-PN-EU Height: 31.8cm Width: 17.8cm Extension: 22.9cm Backplate: 11.4cm x 2.5cm Round Socket: E14 Wattage: 40 T Shade Treatments: NB, PN	
RL2231AG-S-EU Height: 63.5cm Width: 35.6cm Extension: 25.4cm Backplate: 14cm x 19cm Oval Socket: 2 - E14 Wattage: 2 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm		RL2231ASL-S-EU Height: 63.5cm Width: 35.6cm Extension: 25.4cm Backplate: 14cm x 19cm Oval Socket: 2 - E14 Wattage: 2 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm	

EU INDEX

RL2231GI-S-EU Height: 63.5cm Width: 35.6cm Extension: 25.4cm Backplate: 14cm x 19cm Oval Socket: 2 - E14 Wattage: 2 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm		RL2232AG-S-EU Height: 69.8cm Width: 41.9cm Extension: 28.6cm Backplate: 14cm x 19cm Oval Socket: 3 - E14 Wattage: 3 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm	
RL2232ASL-S-EU Height: 69.8cm Width: 41.9cm Extension: 28.6cm Backplate: 14cm x 19cm Oval Socket: 3 - E14 Wattage: 3 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm		RL2232GI-S-EU Height: 69.8cm Width: 41.9cm Extension: 28.6cm Backplate: 14cm x 19cm Oval Socket: 3 - E14 Wattage: 3 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm	
RL2241GI-CGQ-EU Height: 48.3cm Width: 40cm Extension: 28.6cm Backplate: 10.8cm Round Socket: 3 - E14 Wattage: 3 - 25 C Trim Options: CG		RL2250NB-EU Height: 25.4cm Width: 17.1cm Extension: 29.9cm - 41.3cm Backplate: 12.1cm Round Socket: E14 Wattage: 40 C	
RL2250PN-EU Height: 25.4cm Width: 17.1cm Extension: 29.9cm - 41.3cm Backplate: 12.1cm Round Socket: E14 Wattage: 40 C		RL2252NB-EU Height: 25.4cm Width: 38.1cm - 47cm Extension: 17.8cm - 26cm Backplate: 12.1cm Round Socket: 2 - E14 Wattage: 2 - 40 C	
RL2252PN-EU Height: 25.4cm Width: 38.1cm - 47cm Extension: 17.8cm - 26cm Backplate: 12.1cm Round Socket: 2 - E14 Wattage: 2 - 40 C		RL2260NB-EU Height: 25.4cm Width: 17.1cm Extension: 44.5cm - 55.9cm Backplate: 12.1cm Round Socket: E14 Wattage: 40 C	
RL2260PN-EU Height: 25.4cm Width: 17.1cm Extension: 44.5cm - 55.9cm Backplate: 12.1cm Round Socket: E14 Wattage: 40 C		RL2262CG-L-EU Height: 67.3cm Width: 60.3cm Extension: 27.3cm Backplate: 15.2cm Semi-Circle Socket: 2 - E14 Wattage: 2 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14cm	
RL2270NB-EU Height: 30.5cm Width: 17.1cm Extension: 38.1cm - 69.2cm Backplate: 12.1cm Round Socket: E14 Wattage: 40 C		RL2270PN-EU Height: 30.5cm Width: 17.1cm Extension: 38.1cm - 69.2cm Backplate: 12.1cm Round Socket: E14 Wattage: 40 C	

EU INDEX

RL2275BZ-EU Height: 5.7cm Width: 22.9cm Extension: 31.1cm Backplate: 5.1cm x 8.9cm Rec. Socket: E27 Wattage: 40 T		RL2275NB-EU Height: 5.7cm Width: 22.9cm Extension: 31.1cm Backplate: 5.1cm x 8.9cm Rec. Socket: E27 Wattage: 40 T	
RL2275PN-EU Height: 5.7cm Width: 22.9cm Extension: 31.1cm Backplate: 5.1cm x 8.9cm Rec. Socket: E27 Wattage: 40 T		RL2276BZ-EU Height: 5.7cm Width: 40.6cm Extension: 31.1cm Backplate: 5.1cm x 28.6cm Rec. Socket: 2 - E27 Wattage: 2 - 40 T	
RL2276NB-EU Height: 5.7cm Width: 40.6cm Extension: 31.1cm Backplate: 5.1cm x 28.6cm Rec. Socket: 2 - E27 Wattage: 2 - 40 T		RL2276PN-EU Height: 5.7cm Width: 40.6cm Extension: 31.1cm Backplate: 5.1cm x 28.6cm Rec. Socket: 2 - E27 Wattage: 2 - 40 T	
RL2277BZ-EU Height: 5.7cm Width: 61cm Extension: 31.1cm Backplate: 5.1cm x 49.5cm Rec. Socket: 2 - E27 Wattage: 2 - 40 T		RL2277NB-EU Height: 5.7cm Width: 61cm Extension: 31.1cm Backplate: 5.1cm x 49.5cm Rec. Socket: 2 - E27 Wattage: 2 - 40 T	
RL2277PN-EU Height: 5.7cm Width: 61cm Extension: 31.1cm Backplate: 5.1cm x 49.5cm Rec. Socket: 2 - E27 Wattage: 2 - 40 T		RL2280AG-CG-EU Height: 61.6cm Width: 31.8cm Extension: 20.3cm Backplate: 12.7cm Round Socket: 2 - E14 Wattage: 2 - 40 B Trim Options: CG	
RL2280ASL-CG-EU Height: 61.6cm Width: 31.8cm Extension: 20.3cm Backplate: 12.7cm Round Socket: 2 - E14 Wattage: 2 - 40 B Trim Options: CG		RL2280GI-CG-EU Height: 61.6cm Width: 31.8cm Extension: 20.3cm Backplate: 12.7cm Round Socket: 2 - E14 Wattage: 2 - 40 B Trim Options: CG	
RL2311NB-EU Height: 62.9cm Width: 43.2cm Extension: 33cm Backplate: 12.7cm Round Socket: 2 - E14 Wattage: 2 - 40 B		RL2320NB-CA-EU Height: 30.5cm Width: 7.6cm Extension: 6.4cm Backplate: 10.5cm x 30.5cm Rec. LED: 12w Glass Options: CG	

EU INDEX

RL2320PN-CA-EU Height: 30.5cm Width: 7.6cm Extension: 6.4cm Backplate: 10.5cm x 30.5cm Rec. LED: 12w Glass Options: CG		RL2321NB-CA-EU Height: 45.7cm Width: 10.8cm Extension: 8.9cm Backplate: 10.8cm x 44.5cm Rec. LED: 19w Glass Options: CG	
RL2321PN-CA-EU Height: 45.7cm Width: 10.8cm Extension: 8.9cm Backplate: 10.8cm x 44.5cm Rec. LED: 19w Glass Options: CG		RL2323AI-EU Height: 38.7cm Width: 14.6cm Extension: 12.7cm Backplate: 11.4cm x 27.3cm Rec. Socket: E14 Wattage: 40 B	
RL2329AI-L-EU Height: 88.9cm Width: 33cm Extension: 19.7cm Backplate: 12.7cm x 13.3cm Rec. Socket: E27 Wattage: 40 A Shade Treatments: L 19.7cm x 31.8cm x 22.2cm Shield		RL2370AI-CG-EU Height: 58.4cm Width: 24.1cm Extension: 27.9cm Backplate: 12.7cm Round Socket: Keyless Wattage: 60 A Glass Options: CG	
RL2500BZ-L-EU Height: 47.6cm Width: 35.6cm Extension: 55.9cm - 91.4cm Backplate: 7.6cm x 30.5cm Rec. Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 15.2cm x 35.6cm x 22.9cm		RL2500NB-L-EU Height: 47.6cm Width: 35.6cm Extension: 55.9cm - 91.4cm Backplate: 7.6cm x 30.5cm Rec. Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 15.2cm x 35.6cm x 22.9cm	
RL2500PN-L-EU Height: 47.6cm Width: 35.6cm Extension: 55.9cm - 91.4cm Backplate: 7.6cm x 30.5cm Rec. Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 15.2cm x 35.6cm x 22.9cm		RL2501BZ-L-EU Height: 59.7cm Width: 55.9cm Extension: 194.3cm Backplate: 12cm x 59.7cm Rec. Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 20.3cm x 55.9cm x 37.5cm	
RL2501NB-L-EU Height: 59.7cm Width: 55.9cm Extension: 194.3cm Backplate: 12cm x 59.7cm Rec. Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 20.3cm x 55.9cm x 37.5cm		RL2501PN-L-EU Height: 59.7cm Width: 55.9cm Extension: 194.3cm Backplate: 12cm x 59.7cm Rec. Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 20.3cm x 55.9cm x 37.5cm	
RL2530BZ-EU Height: 33cm Width: 15.2cm Extension: 19cm Backplate: 10.2cm Round Socket: E27 Wattage: 60 C Glass Options: CG/WG		RL2530NB-EU Height: 33cm Width: 15.2cm Extension: 19cm Backplate: 10.2cm Round Socket: E27 Wattage: 60 C Glass Options: CG/WG	

EU INDEX

RL2530PN-EU Height: 33cm Width: 15.2cm Extension: 19cm Backplate: 10.2cm Round Socket: E27 Wattage: 60 C Glass Options: CG/WG		RL2533NB-WG-EU Height: 30.5cm Width: 13.3cm Extension: 11.4cm Backplate: 10.2cm x 30.5cm Rec.. LED: 2 - 6w Glass Options: WG	
RL2533PN-WG-EU Height: 30.5cm Width: 13.3cm Extension: 11.4cm Backplate: 10.2cm x 30.5cm Rec.. LED: 2 - 6w Glass Options: WG		RL2534NB-WG-EU Height: 59.1cm Width: 13.3cm Extension: 11.4cm Backplate: 10.2cm x 61cm Rec.. LED: 4 - 12w Glass Options: WG	
RL2534PN-WG-EU Height: 59.1cm Width: 13.3cm Extension: 11.4cm Backplate: 10.2cm x 61cm Rec.. LED: 4 - 12w Glass Options: WG		RL2535NB-WG-EU Height: 87.6cm Width: 13.3cm Extension: 11.4cm Backplate: 10.2cm x 86.4cm Rec.. LED: 6 - 18w Glass Options: WG	
RL2535PN-WG-EU Height: 87.6cm Width: 13.3cm Extension: 11.4cm Backplate: 10.2cm x 86.4cm Rec.. LED: 6 - 18w Glass Options: WG		RL2550BZ-WG-EU Height: 50.8cm Width: 20.3cm Extension: 27.9cm Backplate: 13.3cm Round Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: WG	
RL2550NB-WG-EU Height: 50.8cm Width: 20.3cm Extension: 27.9cm Backplate: 13.3cm Round Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: WG		RL2550PN-WG-EU Height: 50.8cm Width: 20.3cm Extension: 27.9cm Backplate: 13.3cm Round Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: WG	
RL2551BZ-WG-EU Height: 38.7cm Width: 20.3cm Extension: 27.9cm Backplate: 13.3cm Round Socket: E27 Wattage: 60 A Glass Options: WG		RL2551NB-WG-EU Height: 38.7cm Width: 20.3cm Extension: 27.9cm Backplate: 13.3cm Round Socket: E27 Wattage: 60 A Glass Options: WG	
RL2551PN-WG-EU Height: 38.7cm Width: 20.3cm Extension: 27.9cm Backplate: 13.3cm Round Socket: E27 Wattage: 60 A Glass Options: WG		RL2611NB/NVY-L-EU Height: 31.1cm Width: 15.2cm Extension: 19.7cm Backplate: 13.3cm Round Socket: E14 Wattage: 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm	

EU INDEX

RL2611NB/SDL-L-EU Height: 31.1cm Width: 15.2cm Extension: 19.7cm Backplate: 13.3cm Round Socket: E14 Wattage: 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm		RL2611PN/CHC-L-EU Height: 31.1cm Width: 15.2cm Extension: 19.7cm Backplate: 13.3cm Round Socket: E14 Wattage: 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm	
RL2620NB-ALB-EU Height: 45.7cm Width: 26.7cm Extension: 21.6cm Backplate: 11.4cm x 38.8cm Rec.. Socket: E14 Wattage: 12w LED Trim Options: ALB		RL2620PN-ALB-EU Height: 45.7cm Width: 26.7cm Extension: 21.6cm Backplate: 11.4cm x 38.8cm Rec.. Socket: E14 Wattage: 12w LED Trim Options: ALB	
RL2640BS-S-EU Height: 47.6cm Width: 20.3cm Extension: 20.3cm Backplate: 17.8cm x 36.8cm Rec.. Socket: E14 Wattage: 40 B Shade Treatments: S Shade Details: 9.5cm x 12.7cm x 12.1cm		RL2640NB-S-EU Height: 47.6cm Width: 20.3cm Extension: 20.3cm Backplate: 17.8cm x 36.8cm Rec.. Socket: E14 Wattage: 40 B Shade Treatments: S Shade Details: 9.5cm x 12.7cm x 12.1cm	
RL2641BS-S-EU Height: 62.2cm Width: 27.9cm Extension: 18.4cm Backplate: 25.4cm x 53.3cm Rec.. Socket: 2 - E14 Wattage: 2 - 40 B Shade Treatments: S Shade Details: 9.5cm x 12.7cm x 12.1cm		RL2641NB-S-EU Height: 62.2cm Width: 27.9cm Extension: 18.4cm Backplate: 25.4cm x 53.3cm Rec.. Socket: 2 - E14 Wattage: 2 - 40 B Shade Treatments: S Shade Details: 9.5cm x 12.7cm x 12.1cm	
RL2696BZ-EU Height: 22.2cm Width: 22.9cm Extension: 26.7cm Backplate: 7cm x 12.7cm Decorative Socket: E27 Wattage: 40 T		RL2696NB-EU Height: 22.2cm Width: 22.9cm Extension: 26.7cm Backplate: 7cm x 12.7cm Decorative Socket: E27 Wattage: 40 T	
RL2696PN-EU Height: 22.2cm Width: 22.9cm Extension: 26.7cm Backplate: 7cm x 12.7cm Decorative Socket: E27 Wattage: 40 T		RL2697BZ-EU Height: 22.2cm Width: 45.7cm Extension: 26.7cm Backplate: 6.4cm x 12.7cm Decorative Socket: 2 - E27 Wattage: 2 - 40 T	
RL2697NB-EU Height: 22.2cm Width: 45.7cm Extension: 26.7cm Backplate: 6.4cm x 12.7cm Decorative Socket: 2 - E27 Wattage: 2 - 40 T		RL2697PN-EU Height: 22.2cm Width: 45.7cm Extension: 26.7cm Backplate: 6.4cm x 12.7cm Decorative Socket: 2 - E27 Wattage: 2 - 40 T	

EU INDEX

RL2698BZ-EU Height: 22.2cm Width: 61cm Extension: 26.7cm Backplate: 7cm x 12.7cm Decorative Socket: 4 - E27 Wattage: 4 - 40 T		RL2698NB-EU Height: 22.2cm Width: 61cm Extension: 26.7cm Backplate: 7cm x 12.7cm Decorative Socket: 4 - E27 Wattage: 4 - 40 T	
RL2698PN-EU Height: 22.2cm Width: 61cm Extension: 26.7cm Backplate: 7cm x 12.7cm Decorative Socket: 4 - E27 Wattage: 4 - 40 T		RL2710PN-EU Height: 10.8cm Width: 41.9cm Extension: 21.6cm Backplate: 10.8cm Square Socket: 2 - E27 Wattage: 40 T	
RL2711PN-EU Height: 10.8cm Width: 67.3cm Extension: 21.6cm Backplate: 10.8cm x 30.5cm Rec. Socket: 3 - E27 Wattage: 3 - 40 T		RL2712PN-EU Height: 10.8cm Width: 92.7cm Extension: 21.6cm Backplate: 10.8cm x 52.1cm Rec. Socket: 4 - E27 Wattage: 4 - 40 T	
RL2713AI-RG-EU Height: 54.6cm Width: 30.5cm Extension: 19.7cm Backplate: 30.5cm x 37.5cm Rec. Socket: 2 - E14 Wattage: 2 - 40 B Glass Options: RG		RL2713GI-RG-EU Height: 54.6cm Width: 30.5cm Extension: 19.7cm Backplate: 30.5cm x 37.5cm Rec. Socket: 2 - E14 Wattage: 2 - 40 B Glass Options: RG	
RL2732FR-CG-EU Height: 47cm Width: 26cm Extension: 18.4cm Backplate: 22.9cm x 27.9cm Rec. Socket: E14 Wattage: 60 C Glass Options: CG		RL2732WVG-CG-EU Height: 47cm Width: 26cm Extension: 18.4cm Backplate: 22.9cm x 27.9cm Rec. Socket: E14 Wattage: 60 C Glass Options: CG	
RL2733FR-CG-EU Height: 61.6cm Width: 34.3cm Extension: 23.5cm Backplate: 34.3cm Trapezoid Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG		RL2733WVG-CG-EU Height: 61.6cm Width: 34.3cm Extension: 23.5cm Backplate: 34.3cm Trapezoid Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG	
RL2734FR-CG-EU Height: 76.2cm Width: 42.5cm Extension: 29.2cm Backplate: 22.9cm x 27.9cm Rec. Socket: 3 - E14 Wattage: 3 - 60 C Glass Options: CG		RL2734WVG-CG-EU Height: 76.2cm Width: 42.5cm Extension: 29.2cm Backplate: 22.9cm x 27.9cm Rec. Socket: 3 - E14 Wattage: 3 - 60 C Glass Options: CG	

EU INDEX

RL2741OBT-CG-EU Height: 64.8cm Width: 29.2cm Extension: 21.6cm Backplate: 11.4cm x 28.6cm Rec. Socket: 2 - E14 Wattage: 2 - 40 B Glass Options: CG		RL2742OBT-CG-EU Height: 90.2cm Width: 40.6cm Extension: 31.1cm Backplate: 15.9cm x 40cm Rec. Socket: 2 - E14 Wattage: 2 - 40 B Glass Options: CG	
RL2743OBT-CG-EU Height: 120cm Width: 54cm Extension: 41.3cm Backplate: 21cm x 53.3cm Rec. Socket: 2 - E14 Wattage: 2 - 40 B Glass Options: CG		RL2747AI-CG-EU Height: 29.2cm Width: 19.1cm Extension: 20.3cm Backplate: 20.3cm x 12cm Rec. Socket: E27 Wattage: 40 B Glass Options: CG	
RL2786BZ-EU Height: 6.4cm Width: 33cm Extension: 12.7cm - 14.6cm Backplate: 12.1cm x 6.4cm Rec. LED: 6w		RL2786NB-EU Height: 6.4cm Width: 33cm Extension: 12.7cm - 14.6cm Backplate: 12.1cm x 6.4cm Rec. LED: 6w	
RL2786PN-EU Height: 6.4cm Width: 33cm Extension: 12.7cm - 14.6cm Backplate: 12.1cm x 6.4cm Rec. LED: 6w		RL2787BZ-EU Height: 6.4cm Width: 61cm Extension: 12.7cm - 14.6cm Backplate: 30.5cm x 6.4cm Rec. LED: 12w	
RL2787NB-EU Height: 6.4cm Width: 61cm Extension: 12.7cm - 14.6cm Backplate: 30.5cm x 6.4cm Rec. LED: 12w		RL2787PN-EU Height: 6.4cm Width: 61cm Extension: 12.7cm - 14.6cm Backplate: 30.5cm x 6.4cm Rec. LED: 12w	
RL2788BZ-EU Height: 6.4cm Width: 91.4cm Extension: 12.7cm - 14.6cm Backplate: 61cm x 6.4cm Rec. LED: 12w		RL2788NB-EU Height: 6.4cm Width: 91.4cm Extension: 12.7cm - 14.6cm Backplate: 61cm x 6.4cm Rec. LED: 12w	
RL2788PN-EU Height: 6.4cm Width: 91.4cm Extension: 12.7cm - 14.6cm Backplate: 61cm x 6.4cm Rec. LED: 12w		RL2800AI-RG-EU Height: 47.6cm Width: 26cm Extension: 19.7cm Backplate: 21.6cm x 22.2cm Rec. Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: RG	

EU INDEX

RL2800GZ-RG-EU Height: 47.6cm Width: 26cm Extension: 19.7cm Backplate: 21.6cm x 22.2cm Rec. Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: RG		RL2801AI-RG-EU Height: 66.7cm Width: 36.8cm Extension: 27.3cm Backplate: 31.1cm x 31.8cm Rec. Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: RG	
RL2801GZ-RG-EU Height: 66.7cm Width: 36.8cm Extension: 27.3cm Backplate: 31.1cm x 31.8cm Rec. Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: RG		RL2802AI-RG-EU Height: 86.4cm Width: 47.6cm Extension: 34.9cm Backplate: 41.3cm x 41.9cm Rec. Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: RG	
RL2802GZ-RG-EU Height: 86.4cm Width: 47.6cm Extension: 34.9cm Backplate: 41.3cm x 41.9cm Rec. Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: RG		RL2969NB/Q-EU Height: 47.6cm Width: 12.7cm Extension: 7.6cm Backplate: 12.7cm x 47.6cm Rec. LED: 6 - 18w Glass Options: Q	
RL2969PN/Q-EU Height: 47.6cm Width: 12.7cm Extension: 7.6cm Backplate: 12.7cm x 47.6cm Rec. LED: 6 - 18w Glass Options: Q		RL3040BZ-PW-EU Height: 53.3cm Width: 45.7cm Base: 20.3cm Round LED: 12w Shade Treatments: PW	
RL3040NB-PW-EU Height: 53.3cm Width: 45.7cm Base: 20.3cm Round LED: 12w Shade Treatments: PW		RL3040PN-PW-EU Height: 53.3cm Width: 45.7cm Base: 20.3cm Round LED: 12w Shade Treatments: PW	
RL3082NB-WP-EU Height: 76.2cm Width: 45.7cm Base: 21.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: WP Shade Details: 40.6cm x 45.7cm x 30.5cm		RL3082PN-WP-EU Height: 76.2cm Width: 45.7cm Base: 21.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: WP Shade Details: 40.6cm x 45.7cm x 30.5cm	
RL3086CG-S-EU Height: 75.6cm Width: 38.1cm Base: 20.3cm Round Socket: 2 - E27 Wattage: 2 - 40 A Shade Treatments: S Shade Details: 38.1cm x 38.1cm x 25.4cm		RL3086PN-S-EU Height: 75.6cm Width: 38.1cm Base: 20.3cm Round Socket: 2 - E27 Wattage: 2 - 40 A Shade Treatments: S Shade Details: 38.1cm x 38.1cm x 25.4cm	

EU INDEX

RL3094NB-L-EU Height: 72.4cm Width: 44.5cm Base: 22.9cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: L Shade Details: 42.5cm x 44.5cm x 28.6cm		RL3094PN-L-EU Height: 72.4cm Width: 44.5cm Base: 22.9cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: L Shade Details: 42.5cm x 44.5cm x 28.6cm	
RL3130NB-L-EU Height: 83.2cm Width: 40.6cm Base: 25.4cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 38.1cm x 40.6cm x 27.3cm		RL3130PN-L-EU Height: 83.2cm Width: 40.6cm Base: 25.4cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 38.1cm x 40.6cm x 27.3cm	
RL3147CG/NB-EU Height: 53.3cm Width: 56.5cm Base: 22.9cm x 25.4cm T - Shaped Socket: E27 Wattage: 60 T		RL3147CG/PN-EU Height: 53.3cm Width: 56.5cm Base: 22.9cm x 25.4cm T - Shaped Socket: E27 Wattage: 60 T	
RL3151BLK-P-EU Height: 63.5cm - 88.9cm Extension: 58.4cm - 80.6cm Base: 22.9cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: P Shade Details: 30.5cm x 40.6cm x 22.9cm		RL3151PN-P-EU Height: 63.5cm - 88.9cm Extension: 58.4cm - 80.6cm Base: 22.9cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: P Shade Details: 30.5cm x 40.6cm x 22.9cm	
RL3183NB-L-EU Height: 64.8cm Width: 42.5cm Base: 16.5cm x 25.4cm Oval Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 38.1cm x 42.5cm x 26.7cm Oval		RL3183PN-L-EU Height: 64.8cm Width: 42.5cm Base: 16.5cm x 25.4cm Oval Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 38.1cm x 42.5cm x 26.7cm Oval	
RL3250NB-EU Height: 48.9cm - 62.2cm Width: 17.1cm Extension: 29.2cm - 33cm Base: 12.7cm Round Socket: E14 Wattage: 40 C		RL3250PN-EU Height: 48.9cm - 62.2cm Width: 17.1cm Extension: 29.2cm - 33cm Base: 12.7cm Round Socket: E14 Wattage: 40 C	
RL3320NB-CA-EU Height: 66.7cm Width: 83.8cm Base: 17.8cm Round LED: 11w Glass Options: CA		RL3320PN-CA-EU Height: 66.7cm Width: 83.8cm Base: 17.8cm Round LED: 11w Glass Options: CA	

EU INDEX

RL3345NB-EU Height: 57.2cm Width: 91.4cm Base: 22.9cm Round LED: 24w		RL3345PN-EU Height: 57.2cm Width: 91.4cm Base: 22.9cm Round LED: 24w	
RL3388BZ-EU Height: 74.9cm Width: 30.5cm Extension: 24.1cm - 26cm Base: 20.3cm x 25.4cm Rec. LED: 6w		RL3388NB-EU Height: 74.9cm Width: 30.5cm Extension: 24.1cm - 26cm Base: 20.3cm x 25.4cm Rec. LED: 6w	
RL3388PN-EU Height: 74.9cm Width: 30.5cm Extension: 24.1cm - 26cm Base: 20.3cm x 25.4cm Rec. LED: 6w		RL3393NB-NB-EU Height: 83.8cm Width: 29.2cm Base: 17.8cm Round Socket: E27 Wattage: 60 A Shade Treatments: NB, PN Shade Details: 10.2cm x 29.2cm x 19.7cm	
RL3393PN-PN-EU Height: 83.8cm Width: 29.2cm Base: 17.8cm Round Socket: E27 Wattage: 60 A Shade Treatments: NB, PN Shade Details: 10.2cm x 29.2cm x 19.7cm		RL3467BZ-L-EU Height: 64.8cm Width: 38.1cm Base: 21.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 35.6cm x 38.1cm x 25.4cm	
RL3467BZ-WP-EU Height: 64.8cm Width: 38.1cm Base: 21.6cm Round Socket: E27 Wattage: 150 A Shade Treatments: L Shade Details: 35.6cm x 38.1cm x 25.4cm		RL3468BZ-L-EU Height: 94cm Width: 55.9cm Base: 27.9cm Round Socket: 2 - E27 Wattage: 2 - 75 A Shade Treatments: L Shade Details: 50.8cm x 55.9cm x 35.6cm	
RL3468BZ-WP-EU Height: 94cm Width: 55.9cm Base: 27.9cm Round Socket: 2 - E27 Wattage: 2 - 75 A Shade Treatments: L Shade Details: 50.8cm x 55.9cm x 35.6cm		RL3470BCR-S-EU Height: 83.8cm - 95.2cm Width: 48.3cm Base: 15.9cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 43.2cm x 48.3cm x 27.9cm	
RL3470BLK-S-EU Height: 83.8cm - 95.2cm Width: 48.3cm Base: 15.9cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 43.2cm x 48.3cm x 27.9cm		RL3470BLU-S-EU Height: 83.8cm - 95.2cm Width: 48.3cm Base: 15.9cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 43.2cm x 48.3cm x 27.9cm	

EU INDEX

RL3470BRN-S-EU Height: 83.8cm - 95.2cm Width: 48.3cm Base: 15.9cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 43.2cm x 48.3cm x 27.9cm		RL3470ICR-S-EU Height: 83.8cm - 95.2cm Width: 48.3cm Base: 15.9cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 43.2cm x 48.3cm x 27.9cm	
RL3472CG/PN-P-EU Height: 52.1cm Width: 45.7cm Base: 20.3cm x 31.8cm X-Base Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: P Shade Details: 38.1cm x 45.7cm x 22.9cm Closed Top Oval		RL3473CG/PN-P-EU Height: 83.8cm Width: 48.3cm Base: 19.7cm X-Base Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: P Shade Details: 35.6cm x 48.3cm x 35.6cm Closed Top	
RL3480EBO-L-EU Height: 77.5cm Width: 48.3cm Base: 25.4cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 43.2cm x 48.3cm x 28.6cm		RL3480MHG-L-EU Height: 77.5cm Width: 48.3cm Base: 25.4cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 43.2cm x 48.3cm x 28.6cm	
RL3491NB/NVY-P-EU Height: 76.8cm Width: 50.8cm Base: 19cm Round Socket: 2 - E27 Wattage: 2 - 40 B Shade Treatments: P Shade Details: 15.2cm x 50.8cm x 28.6cm		RL3491NB/SDL-P-EU Height: 76.8cm Width: 50.8cm Base: 19cm Round Socket: 2 - E27 Wattage: 2 - 40 B Shade Treatments: P Shade Details: 15.2cm x 50.8cm x 28.6cm	
RL3491PN/CHC-P-EU Height: 76.8cm Width: 50.8cm Base: 19cm Round Socket: 2 - E27 Wattage: 2 - 40 B Shade Treatments: P Shade Details: 15.2cm x 50.8cm x 28.6cm		RL3501BZ-L-EU Height: 50.8cm - 76.2cm Width: 35.6cm Extension: 54.6cm Base: 21.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 15.2cm x 35.6cm x 22.9cm	
RL3501NB-L-EU Height: 50.8cm - 76.2cm Width: 35.6cm Extension: 54.6cm Base: 21.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 15.2cm x 35.6cm x 22.9cm		RL3501PN-L-EU Height: 50.8cm - 76.2cm Width: 35.6cm Extension: 54.6cm Base: 21.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 15.2cm x 35.6cm x 22.9cm	
RL3531NB-P-EU Height: 73.7cm Width: 50.8cm Base: 15.9cm Square Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 45.7cm x 50.8cm x 30.5cm Rec.		RL3531PN-P-EU Height: 73.7cm Width: 50.8cm Base: 15.9cm Square Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 45.7cm x 50.8cm x 30.5cm Rec.	

EU INDEX

RL3592BKE/PN-P-EU Height: 66.7cm Width: 46.4cm Base: 12.7cm Square Socket: E27 Wattage: 100 A Shade Treatments: P Shade Details: 41.9cm x 45.7cm x 26cm Rec.		RL3592MCE/NB-P-EU Height: 66.7cm Width: 46.4cm Base: 12.7cm Square Socket: E27 Wattage: 100 A Shade Treatments: P Shade Details: 41.9cm x 45.7cm x 26cm Rec.	
RL3622CBZ-L-EU Height: 71.1cm Width: 48.3cm Base: 19cm Square Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 43.2cm x 48.3cm x 30.5cm		RL3622WLC-L-EU Height: 71.1cm Width: 48.3cm Base: 19cm Square Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 43.2cm x 48.3cm x 30.5cm	
RL3623CBZ-L-EU Height: 88.9cm Width: 53.3cm Base: 20.3cm Square Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 48.3cm x 53.3cm x 33cm		RL3623WLC-L-EU Height: 88.9cm Width: 53.3cm Base: 20.3cm Square Socket: E27 Wattage: 100 A Shade Treatments: L Shade Details: 48.3cm x 53.3cm x 33cm	
RL3625BLK-WP-EU Height: 71.1cm Width: 48.3cm Base: 17.8cm Round Socket: E27 Wattage: 100 A Shade Treatments: WP Shade Details: 35.6cm x 48.3cm x 33cm		RL3625WT-WP-EU Height: 71.1cm Width: 48.3cm Base: 17.8cm Round Socket: E27 Wattage: 100 A Shade Treatments: WP Shade Details: 35.6cm x 48.3cm x 33cm	
RL3627BLK-WP-EU Height: 92.7cm Width: 55.9cm Base: 30.5cm Round Socket: E27 Wattage: 100 A Shade Treatments: WP Shade Details: 48.3cm x 55.9cm x 38.1cm		RL3627WT-WP-EU Height: 92.7cm Width: 55.9cm Base: 30.5cm Round Socket: E27 Wattage: 100 A Shade Treatments: WP Shade Details: 48.3cm x 55.9cm x 38.1cm	
RL3633BC-WP-EU Height: 69.8cm Width: 43.2cm Base: 27.3cm Round Socket: E27 Wattage: 100 A Shade Treatments: DS, WP Shade Details: 30.5cm x 43.2cm x 30.5cm		RL3633BLK-DS-EU Height: 69.8cm Width: 43.2cm Base: 27.3cm Round Socket: E27 Wattage: 100 A Shade Treatments: DS, WP Shade Details: 30.5cm x 43.2cm x 30.5cm	
RL3633BLK-WP-EU Height: 69.8cm Width: 43.2cm Base: 27.3cm Round Socket: E27 Wattage: 100 A Shade Treatments: DS, WP Shade Details: 30.5cm x 43.2cm x 30.5cm		RL3633ICO-WP-EU Height: 69.8cm Width: 43.2cm Base: 27.3cm Round Socket: E27 Wattage: 100 A Shade Treatments: DS, WP Shade Details: 30.5cm x 43.2cm x 30.5cm	

EU INDEX

RL3634BC-WP-EU Height: 91.4cm Width: 63.5cm Base: 35.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: DS, WP Shade Details: 48.3cm x 63.5cm x 45.7cm		RL3634BLK-DS-EU Height: 91.4cm Width: 63.5cm Base: 35.6cm Round Socket: E27 Wattage: 150 A Shade Treatments: DS, WP Shade Details: 48.3cm x 63.5cm x 45.7cm	
RL3634BLK-WP-EU Height: 91.4cm Width: 63.5cm Base: 35.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: DS, WP Shade Details: 48.3cm x 63.5cm x 45.7cm		RL3634ICO-WP-EU Height: 91.4cm Width: 63.5cm Base: 35.6cm Round Socket: E27 Wattage: 100 A Shade Treatments: DS, WP Shade Details: 48.3cm x 63.5cm x 45.7cm	
RL3649BW-S-EU Height: 68.6cm Width: 53.3cm Base: 22.9cm Round Socket: 2 - E27 Wattage: 2 - 75 A Shade Treatments: S Shade Details: 17.8cm x 53.3cm x 33cm		RL3650BW-S-EU Height: 90.2cm - 97.8cm Width: 66cm Base: 33cm Round Socket: 2 - E27 Wattage: 2 - 75 A Shade Treatments: S Shade Details: 21.6cm x 66cm x 40.6cm	
RL3724BLK-WP-EU Height: 92.7cm Width: 48.3cm Base: 45.7cm Tripod Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: WP Shade Details: 33cm x 48.3cm x 35.6cm		RL3724MHG-WP-EU Height: 92.7cm Width: 48.3cm Base: 45.7cm Tripod Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: WP Shade Details: 33cm x 48.3cm x 35.6cm	
RL3805NB-EU Height: 41.3cm - 51.4cm Width: 22.2cm Base: 12.1cm Round Socket: E27 Wattage: 60 C		RL3805PN-EU Height: 41.3cm - 51.4cm Width: 22.2cm Base: 12.1cm Round Socket: E27 Wattage: 60 C	
RL3822PN-WP-EU Height: 73.7cm Width: 45.7cm Base: 15.2cm Round Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: WP Shade Details: 40.6cm x 45.7cm x 30.5cm		RL3905CG-S-EU Height: 31.8cm Width: 19cm Base: 6.4cm Round Socket: E27 Wattage: 60 C Shade Treatments: S Shade Details: 10.2cm x 19cm x 15.2cm	
RL3909CG-SP-EU Height: 87cm Width: 25.4cm Base: 19cm Round Socket: E27 Wattage: 60 A Shade Treatments: SP Shade Details: 16.5cm x 25.4cm x 21.6cm		RL3920CG-WP-EU Height: 73.7cm Width: 45.7cm Base: 30.5cm Square Socket: 2 - E27 Wattage: 2 - 60 A Shade Treatments: WP Shade Details: 43.2cm x 45.7cm x 26.7cm	

EU INDEX

RL3921CCG-P-EU Height: 54.6cm Width: 45.7cm Base: 19.7cm Round Socket: E27 Wattage: 100 A Shade Treatments: P Shade Details: 38.1cm x 45.7cm x 25.4cm		RL3936CG-S-EU Height: 73.7cm Width: 53.3cm Base: 20.3cm Round Socket: E27 Wattage: 100 A Shade Treatments: S Shade Details: 17.8cm x 53.3cm x 33cm	
RL3941CG/NB-P-EU Height: 83.2cm Width: 38.1cm Base: 16.5cm Square Socket: E27 Wattage: 60 A Shade Treatments: P Shade Details: 17.8cm x 38.1cm x 27.9cm		RL3941CG/PN-P-EU Height: 83.2cm Width: 38.1cm Base: 16.5cm Square Socket: E27 Wattage: 60 A Shade Treatments: P Shade Details: 17.8cm x 38.1cm x 27.9cm	
RL3943NB/WG-P-EU Height: 76.8cm Width: 48.3cm Base: 19cm Round Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 43.2cm x 48.3cm x 30.5cm		RL3943PN/WG-P-EU Height: 76.8cm Width: 48.3cm Base: 19cm Round Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 43.2cm x 48.3cm x 30.5cm	
RL3965NB/Q-P-EU Height: 57.2cm Width: 38.1cm Base: 16.5cm x 24.1cm Rec. Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 35.6cm x 38.1cm x 25.4cm Rec.		RL3965PN/Q-P-EU Height: 57.2cm Width: 38.1cm Base: 16.5cm x 24.1cm Rec. Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 35.6cm x 38.1cm x 25.4cm Rec.	
RL3966NB/Q-P-EU Height: 77.5cm Width: 43.2cm Base: 15.2cm Square Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 40.6cm x 43.2cm x 30.5cm Square		RL3966PN/Q-P-EU Height: 77.5cm Width: 43.2cm Base: 15.2cm Square Socket: E27 Wattage: 75 A Shade Treatments: P Shade Details: 40.6cm x 43.2cm x 30.5cm Square	
RL4030BZ-EC-EU Height: 7.6cm Width: 11.4cm LED: 12w Glass Options: EC		RL4030NB-EC-EU Height: 7.6cm Width: 11.4cm LED: 12w Glass Options: EC	
RL4030PN-EC-EU Height: 7.6cm Width: 11.4cm LED: 12w Glass Options: EC		RL4031BZ-EC-EU Height: 8.9cm Width: 16.5cm LED: 15w Glass Options: EC	

EU INDEX

RL4031NB-EC-EU Height: 8.9cm Width: 16.5cm LED: 15w Glass Options: EC		RL4031PN-EC-EU Height: 8.9cm Width: 16.5cm LED: 15w Glass Options: EC	
RL4072NB-FA-EU Height: 10.2cm Width: 35.6cm Socket: 4 - E27 Wattage: 4 - 40 T Glass Options: WG		RL4072PN-FA-EU Height: 10.2cm Width: 35.6cm Socket: 4 - E27 Wattage: 4 - 40 T Glass Options: WG	
RL4090NB-WG-EU Height: 15.2cm Width: 35.6cm Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: WG		RL4090PN-WG-EU Height: 15.2cm Width: 35.6cm Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: WG	
RL4113NB-WG-EU Height: 10.8cm Width: 30.5cm Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: WG		RL4113PN-WG-EU Height: 10.8cm Width: 30.5cm Socket: 2 - E14 Wattage: 2 - 40 C Glass Options: WG	
RL4114NB-WG-EU Height: 12.7cm Width: 38.1cm Socket: 2 - E27 Wattage: 2 - 40 A Glass Options: WG		RL4114PN-WG-EU Height: 12.7cm Width: 38.1cm Socket: 2 - E27 Wattage: 2 - 40 A Glass Options: WG	
RL4143AI-CG-EU Height: 21cm Width: 33cm Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: CG, WG		RL4143PN-CG-EU Height: 21cm Width: 33cm Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: CG, WG	
RL4143PN-WG-EU Height: 21cm Width: 33cm Socket: 2 - E27 Wattage: 2 - 60 A Glass Options: CG, WG		RL4460BZ-WG-EU Height: 29.8cm Width: 20.3cm Canopy: 16.5cm Round Socket: E27 Wattage: 60 A Glass Options: WG	

EU INDEX

RL4460NB-WG-EU Height: 29.8cm Width: 20.3cm Canopy: 16.5cm Round Socket: E27 Wattage: 60 A Glass Options: WG 	RL4460PN-WG-EU Height: 29.8cm Width: 20.3cm Canopy: 16.5cm Round Socket: E27 Wattage: 60 A Glass Options: WG 
RL4461BZ-WG-EU Height: 40.6cm Width: 30.5cm Canopy: 16.5cm Round Socket: E27 Wattage: 60 A Glass Options: WG 	RL4461NB-WG-EU Height: 40.6cm Width: 30.5cm Canopy: 16.5cm Round Socket: E27 Wattage: 60 A Glass Options: WG 
RL4461PN-WG-EU Height: 40.6cm Width: 30.5cm Canopy: 16.5cm Round Socket: E27 Wattage: 60 A Glass Options: WG 	RL4462BZ-WG-EU Height: 52.7cm Width: 41.3cm Canopy: 19.7cm Round Socket: E27 Wattage: 60 A Glass Options: WG 
RL4462NB-WG-EU Height: 52.7cm Width: 41.3cm Canopy: 19.7cm Round Socket: E27 Wattage: 60 A Glass Options: WG 	RL4462PN-WG-EU Height: 52.7cm Width: 41.3cm Canopy: 19.7cm Round Socket: E27 Wattage: 60 A Glass Options: WG 
RL4530NB-WG-EU Height: 12.7cm Width: 31.1cm LED: 5 - 15w Glass Options: WG 	RL4530PN-WG-EU Height: 12.7cm Width: 31.1cm LED: 5 - 15w Glass Options: WG 
RL4700AN-EU Height: 14cm Width: 27.9cm Socket: 2 - E27 Wattage: 2 - 40 A Glass Options: WG 	RL4700BZ-EU Height: 14cm Width: 27.9cm Socket: 2 - E27 Wattage: 2 - 40 A Glass Options: WG 
RL4700NB-EU Height: 14cm Width: 27.9cm Socket: 2 - E27 Wattage: 2 - 40 A Glass Options: WG 	RL4700PN-EU Height: 14cm Width: 27.9cm Socket: 2 - E27 Wattage: 2 - 40 A Glass Options: WG 

EU INDEX

RL4800NB-EU Height: 19cm Width: 31.1cm Socket: 3 - E27 Wattage: 3 - 40 A Glass Options: WG 	RL4800PN-EU Height: 19cm Width: 31.1cm Socket: 3 - E27 Wattage: 3 - 40 A Glass Options: WG 
RL4801NB-EU Height: 11.4cm Width: 30.5cm Socket: 2 - E27 Wattage: 2 - 40 C Glass Options: WG 	RL4801PN-EU Height: 11.4cm Width: 30.5cm Socket: 2 - E27 Wattage: 2 - 40 C Glass Options: WG 
RL4802NB-EU Height: 17.8cm Width: 45.7cm Socket: 3 - E27 Wattage: 3 - 60 T Glass Options: WG 	RL4802PN-EU Height: 17.8cm Width: 45.7cm Socket: 3 - E27 Wattage: 3 - 60 T Glass Options: WG 
RL4803NB-EU Height: 11.4cm Width: 31.1cm Socket: 2 - E27 Wattage: 2 - 60 T Glass Options: WG 	RL4803PN-EU Height: 11.4cm Width: 31.1cm Socket: 2 - E27 Wattage: 2 - 60 T Glass Options: WG 
RL4967NB/Q-EU Height: 7.6cm Width: 12.7cm LED: 2 - 6w Glass Options: Q 	RL4967PN/Q-EU Height: 7.6cm Width: 12.7cm LED: 2 - 6w Glass Options: Q 
RL5004CG-EU Height: 77.5cm Width: 53.3cm Canopy: 19cm Round Socket: 4 - E14 Wattage: 4 - 60 C 	RL5005CG-EU Height: 104.1cm Width: 69.2cm Canopy: 19cm Round Socket: 6 - E14 Wattage: 6 - 60 C 
RL5006CG-EU Height: 127.6cm Width: 79.4cm Canopy: 19cm Round Socket: 12 - E14 Wattage: 12 - 60 C 	RL5007CG-EU Height: 104.1cm Width: 79.4cm Canopy: 19cm Round Socket: 6 - E14 Wattage: 6 - 60 C 

EU INDEX

RL5008CG-EU Fixture Height: 127.6cm Width: 115.6cm Canopy: 19cm Round Socket: 12 - E14 Wattage: 12 - 40 A		RL5010CG-EU Height: 153.7cm Width: 127cm Canopy: 19cm Round Socket: 24 - E14 Wattage: 24 - 60 C	
RL5016CG-EU Height: 78.7cm Width: 90.8cm Canopy: 19cm Round Socket: 12 - E14 Wattage: 12 - 40 C		RL5017CG-EU Height: 104.1cm Width: 101.6cm Canopy: 19cm Round Socket: 12 - E27 Wattage: 12 - 40 C	
RL5030BZ-EC-EU O/A Height: 121.9cm Fixture Height: 33cm Min. Custom Height: 53.3cm Width: 7cm Canopy: 11.4cm Round LED: 2 - 12w Glass Options: EC		RL5030NB-EC-EU O/A Height: 121.9cm Fixture Height: 33cm Min. Custom Height: 53.3cm Width: 7cm Canopy: 11.4cm Round LED: 2 - 12w Glass Options: EC	
RL5030PN-EC-EU O/A Height: 121.9cm Fixture Height: 33cm Min. Custom Height: 53.3cm Width: 7cm Canopy: 11.4cm Round LED: 2 - 12w Glass Options: EC		RL5032BN-EU O/A Height: 141cm Fixture Height: 66cm Min. Custom Height: 109.2cm Width: 169.5cm Canopy: 20.3cm Round Socket: 6 - E27 Wattage: 6 - 40 A	
RL5032BZ-EU O/A Height: 141cm Fixture Height: 66cm Min. Custom Height: 109.2cm Width: 169.5cm Canopy: 20.3cm Round Socket: 6 - E27 Wattage: 6 - 40 A		RL5032PN-EU O/A Height: 141cm Fixture Height: 66cm Min. Custom Height: 109.2cm Width: 169.5cm Canopy: 20.3cm Round Socket: 6 - E27 Wattage: 6 - 40 A	
RL5040BZ-PW-EU O/A Height: 55.2cm Fixture Height: 24.8cm Width: 45.7cm Canopy: 14cm Round LED: 12w Shade Treatments: PW		RL5040NB-PW-EU O/A Height: 55.2cm Fixture Height: 24.8cm Width: 45.7cm Canopy: 14cm Round LED: 12w Shade Treatments: PW	
RL5040PN-PW-EU O/A Height: 55.2cm Fixture Height: 24.8cm Width: 45.7cm Canopy: 14cm Round LED: 12w Shade Treatments: PW		RL5041BZ-PW-EU O/A Height: 86.4cm Fixture Height: 36.2cm Width: 71.1cm Canopy: 15.9cm Round LED: 18w Shade Treatments: PW	

EU INDEX

RL5041NB-PW-EU O/A Height: 86.4cm Fixture Height: 36.2cm Width: 71.1cm Canopy: 15.9cm Round LED: 18w Shade Treatments: PW		RL5041PN-PW-EU O/A Height: 86.4cm Fixture Height: 36.2cm Width: 71.1cm Canopy: 15.9cm Round LED: 18w Shade Treatments: PW	
RL5042BZ-PW-EU O/A Height: 121.3cm Fixture Height: 50.8cm Min. Custom Height: 50.2cm Width: 101.6cm Canopy: 17.8cm Round LED: 18w Shade Treatments: PW		RL5042NB-PW-EU O/A Height: 121.3cm Fixture Height: 50.8cm Min. Custom Height: 50.2cm Width: 101.6cm Canopy: 17.8cm Round LED: 18w Shade Treatments: PW	
RL5042PN-PW-EU O/A Height: 121.3cm Fixture Height: 50.8cm Min. Custom Height: 50.2cm Width: 101.6cm Canopy: 17.8cm Round LED: 18w Shade Treatments: PW		RL5060BZ-WG-EU Height: 77.5cm Width: 55.9cm Canopy: 15.2cm Octagon Socket: 4 - E27 Wattage: 40 A Glass Options: WG	
RL5060PN-WG-EU Height: 77.5cm Width: 55.9cm Canopy: 15.2cm Octagon Socket: 4 - E27 Wattage: 40 A Glass Options: WG		RL5064BZ-AM-EU O/A Height: 95.2cm Fixture Height: 31.8cm Min. Custom Height: 73.7cm Width: 80.6cm Canopy: 17.8cm Roun Socket: 8 - Keyless Wattage: 8 - 40 A Glass Options: AM, CG, MG, WG	
RL5064BZ-CG-EU O/A Height: 95.2cm Fixture Height: 31.8cm Min. Custom Height: 73.7cm Width: 80.6cm Canopy: 17.8cm Roun Socket: 8 - Keyless Wattage: 8 - 40 A Glass Options: AM, CG, MG, WG		RL5064BZ-WG-EU O/A Height: 95.2cm Fixture Height: 31.8cm Min. Custom Height: 73.7cm Width: 80.6cm Canopy: 17.8cm Roun Socket: 8 - Keyless Wattage: 8 - 40 A Glass Options: AM, CG, MG, WG	
RL5064NB-AM-EU O/A Height: 95.2cm Fixture Height: 31.8cm Min. Custom Height: 73.7cm Width: 80.6cm Canopy: 17.8cm Roun Socket: 8 - Keyless Wattage: 8 - 40 A Glass Options: AM, CG, MG, WG		RL5064NB-CG-EU O/A Height: 95.2cm Fixture Height: 31.8cm Min. Custom Height: 73.7cm Width: 80.6cm Canopy: 17.8cm Roun Socket: 8 - Keyless Wattage: 8 - 40 A Glass Options: AM, CG, MG, WG	
RL5064NB-WG-EU O/A Height: 95.2cm Fixture Height: 31.8cm Min. Custom Height: 73.7cm Width: 80.6cm Canopy: 17.8cm Roun Socket: 8 - Keyless Wattage: 8 - 40 A Glass Options: AM, CG, MG, WG		RL5064PN-CG-EU O/A Height: 95.2cm Fixture Height: 31.8cm Min. Custom Height: 73.7cm Width: 80.6cm Canopy: 17.8cm Roun Socket: 8 - Keyless Wattage: 8 - 40 A Glass Options: AM, CG, MG, WG	

EU INDEX

RL5064PN-MG-EU O/A Height: 95.2cm Fixture Height: 31.8cm Min. Custom Height: 73.7cm Width: 80.6cm Canopy: 17.8cm Roun Socket: 8 - Keyless Wattage: 8 - 40 A Glass Options: AM, CG, MG, WG		RL5064PN-WG-EU O/A Height: 95.2cm Fixture Height: 31.8cm Min. Custom Height: 73.7cm Width: 80.6cm Canopy: 17.8cm Roun Socket: 8 - Keyless Wattage: 8 - 40 A Glass Options: AM, CG, MG, WG	
RL5065BZ-EU O/A Height: 113.7cm Fixture Height: 40.6cm Min. Custom Height: 76.2cm Width: 106.7cm Canopy: 20.3cm Round Socket: 10 - E27 Wattage: 10 - 60 A Glass Options: AM, CG, MG, WG		RL5065BZ-CG-EU O/A Height: 113.7cm Fixture Height: 40.6cm Min. Custom Height: 76.2cm Width: 106.7cm Canopy: 20.3cm Round Socket: 10 - E27 Wattage: 10 - 60 A Glass Options: AM, CG, MG, WG	
RL5065BZ-WG-EU O/A Height: 113.7cm Fixture Height: 40.6cm Min. Custom Height: 76.2cm Width: 106.7cm Canopy: 20.3cm Round Socket: 10 - E27 Wattage: 10 - 60 A Glass Options: AM, CG, MG, WG		RL5065NB-EU O/A Height: 113.7cm Fixture Height: 40.6cm Min. Custom Height: 76.2cm Width: 106.7cm Canopy: 20.3cm Round Socket: 10 - E27 Wattage: 10 - 60 A Glass Options: AM, CG, MG, WG	
RL5065NB-CG-EU O/A Height: 113.7cm Fixture Height: 40.6cm Min. Custom Height: 76.2cm Width: 106.7cm Canopy: 20.3cm Round Socket: 10 - E27 Wattage: 10 - 60 A Glass Options: AM, CG, MG, WG		RL5065NB-WG-EU O/A Height: 113.7cm Fixture Height: 40.6cm Min. Custom Height: 76.2cm Width: 106.7cm Canopy: 20.3cm Round Socket: 10 - E27 Wattage: 10 - 60 A Glass Options: AM, CG, MG, WG	
RL5065PN-EU O/A Height: 113.7cm Fixture Height: 40.6cm Min. Custom Height: 76.2cm Width: 106.7cm Canopy: 20.3cm Round Socket: 10 - E27 Wattage: 10 - 60 A Glass Options: AM, CG, MG, WG		RL5065PN-CG-EU O/A Height: 113.7cm Fixture Height: 40.6cm Min. Custom Height: 76.2cm Width: 106.7cm Canopy: 20.3cm Round Socket: 10 - E27 Wattage: 10 - 60 A Glass Options: AM, CG, MG, WG	
RL5065PN-WG-EU O/A Height: 113.7cm Fixture Height: 40.6cm Min. Custom Height: 76.2cm Width: 106.7cm Canopy: 20.3cm Round Socket: 10 - E27 Wattage: 10 - 60 A Glass Options: AM, CG, MG, WG		RL5067BZ-AM-EU O/A Height: 118.1cm Fixture Height: 59.7cm Min. Custom Height: 88.9cm Width: 142.9cm Canopy: 19cm x 76.8cm Rec. Socket: 7 - Keyless Wattage: 7 - 40 A Glass Options: AM, CG, MG, WG	
RL5067BZ-CG-EU O/A Height: 118.1cm Fixture Height: 59.7cm Min. Custom Height: 88.9cm Width: 142.9cm Canopy: 19cm x 76.8cm Rec. Socket: 7 - Keyless Wattage: 7 - 40 A Glass Options: AM, CG, MG, WG		RL5067BZ-WG-EU O/A Height: 118.1cm Fixture Height: 59.7cm Min. Custom Height: 88.9cm Width: 142.9cm Canopy: 19cm x 76.8cm Rec. Socket: 7 - Keyless Wattage: 7 - 40 A Glass Options: AM, CG, MG, WG	

EU INDEX

RL5067NB-AM-EU O/A Height: 118.1cm Fixture Height: 59.7cm Min. Custom Height: 88.9cm Width: 142.9cm Canopy: 19cm x 76.8cm Rec. Socket: 7 - Keyless Wattage: 7 - 40 A Glass Options: AM, CG, MG, WG		RL5067NB-CG-EU O/A Height: 118.1cm Fixture Height: 59.7cm Min. Custom Height: 88.9cm Width: 142.9cm Canopy: 19cm x 76.8cm Rec. Socket: 7 - Keyless Wattage: 7 - 40 A Glass Options: AM, CG, MG, WG	
RL5067NB-WG-EU O/A Height: 118.1cm Fixture Height: 59.7cm Min. Custom Height: 88.9cm Width: 142.9cm Canopy: 19cm x 76.8cm Rec. Socket: 7 - Keyless Wattage: 7 - 40 A Glass Options: AM, CG, MG, WG		RL5067PN-CG-EU O/A Height: 118.1cm Fixture Height: 59.7cm Min. Custom Height: 88.9cm Width: 142.9cm Canopy: 19cm x 76.8cm Rec. Socket: 7 - Keyless Wattage: 7 - 40 A Glass Options: AM, CG, MG, WG	
RL5067PN-MG-EU O/A Height: 118.1cm Fixture Height: 59.7cm Min. Custom Height: 88.9cm Width: 142.9cm Canopy: 19cm x 76.8cm Rec. Socket: 7 - Keyless Wattage: 7 - 40 A Glass Options: AM, CG, MG, WG		RL5067PN-WG-EU O/A Height: 118.1cm Fixture Height: 59.7cm Min. Custom Height: 88.9cm Width: 142.9cm Canopy: 19cm x 76.8cm Rec. Socket: 7 - Keyless Wattage: 7 - 40 A Glass Options: AM, CG, MG, WG	
RL5075NB-FA-EU O/A Height: 63.5cm Fixture Height: 12.7cm Min. Custom Height: 25.4cm Width: 139.7cm Canopy: 17.8cm x 64.8cm Rec. Socket: 16 - E27 Wattage: 16 - 40 T Glass Options: WG		RL5075PN-FA-EU O/A Height: 63.5cm Fixture Height: 12.7cm Min. Custom Height: 25.4cm Width: 139.7cm Canopy: 17.8cm x 64.8cm Rec. Socket: 16 - E27 Wattage: 16 - 40 T Glass Options: WG	
RL5080NB-EU O/A Height: 114.3cm Fixture Height: 27.9cm Min. Custom Height: 43.2cm Width: 8.3cm Canopy: 11.4cm Round Socket: E27 Wattage: 40 T		RL5080PN-EU O/A Height: 114.3cm Fixture Height: 27.9cm Min. Custom Height: 43.2cm Width: 8.3cm Canopy: 11.4cm Round Socket: E27 Wattage: 40 T	
RL5082NB-EU O/A Height: 111.8cm Fixture Height: 40.6cm Min. Custom Height: 53.3cm Width: 45.7cm Canopy: 11.4cm Round Socket: 8 - E27 Wattage: 8 - 40 A Glass Options: WG		RL5082PN-EU O/A Height: 111.8cm Fixture Height: 40.6cm Min. Custom Height: 53.3cm Width: 45.7cm Canopy: 11.4cm Round Socket: 8 - E27 Wattage: 8 - 40 A Glass Options: WG	
RL5086NB-EU O/A Height: 122.6cm Fixture Height: 33cm Min. Custom Height: 53.3cm Width: 81.3cm Canopy: 13.1cm Round Socket: 20 - E17 Wattage: 20 - 25 T Glass Options: CG		RL5086PN-EU O/A Height: 122.6cm Fixture Height: 33cm Min. Custom Height: 53.3cm Width: 81.3cm Canopy: 13.1cm Round Socket: 20 - E17 Wattage: 20 - 25 T Glass Options: CG	

EU INDEX

RL5101BS-CG-EU Height: 40.6cm Width: 36.2cm Canopy: 12.7cm Round Socket: 3 - E27 Wattage: 60 C Glass Options: CG		RL5101NB-CG-EU Height: 40.6cm Width: 36.2cm Canopy: 12.7cm Round Socket: 3 - E27 Wattage: 60 C Glass Options: CG	
RL5103BS-CG-EU Height: 97.8cm Width: 48.9cm Canopy: 17.8cm Round Socket: 3 - E27 Wattage: 60 C Glass Options: CG		RL5103NB-CG-EU Height: 97.8cm Width: 48.9cm Canopy: 17.8cm Round Socket: 3 - E27 Wattage: 60 C Glass Options: CG	
RL5114BS-EU Height: 120.6cm Width: 91.4cm Canopy: 10.2cm Round Socket: 12 - E14 Wattage: 60 C Trim Options: CG		RL5114SN-EU Height: 120.6cm Width: 91.4cm Canopy: 10.2cm Round Socket: 12 - E14 Wattage: 60 C Trim Options: CG	
RL5119IS-BK-EU O/A Height: 118.1cm Fixture Height: 20.3cm Min. Custom Height: 45.7cm Width: 17.1cm Canopy: 15.9cm Round Socket: E27 Wattage: 60 A Shade Treatments: BK, IS, PN, WT		RL5119IS-IS-EU O/A Height: 118.1cm Fixture Height: 20.3cm Min. Custom Height: 45.7cm Width: 17.1cm Canopy: 15.9cm Round Socket: E27 Wattage: 60 A Shade Treatments: BK, IS, PN, WT	
RL5119PN-PN-EU O/A Height: 118.1cm Fixture Height: 20.3cm Min. Custom Height: 45.7cm Width: 17.1cm Canopy: 15.9cm Round Socket: E27 Wattage: 60 A Shade Treatments: BK, IS, PN, WT		RL5119PN-WT-EU O/A Height: 118.1cm Fixture Height: 20.3cm Min. Custom Height: 45.7cm Width: 17.1cm Canopy: 15.9cm Round Socket: E27 Wattage: 60 A Shade Treatments: BK, IS, PN, WT	
RL5120IS-BK-EU O/A Height: 124.5cm Fixture Height: 33cm Min. Custom Height: 48.9cm Width: 33cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT		RL5120IS-IS-EU O/A Height: 124.5cm Fixture Height: 33cm Min. Custom Height: 48.9cm Width: 33cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT	
RL5120PN-PN-EU O/A Height: 124.5cm Fixture Height: 33cm Min. Custom Height: 48.9cm Width: 33cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT		RL5120PN-WT-EU O/A Height: 124.5cm Fixture Height: 33cm Min. Custom Height: 48.9cm Width: 33cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT	

EU INDEX

RL5121IS-BK-EU O/A Height: 144.8cm Fixture Height: 45.7cm Min. Custom Height: 73.7cm Width: 43.2cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT		RL5121IS-IS-EU O/A Height: 144.8cm Fixture Height: 45.7cm Min. Custom Height: 73.7cm Width: 43.2cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT	
RL5121PN-PN-EU O/A Height: 144.8cm Fixture Height: 45.7cm Min. Custom Height: 73.7cm Width: 43.2cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT		RL5121PN-WT-EU O/A Height: 144.8cm Fixture Height: 45.7cm Min. Custom Height: 73.7cm Width: 43.2cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT	
RL5122IS-BK-EU O/A Height: 158.8cm Fixture Height: 58.4cm Min. Custom Height: 87.6cm Width: 55.9cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT		RL5122IS-IS-EU O/A Height: 158.8cm Fixture Height: 58.4cm Min. Custom Height: 87.6cm Width: 55.9cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT	
RL5122PN-PN-EU O/A Height: 158.8cm Fixture Height: 58.4cm Min. Custom Height: 87.6cm Width: 55.9cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT		RL5122PN-WT-EU O/A Height: 158.8cm Fixture Height: 58.4cm Min. Custom Height: 87.6cm Width: 55.9cm Canopy: 15.9cm Round Socket: E27 Wattage: 75 A Shade Treatments: BK, IS, PN, WT	
RL5130AI-EU Height: 48.3cm Width: 50.8cm Canopy: 16.5cm Round Socket: 12 - E27 Wattage: 12 - 40 A		RL5130NB-EU Height: 48.3cm Width: 50.8cm Canopy: 16.5cm Round Socket: 12 - E27 Wattage: 12 - 40 A	
RL5130PN-EU Height: 48.3cm Width: 50.8cm Canopy: 16.5cm Round Socket: 12 - E27 Wattage: 12 - 40 A		RL5131AI-EU Height: 54.6cm Width: 76.2cm Canopy: 16.5cm Round Socket: 16 - E27 Wattage: 16 - 40 A	
RL5131NB-EU Height: 54.6cm Width: 76.2cm Canopy: 16.5cm Round Socket: 16 - E27 Wattage: 16 - 40 A		RL5131PN-EU Height: 54.6cm Width: 76.2cm Canopy: 16.5cm Round Socket: 16 - E27 Wattage: 16 - 40 A	

EU INDEX

RL5132AI-EU Height: 62.2cm Width: 101.6cm Canopy: 16.5cm Round Socket: 20 - E27 Wattage: 20 - 40 A		RL5132NB-EU Height: 62.2cm Width: 101.6cm Canopy: 16.5cm Round Socket: 20 - E27 Wattage: 20 - 40 A	
RL5132PN-EU Height: 62.2cm Width: 101.6cm Canopy: 16.5cm Round Socket: 20 - E27 Wattage: 20 - 40 A		RL5133AI-EU Height: 80cm Width: 127cm Canopy: 16.5cm Round Socket: 24 - E27 Wattage: 24 - 40 A	
RL5133NB-EU Height: 80cm Width: 127cm Canopy: 16.5cm Round Socket: 24 - E27 Wattage: 24 - 40 A		RL5133PN-EU Height: 80cm Width: 127cm Canopy: 16.5cm Round Socket: 24 - E27 Wattage: 24 - 40 A	
RL5134AI-EU Height: 71.1cm Width: 114.3cm x 41.9cm Canopy: 15.2cm Round Socket: 24 - E27 Wattage: 24 - 40 A		RL5134NB-EU Height: 71.1cm Width: 114.3cm x 41.9cm Canopy: 15.2cm Round Socket: 24 - E27 Wattage: 24 - 40 A	
RL5134PN-EU Height: 71.1cm Width: 114.3cm x 41.9cm Canopy: 15.2cm Round Socket: 24 - E27 Wattage: 24 - 40 A		RL5143AI-CG-EU O/A Height: 132.1cm Fixture Height: 47cm Min. Custom Height: 61cm Width: 29.2cm Canopy: 18.4cm Round Socket: E27 Wattage: 60 A Glass Options: CG, WG	
RL5143PN-CG-EU O/A Height: 132.1cm Fixture Height: 47cm Min. Custom Height: 61cm Width: 29.2cm Canopy: 18.4cm Round Socket: E27 Wattage: 60 A Glass Options: CG, WG		RL5143PN-WG-EU O/A Height: 132.1cm Fixture Height: 47cm Min. Custom Height: 61cm Width: 29.2cm Canopy: 18.4cm Round Socket: E27 Wattage: 60 A Glass Options: CG, WG	
RL5147BZ-CG-EU O/A Height: 111.8cm Fixture Height: 32.4cm Min. Custom Height: 68.6cm Width: 33.7cm Canopy: 14.6cm Round Socket: E27 Wattage: 60 T Glass Options: CG		RL5147NB-CG-EU O/A Height: 111.8cm Fixture Height: 32.4cm Min. Custom Height: 68.6cm Width: 33.7cm Canopy: 14.6cm Round Socket: E27 Wattage: 60 T Glass Options: CG	

EU INDEX

RL5147PN-CG-EU O/A Height: 111.8cm Fixture Height: 32.4cm Min. Custom Height: 68.6cm Width: 33.7cm Canopy: 14.6cm Round Socket: E27 Wattage: 60 T Glass Options: CG		RL5148BZ-CG-EU O/A Height: 119.4cm Fixture Height: 43.2cm Min. Custom Height: 81.3cm Width: 47cm Canopy: 17.8cm Round Socket: E27 Wattage: 60 T Glass Options: CG	
RL5148NB-CG-EU O/A Height: 119.4cm Fixture Height: 43.2cm Min. Custom Height: 81.3cm Width: 47cm Canopy: 17.8cm Round Socket: E27 Wattage: 60 T Glass Options: CG		RL5148PN-CG-EU O/A Height: 119.4cm Fixture Height: 43.2cm Min. Custom Height: 81.3cm Width: 47cm Canopy: 17.8cm Round Socket: E27 Wattage: 60 T Glass Options: CG	
RL5156BZ-EU O/A Height: 198.1cm Fixture Height: 72.4cm Min. Custom Height: 91.4cm Width: 35.6cm Canopy: 20.3cm Round Socket: E27 Wattage: 60 T		RL5156PN-EU O/A Height: 198.1cm Fixture Height: 72.4cm Min. Custom Height: 91.4cm Width: 35.6cm Canopy: 20.3cm Round Socket: E27 Wattage: 60 T	
RL5161NB-L-EU Height: 56.5cm Width: 61cm Canopy: 19cm Round Socket: 3 - E27 Wattage: 3 - 60 A Shade Treatments: L Shade Details: 61cm x 61cm x 27.9cm		RL5161PN-L-EU Height: 56.5cm Width: 61cm Canopy: 19cm Round Socket: 3 - E27 Wattage: 3 - 60 A Shade Treatments: L Shade Details: 61cm x 61cm x 27.9cm	
RL5162NB-L-EU Height: 71.8cm Width: 81.3cm Canopy: 19cm Round Socket: 4 - E27 Wattage: 4 - 60 A Shade Treatments: L Shade Details: 81.3cm x 81.3cm x 35.6cm		RL5162PN-L-EU Height: 71.8cm Width: 81.3cm Canopy: 19cm Round Socket: 4 - E27 Wattage: 4 - 60 A Shade Treatments: L Shade Details: 81.3cm x 81.3cm x 35.6cm	
RL5175BZ-EU O/A Height: 140.3cm Fixture Height: 43.2cm Min. Custom Height: 58.4cm Width: 22.9cm Canopy: 15.2cm Round Socket: 3 - E14 Wattage: 3 - 60 C Glass Options: CG		RL5175NB-EU O/A Height: 140.3cm Fixture Height: 43.2cm Min. Custom Height: 58.4cm Width: 22.9cm Canopy: 15.2cm Round Socket: 3 - E14 Wattage: 3 - 60 C Glass Options: CG	
RL5175PN-EU O/A Height: 140.3cm Fixture Height: 43.2cm Min. Custom Height: 58.4cm Width: 22.9cm Canopy: 15.2cm Round Socket: 3 - E14 Wattage: 3 - 60 C Glass Options: CG		RL5177BZ-EU O/A Height: 181.6cm Fixture Height: 78.7cm Min. Custom Height: 99.1cm Width: 38.7cm Canopy: 17.8cm Round Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG	

EU INDEX

RL5177NB-EU O/A Height: 181.6cm Fixture Height: 78.7cm Min. Custom Height: 99.1cm Width: 38.7cm Canopy: 17.8cm Round Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG		RL5177PN-EU O/A Height: 181.6cm Fixture Height: 78.7cm Min. Custom Height: 99.1cm Width: 38.7cm Canopy: 17.8cm Round Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG	
RL5180NB-EU Height: 91.4cm Width: 40.6cm Canopy: 19cm Round Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG		RL5180PN-EU Height: 91.4cm Width: 40.6cm Canopy: 19cm Round Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG	
RL5181NB-L-EU Height: 78.7cm Width: 76.8cm Canopy: 16.5cm Round Socket: 8 - E14 Wattage: 8 - 40 C Shade Treatments: L Shade Details: 7.6cm x 15.2cm x 12.7cm		RL5181PN-L-EU Height: 78.7cm Width: 76.8cm Canopy: 16.5cm Round Socket: 8 - E14 Wattage: 8 - 40 C Shade Treatments: L Shade Details: 7.6cm x 15.2cm x 12.7cm	
RL5183NB-L-EU Height: 114.3cm Width: 109.2cm Canopy: 16.5cm Round Socket: 12 - E14 Wattage: 12 - 40 C Shade Treatments: L Shade Details: 7.6cm x 15.2cm x 12.7cm		RL5183PN-L-EU Height: 114.3cm Width: 109.2cm Canopy: 16.5cm Round Socket: 12 - E14 Wattage: 12 - 40 C Shade Treatments: L Shade Details: 7.6cm x 15.2cm x 12.7cm	
RL5184NB-L-EU Height: 144.8cm Width: 144.8cm Canopy: 16.5cm Round Socket: 24 - E14 Wattage: 24 - 40 C Shade Treatments: L Shade Details: 7.6cm x 15.2cm x 12.7cm		RL5184PN-L-EU Height: 144.8cm Width: 144.8cm Canopy: 16.5cm Round Socket: 24 - E14 Wattage: 24 - 40 C Shade Treatments: L Shade Details: 7.6cm x 15.2cm x 12.7cm	
RL5195IS-EU Fixture Height: 74.3cm Width: 71.8cm Canopy: 18.4cm Round Socket: 8 - E27 Wattage: 8 - 40 A		RL5195PN-EU Fixture Height: 74.3cm Width: 71.8cm Canopy: 18.4cm Round Socket: 8 - E27 Wattage: 8 - 40 A	
RL5196IS-EU Fixture Height: 88.3cm Width: 91.4cm Canopy: 20.3cm Round Socket: 12 - E27 Wattage: 12 - 40 A		RL5196PN-EU Fixture Height: 88.3cm Width: 91.4cm Canopy: 20.3cm Round Socket: 12 - E27 Wattage: 12 - 40 A	

EU INDEX

RL5197IS-EU Fixture Height: 106.7cm Width: 123.2cm Canopy: 22.9cm Round Socket: 16 - E27 Wattage: 16 - 40 A		RL5197PN-EU Fixture Height: 106.7cm Width: 123.2cm Canopy: 22.9cm Round Socket: 16 - E27 Wattage: 16 - 40 A	
RL5205BS-EU Height: 87.6cm Width: 111.8cm Canopy: 16.5cm Round Socket: 8 - E14 Wattage: 40 C		RL5205NB-EU Height: 87.6cm Width: 111.8cm Canopy: 16.5cm Round Socket: 8 - E14 Wattage: 40 C	
RL5206BS-EU Height: 114.9cm Width: 121.9cm Canopy: 16.5cm Round Socket: 16 - E14 Wattage: 16 - 40 C		RL5206NB-EU Height: 114.9cm Width: 121.9cm Canopy: 16.5cm Round Socket: 16 - E14 Wattage: 16 - 40 C	
RL5220NB-CG-EU O/A Height: 142.2cm Fixture Height: 53.3cm Min. Custom Height: 76.2cm Width: 33cm Canopy: 15.2cm Round Socket: E27 Wattage: 60 T Glass Options: CG		RL5220PN-CG-EU O/A Height: 142.2cm Fixture Height: 53.3cm Min. Custom Height: 76.2cm Width: 33cm Canopy: 15.2cm Round Socket: E27 Wattage: 60 T Glass Options: CG	
RL5222NB-CG-EU O/A Height: 137.2cm Fixture Height: 48.3cm Min. Custom Height: 71.1cm Width: 17.8cm Canopy: 15.2cm Round Socket: E27 Wattage: 60 T Glass Options: CG		RL5222PN-CG-EU O/A Height: 137.2cm Fixture Height: 48.3cm Min. Custom Height: 71.1cm Width: 17.8cm Canopy: 15.2cm Round Socket: E27 Wattage: 60 T Glass Options: CG	
RL5224NB-EU O/A Height: 118.7cm Fixture Height: 67.9cm Min. Custom Height: 106.7cm Width: 91.4cm Canopy: 15.2cm Round Socket: 9 - E14 Wattage: 9 - 40 T Shade Treatments: NB, PN		RL5224NB-NB-EU O/A Height: 118.7cm Fixture Height: 67.9cm Min. Custom Height: 106.7cm Width: 91.4cm Canopy: 15.2cm Round Socket: 9 - E14 Wattage: 9 - 40 T Shade Treatments: NB, PN	
RL5224PN-EU O/A Height: 118.7cm Fixture Height: 67.9cm Min. Custom Height: 106.7cm Width: 91.4cm Canopy: 15.2cm Round Socket: 9 - E14 Wattage: 9 - 40 T Shade Treatments: NB, PN		RL5224PN-PN-EU O/A Height: 118.7cm Fixture Height: 67.9cm Min. Custom Height: 106.7cm Width: 91.4cm Canopy: 15.2cm Round Socket: 9 - E14 Wattage: 9 - 40 T Shade Treatments: NB, PN	

EU INDEX

RL5225NB-EU O/A Height: 118.7cm Fixture Height: 49.5cm Min. Custom Height: 118.7cm Width: 101.6cm Canopy: 15.2cm Round Socket: 15 - E14 Wattage: 15 - 40 C Shade Treatments: NB, PN		RL5225NB-NB-EU O/A Height: 118.7cm Fixture Height: 49.5cm Min. Custom Height: 118.7cm Width: 101.6cm Canopy: 15.2cm Round Socket: 15 - E14 Wattage: 15 - 40 C Shade Treatments: NB, PN	
RL5225PN-EU O/A Height: 118.7cm Fixture Height: 49.5cm Min. Custom Height: 118.7cm Width: 101.6cm Canopy: 15.2cm Round Socket: 15 - E14 Wattage: 15 - 40 C Shade Treatments: NB, PN		RL5225PN-PN-EU O/A Height: 118.7cm Fixture Height: 49.5cm Min. Custom Height: 118.7cm Width: 101.6cm Canopy: 15.2cm Round Socket: 15 - E14 Wattage: 15 - 40 C Shade Treatments: NB, PN	
RL5226NB-EU O/A Height: 95.3cm Fixture Height: 29.8cm Min. Custom Height: 95.3cm Width: 143.5cm Canopy: 15.2cm x 108.6cm Oval Socket: 5 - E14 Wattage: 5 - 40 C Shade Treatments: NB, PN		RL5226NB-NB-EU O/A Height: 95.3cm Fixture Height: 29.8cm Min. Custom Height: 95.3cm Width: 143.5cm Canopy: 15.2cm x 108.6cm Oval Socket: 5 - E14 Wattage: 5 - 40 C Shade Treatments: NB, PN	
RL5226PN-EU O/A Height: 95.3cm Fixture Height: 29.8cm Min. Custom Height: 95.3cm Width: 143.5cm Canopy: 15.2cm x 108.6cm Oval Socket: 5 - E14 Wattage: 5 - 40 C Shade Treatments: NB, PN		RL5226PN-PN-EU O/A Height: 95.3cm Fixture Height: 29.8cm Min. Custom Height: 95.3cm Width: 143.5cm Canopy: 15.2cm x 108.6cm Oval Socket: 5 - E14 Wattage: 5 - 40 C Shade Treatments: NB, PN	
RL5230AG-S-EU Height: 87cm Width: 73.7cm Canopy: 17.1cm Round Socket: 8 - E14 Wattage: 8 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm		RL5230ASL-S-EU Height: 87cm Width: 73.7cm Canopy: 17.1cm Round Socket: 8 - E14 Wattage: 8 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm	
RL5230GI-S-EU Height: 87cm Width: 73.7cm Canopy: 17.1cm Round Socket: 8 - E14 Wattage: 8 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm		RL5231AG-S-EU Height: 111.8cm Width: 95.9cm Canopy: 17.1cm Round Socket: 18 - E14 Wattage: 18 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm	
RL5231ASL-S-EU Height: 111.8cm Width: 95.9cm Canopy: 17.1cm Round Socket: 18 - E14 Wattage: 18 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm		RL5231GI-S-EU Height: 111.8cm Width: 95.9cm Canopy: 17.1cm Round Socket: 18 - E14 Wattage: 18 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm	

EU INDEX

RL5233AG-S-EU Height: 137.2cm Width: 111.8cm Canopy: 17.1cm Round Socket: 24 - E14 Wattage: 24 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm		RL5233ASL-S-EU Height: 137.2cm Width: 111.8cm Canopy: 17.1cm Round Socket: 24 - E14 Wattage: 24 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm	
RL5233GI-S-EU Height: 137.2cm Width: 111.8cm Canopy: 17.1cm Round Socket: 24 - E14 Wattage: 24 - 40 C Shade Treatments: S Shade Details: 7.6cm x 12.7cm x 10.2cm		RL5241GI-CGQ-EU Height: 109.2cm Width: 81.3cm Canopy: 15.2cm Round Socket: 8 - E14 Wattage: 8 - 40 C Glass Options: CGQ	
RL5247CG/NB-S-EU Fixture Height: 68.6cm Width: 106.7cm Canopy: 15.2cm Round Socket: 12 - E14 Wattage: 12 - 60 C Shade Treatments: S Shade Details: 10.8cm x 14.6cm x 15.2cm		RL5247CG/PN-S-EU Fixture Height: 68.6cm Width: 106.7cm Canopy: 15.2cm Round Socket: 12 - E14 Wattage: 12 - 60 C Shade Treatments: S Shade Details: 10.8cm x 14.6cm x 15.2cm	
RL5251BZ-SP-EU Height: 37.5cm Width: 50.8cm Canopy: 15.2cm Round Socket: 4 - E27 Wattage: 4 - 60 C Shade Treatments: SP		RL5251NB-SP-EU Height: 37.5cm Width: 50.8cm Canopy: 15.2cm Round Socket: 4 - E27 Wattage: 4 - 60 C Shade Treatments: SP	
RL5251PN-SP-EU Height: 37.5cm Width: 50.8cm Canopy: 15.2cm Round Socket: 4 - E27 Wattage: 4 - 60 C Shade Treatments: SP		RL5252BZ-SP-EU Height: 40.6cm Width: 76.2cm Canopy: 17.8cm Round Socket: 4 - E27 Wattage: 4 - 60 C Shade Treatments: SP	
RL5252NB-SP-EU Height: 40.6cm Width: 76.2cm Canopy: 17.8cm Round Socket: 4 - E27 Wattage: 4 - 60 C Shade Treatments: SP		RL5252PN-SP-EU Height: 40.6cm Width: 76.2cm Canopy: 17.8cm Round Socket: 4 - E27 Wattage: 4 - 60 C Shade Treatments: SP	
RL5262CG-L-EU Height: 101.6cm Width: 104.8cm Canopy: 14.6cm Round Socket: 8 - E14 Wattage: 8 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14cm		RL5280AG-CG-EU Fixture Height: 105.4cm Width: 67.3cm Canopy: 12.7cm Round Socket: 10 - E14 Wattage: 10 - 40 B Trim Options: CG	

EU INDEX

RL5280ASL-CG-EU Fixture Height: 105.4cm Width: 67.3cm Canopy: 12.7cm Round Socket: 10 - E14 Wattage: 10 - 40 B Trim Options: CG 	RL5280GI-CG-EU Fixture Height: 105.4cm Width: 67.3cm Canopy: 12.7cm Round Socket: 10 - E14 Wattage: 10 - 40 B Trim Options: CG 
RL5311NB-EU Fixture Height: 95.9cm Width: 88.9cm Canopy: 12.7cm Round Socket: 18 - E14 Wattage: 18 - 40 B 	RL5321NB-CA-EU O/A Height: 126.4cm Fixture Height: 31.1cm Min. Custom Height: 41.9cm Width: 139.7cm Canopy: 20.3cm Round LED: 30w Glass Options: CA 
RL5321PN-CA-EU O/A Height: 126.4cm Fixture Height: 31.1cm Min. Custom Height: 41.9cm Width: 139.7cm Canopy: 20.3cm Round LED: 30w Glass Options: CA 	RL5340NB/PW-CG-EU Height: 132.7cm Width: 40.6cm Canopy: 14cm Round Socket: 3 - E14 Wattage: 3 - 60 T Trim Options: CG 
RL5340PN/PW-CG-EU Height: 132.7cm Width: 40.6cm Canopy: 14cm Round Socket: 3 - E14 Wattage: 3 - 60 T Trim Options: CG 	RL5341NB/PW-CG-EU Height: 141.6cm Width: 81.3cm Canopy: 26.7cm Round Socket: 6 - E14 Wattage: 6 - 60 T Trim Options: CG 
RL5341PN/PW-CG-EU Height: 141.6cm Width: 81.3cm Canopy: 26.7cm Round Socket: 6 - E14 Wattage: 6 - 60 T Trim Options: CG 	RL5371AI-CG-EU Fixture Height: 78.1cm Width: 52.1cm Canopy: 17.1cm Round Socket: Keyless Wattage: 60 A Glass Options: CG 
RL5400NB-WG-EU O/A Height: 124.5cm Fixture Height: 41.9cm Min. Custom Height: 53.3cm Width: 30.5cm Canopy: 17.1cm Round Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: WG 	RL5400PN-WG-EU O/A Height: 124.5cm Fixture Height: 41.9cm Min. Custom Height: 53.3cm Width: 30.5cm Canopy: 17.1cm Round Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: WG 
RL5402NB-WG-EU O/A Height: 139.7cm Fixture Height: 58.4cm Min. Custom Height: 68.6cm Width: 45.7cm Canopy: 17.1cm Round Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: WG 	RL5402PN-WG-EU O/A Height: 139.7cm Fixture Height: 58.4cm Min. Custom Height: 68.6cm Width: 45.7cm Canopy: 17.1cm Round Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: WG 

EU INDEX

RL5415BS-WG-EU Height: 59.7cm Width: 35.6cm Canopy: 12.1cm Round Socket: Keyless Wattage: 75 A Glass Options: WG 	RL5415BZ-WG-EU Height: 59.7cm Width: 35.6cm Canopy: 12.1cm Round Socket: Keyless Wattage: 75 A Glass Options: WG 
RL5415NB-WG-EU Height: 59.7cm Width: 35.6cm Canopy: 12.1cm Round Socket: Keyless Wattage: 75 A Glass Options: WG 	RL5416BS-WG-EU Height: 85.1cm Width: 50.8cm Canopy: 14.6cm Round Socket: Keyless Wattage: 75 A Glass Options: WG 
RL5416BZ-WG-EU Height: 85.1cm Width: 50.8cm Canopy: 14.6cm Round Socket: Keyless Wattage: 75 A Glass Options: WG 	RL5416NB-WG-EU Height: 85.1cm Width: 50.8cm Canopy: 14.6cm Round Socket: Keyless Wattage: 75 A Glass Options: WG 
RL5460BZ-WG-EU O/A Height: 118.1cm Fixture Height: 43.8cm Min. Custom Height: 66cm Width: 30.5cm Canopy: 14cm Round Socket: E27 Wattage: 75 A Glass Options: WG 	RL5460NB-WG-EU O/A Height: 118.1cm Fixture Height: 43.8cm Min. Custom Height: 66cm Width: 30.5cm Canopy: 14cm Round Socket: E27 Wattage: 75 A Glass Options: WG 
RL5460PN-WG-EU O/A Height: 118.1cm Fixture Height: 43.8cm Min. Custom Height: 66cm Width: 30.5cm Canopy: 14cm Round Socket: E27 Wattage: 75 A Glass Options: WG 	RL5461BZ-WG-EU O/A Height: 127.6cm Fixture Height: 54.6cm Min. Custom Height: 78.7cm Width: 41.3cm Canopy: 14cm Round Socket: E27 Wattage: 75 A Glass Options: WG 
RL5461NB-WG-EU O/A Height: 127.6cm Fixture Height: 54.6cm Min. Custom Height: 78.7cm Width: 41.3cm Canopy: 14cm Round Socket: E27 Wattage: 75 A Glass Options: WG 	RL5461PN-WG-EU O/A Height: 127.6cm Fixture Height: 54.6cm Min. Custom Height: 78.7cm Width: 41.3cm Canopy: 14cm Round Socket: E27 Wattage: 75 A Glass Options: WG 
RL5506AN-WG-EU Height: 24.8cm Width: 21cm Canopy: 15.2cm Round Socket: 2 - Keyless Wattage: 2 - 40 B Glass Options: WG 	RL5506PN-WG-EU Height: 24.8cm Width: 21cm Canopy: 15.2cm Round Socket: 2 - Keyless Wattage: 2 - 40 B Glass Options: WG 

EU INDEX

RL5507AN-WG-EU Height: 36.8cm Width: 31.1cm Canopy: 15.2cm Round Socket: 2 - Keyless Wattage: 2 - 40 B Glass Options: WG		RL5507PN-WG-EU Height: 36.8cm Width: 31.1cm Canopy: 15.2cm Round Socket: 2 - Keyless Wattage: 2 - 40 B Glass Options: WG	
RL5508AN-WG-EU Height: 47.6cm Width: 41.3cm Canopy: 15.2cm Round Socket: 2 - Keyless Wattage: 2 - 60 B Glass Options: WG		RL5508PN-WG-EU Height: 47.6cm Width: 41.3cm Canopy: 15.2cm Round Socket: 2 - Keyless Wattage: 2 - 60 B Glass Options: WG	
RL5528BN-EU Height: 91.4cm Width: 91.4cm Canopy: 17.1cm Round Socket: 8 - E14 Wattage: 8 - 60 C Trim Options: ACG		RL5528BN-CG-EU Height: 91.4cm Width: 91.4cm Canopy: 17.1cm Round Socket: 8 - E14 Wattage: 8 - 60 C Trim Options: ACG	
RL5529BN-EU Height: 111.8cm Width: 106.7cm Canopy: 17.1cm Round Socket: 12 - E14 Wattage: 12 - 40 C Trim Options: ACG		RL5529BN-CG-EU Height: 111.8cm Width: 106.7cm Canopy: 17.1cm Round Socket: 12 - E14 Wattage: 12 - 40 C Trim Options: ACG	
RL5530BN-EU Height: 142.2cm Width: 134.6cm Canopy: 17.1cm Round Socket: 18 - E14 Wattage: 18 - 40 C Trim Options: ACG		RL5530BN-CG-EU Height: 142.2cm Width: 134.6cm Canopy: 17.1cm Round Socket: 18 - E14 Wattage: 18 - 40 C Trim Options: ACG	
RL5531BN-EU Height: 88.9cm Width: 144.8cm Canopy: 17.1cm Round Socket: 12 - E14 Wattage: 12 - 40 C Trim Options: ACG		RL5531BN-CG-EU Height: 88.9cm Width: 144.8cm Canopy: 17.1cm Round Socket: 12 - E14 Wattage: 12 - 40 C Trim Options: ACG	
RL5532NB-SDL-EU Height: 129.5cm Width: 76.8cm Canopy: 14.6cm Round Socket: 3 - E27 Wattage: 3 - 60 B Shade Treatments: SDL, CHC		RL5532PN-CHC-EU Height: 129.5cm Width: 76.8cm Canopy: 14.6cm Round Socket: 3 - E27 Wattage: 3 - 60 B Shade Treatments: SDL, CHC	

EU INDEX

RL5540NR-EU Height: 69.8cm Width: 109.2cm Canopy: 20.3cm Octagon Socket: 8 - E14 Wattage: 8 - 60 C		RL5542NR-EU Fixture Height: 102.2cm Width: 167cm Canopy: 20.3cm Octagon Socket: 16 - E14 Wattage: 16 - 60 C	
RL5545NR-EU Height: 66cm Width: 137.2cm Canopy: 19cm Octagon Socket: 10 - E14 Wattage: 10 - 40 B		RL5610NB/NVY-L-EU Fixture Height: 99.1cm Width: 91.4cm Canopy: 16.5cm Round Socket: 6 - E14 Wattage: 6 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm	
RL5610NB/SDL-L-EU Fixture Height: 99.1cm Width: 91.4cm Canopy: 16.5cm Round Socket: 6 - E14 Wattage: 6 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm		RL5610PN/CHC-L-EU Fixture Height: 99.1cm Width: 91.4cm Canopy: 16.5cm Round Socket: 6 - E14 Wattage: 6 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm	
RL5612NB/NVY-L-EU Fixture Height: 101.6cm Width: 121.3cm Canopy: 16.5cm Round Socket: 8 - E14 Wattage: 8 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm		RL5612NB/SDL-L-EU Fixture Height: 101.6cm Width: 121.3cm Canopy: 16.5cm Round Socket: 8 - E14 Wattage: 8 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm	
RL5612PN/CHC-L-EU Fixture Height: 101.6cm Width: 121.3cm Canopy: 16.5cm Round Socket: 8 - E14 Wattage: 8 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm		RL5614NB/SDL-L-EU Fixture Height: 137.2cm Width: 114.3cm Canopy: 16.5cm Round Socket: 12 - E14 Wattage: 12 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm	
RL5614NB/NVY-L-EU Fixture Height: 137.2cm Width: 114.3cm Canopy: 16.5cm Round Socket: 12 - E14 Wattage: 12 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm		RL5614PN/CHC-L-EU Fixture Height: 137.2cm Width: 114.3cm Canopy: 16.5cm Round Socket: 12 - E14 Wattage: 12 - 40 B Shade Treatments: L Shade Details: 10.2cm x 15.2cm x 14.6cm	
RL5620NB-ALB-EU Height: 97.8cm Width: 52.1cm Canopy: 15.9cm Round Socket: 2 - E14 Wattage: 2 - 18w LED Trim Options: ALB		RL5620PN-ALB-EU Height: 97.8cm Width: 52.1cm Canopy: 15.9cm Round Socket: 2 - E14 Wattage: 2 - 18w LED Trim Options: ALB	

EU INDEX

RL5621NB-ALB-EU Height: 97.8cm Width: 71.1cm Canopy: 15.9cm Round Socket: 3 - E14 Wattage: 3 - 24w LED Trim Options: ALB		RL5621PN-ALB-EU Height: 97.8cm Width: 71.1cm Canopy: 15.9cm Round Socket: 3 - E14 Wattage: 3 - 24w LED Trim Options: ALB	
RL5630NB-EU Height: 118.7cm Width: 93.3cm Canopy: 15.2cm Round Socket: 8 - E14 Wattage: 8 - 60 C		RL5630PN-EU Height: 118.7cm Width: 93.3cm Canopy: 15.2cm Round Socket: 8 - E14 Wattage: 8 - 60 C	
RL5710BT-CG-EU Height: 66.7cm Width: 40.6cm Canopy: 10.8cm Round Socket: 4 - E14 Wattage: 4 - 40 B Glass Options: CG		RL5711BT-CG-EU Height: 87.6cm Width: 54.6cm Canopy: 14.6cm Round Socket: 4 - E14 Wattage: 4 - 40 B Glass Options: CG	
RL5728AI-EU Height: 66.7cm Width: 84.5cm Canopy: 14cm Round Socket: 6 - E14 Wattage: 6 - 40 B		RL5729AI-EU Height: 88.9cm Width: 111.8cm Canopy: 14cm Round Socket: 6 - E14 Wattage: 6 - 40 B	
RL5730AI-EU Height: 95.2cm Width: 175.3cm Canopy: 14cm Round Socket: 12 - E14 Wattage: 12 - 40 B		RL5733FR-CG-EU Fixture Height: 87.6cm Width: 40.6cm Canopy: 13.3cm Square Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG	
RL5733WVG-CG-EU Fixture Height: 87.6cm Width: 40.6cm Canopy: 13.3cm Square Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG		RL5735FR-CG-EU Fixture Height: 123.2cm Width: 57.2cm Canopy: 17.1cm Square Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG	
RL5735WVG-CG-EU Fixture Height: 123.2cm Width: 57.2cm Canopy: 17.1cm Square Socket: 4 - E14 Wattage: 4 - 60 C Glass Options: CG		RL5739AI-EU O/A Height: 116.8cm Fixture Height: 30.5cm Min. Custom Height: 70cm Width: 67.3cm Canopy: 14cm Round Socket: 3 - E14 Wattage: 3 - 60 B	

EU INDEX

RL5740AI-RG-EU Height: 67.9cm Width: 39.4cm Canopy: 20.3cm Round Socket: 4 - E14 Wattage: 4 - 40 B Glass Options: RG		RL5740GI-RG-EU Height: 67.9cm Width: 39.4cm Canopy: 20.3cm Round Socket: 4 - E14 Wattage: 4 - 40 B Glass Options: RG	
RL5742AI-RG-EU Height: 105.4cm Width: 61cm Canopy: 20.3cm Round Socket: 4 - E14 Wattage: 4 - 40 B Glass Options: RG		RL5742GI-RG-EU Height: 105.4cm Width: 61cm Canopy: 20.3cm Round Socket: 4 - E14 Wattage: 4 - 40 B Glass Options: RG	
RL5748AI-L-EU Fixture Height: 57.8cm Width: 70.5cm Canopy: 20.3cm Round Socket: 4 - E14 Wattage: 4 - 60 C Shade Treatments: L Shade Details: 66.7cm x 67.9cm x 35.6cm		RL5750AI-EU Height: 77.5cm Width: 71.8cm Canopy: 19cm Round Socket: 8 - E14 Wattage: 8 - 40 B	
RL5752AI-EU Height: 138.4cm Width: 123.2cm Canopy: 19cm Round Socket: 12 - E14 Wattage: 12 - 40 B		RL5753AI-EU Height: 97.2cm Width: 173.4cm Canopy: 19cm Round Socket: 12 - E14 Wattage: 12 - 40 B	
RL5754AI-EU Fixture Height: 160cm Min. Custom Height: 190.5cm Width: 174cm Canopy: 20.3cm Round Socket: 20 - E14 Wattage: 20 - 60 C		RL5800AI-RG-EU Height: 47.6cm Width: 26.7cm Canopy: 15.2cm Round Socket: 4 - E14 Wattage: 4 - 40 C Glass Options: RG	
RL5800GZ-RG-EU Height: 47.6cm Width: 26.7cm Canopy: 15.2cm Round Socket: 4 - E14 Wattage: 4 - 40 C Glass Options: RG		RL5801AI-RG-EU Height: 66.7cm Width: 36.8cm Canopy: 15.2cm Round Socket: 4 - E14 Wattage: 4 - 40 C Glass Options: RG	
RL5801GZ-RG-EU Height: 66.7cm Width: 36.8cm Canopy: 15.2cm Round Socket: 4 - E14 Wattage: 4 - 40 C Glass Options: RG		RL5802AI-RG-EU Height: 86.4cm Width: 46.4cm Canopy: 17.8cm Round Socket: 4 - E14 Wattage: 4 - 40 C Glass Options: RG	

EU INDEX

NOTES

[illegible]

RALPH LAUREN

[illegible]

8 800 555 08 46
shop@galerie46.com

shop.galerie46.com