




## Typography CILON DISC





DIMMING RAIL:

### PRODUCT TECHNICAL SPECIFICATION

NAME: CILON DISC DESIGN: STUDIO TRULY TRULY AREA ILLUMINATION STYLE:

WEIGHT: 680a

MATERIALS & FINISH: ANODISED ALUMINIUM //

POLYCARBONATE DIFFUSER

LIGHT SOURCE: INTEGRATED TRIDONIC LED // 12.2W // 1470lm (MODULE) // 2700K // CRI90

POWER SUPPLY RAIL: POWERED FROM 48VDC TYPOGRAPHY RAIL (REFER TYPOGRAPHY SYSTEM DATA SHEET) STANDARD CAPABILITY - SWITCH-DIM (ALL LIGHTS ON A RAIL DIM TOGETHER)

STANDARD CAPABILITY - DALI (EACH LIGHT ON A RAIL DIMS INDEPENDENTLY)

ON REQUEST - 0-10V (ALL LIGHTS ON A RAIL DIM TOGETHER)

ON REQUEST - TRIDONIC CASAMBI WIRELESS BASICDIM (4 PRESET SUBGROUPS DIM INDEPENDENTLY)

MOUNTING: TYPOGRAPHY RAIL (REFER TO SYSTEM DATA SHEET)




Studio Truly Truly is a design studio operating from the Netherlands, founded by Australian designers Joel & Kate Booy. Positioned on the interface between industry and art, the studio specialises in creating artistic products for the living environment.





## Typography CILON LAYER

**SELECTION 1 - DIMENSIONS** CILON LAYER 45 wall mount 12 (wall sconce only) 88 80



PRODUCT TECHNICAL SPECIFICATION

DIMENSIONS IN MILLIMETRES

Black Anodised

NAME: CILON LAYER STUDIO TRULY TRULY DESIGN: STYLE: AREA ILLUMINATION

WEIGHT: 450g

ANODISED ALUMINIUM // MATERIALS & FINISH:

ACRYLIC DIFFUSER

LIGHT SOURCE: INTEGRATED CREE LED ARRAY // 6W // 700lm (MODULE) // 2700K // CRI90

Golden Anodised

POWER SUPPLY RAIL: POWERED FROM 48VDC TYPOGRAPHY RAIL (REFER TYPOGRAPHY SYSTEM DATA SHEET) POWER SUPPLY WALL: POWERED DIRECTLY FROM REMOTE INSTALL DRIVER (MAX. 10M DISTANCE FROM FITTING) DIMMING RAIL:

STANDARD CAPABILITY - SWITCH-DIM (ALL LIGHTS ON A RAIL DIM TOGETHER)

STANDARD CAPABILITY - DALI (EACH LIGHT ON A RAIL DIMS INDEPENDENTLY)

ON REQUEST - 0-10V (ALL LIGHTS ON A RAIL DIM TOGETHER)

ON REQUEST - TRIDONIC CASAMBI WIRELESS BASICDIM (4 PRESET SUBGROUPS DIM INDEPENDENTLY)

DIMMING WALL: STANDARD CAPABILITY - PHASE CUT STANDARD CAPABILITY - 1-10V

ON REQUEST - SWITCH-DIM

ON REQUEST - DALI

MOUNTING: TYPOGRAPHY RAIL (REFER TO SYSTEM DATA SHEET)

TYPOGRAPHY WALL MOUNT





Studio Truly Truly is a design studio operating from the Netherlands, founded by Australian designers Joel & Kate Booy. Positioned on the interface between industry and art, the studio specialises in creating artistic products for the living environment.





## Typography CILON MINI





PRODUCT TECHNICAL SPECIFICATION

NAME: CILON MINI
DESIGN: STUDIO TRULY TRULY
STYLE: AREA ILLUMINATION

WEIGHT: 280g

MATERIALS & FINISH: ANODISED ALUMINIUM //

**GLASS DIFFUSER** 

LIGHT SOURCE: INTEGRATED CREE LED ARRAY // 6W // 700lm (MODULE) // 2700K // CRI90

POWER SUPPLY RAIL: POWERED FROM 48VDC TYPOGRAPHY RAIL (REFER TYPOGRAPHY SYSTEM DATA SHEET)
POWER SUPPLY WALL: POWERED DIRECTLY FROM REMOTE INSTALL DRIVER (MAX. 10M DISTANCE FROM FITTING)

DIMMING RAIL: STANDARD CAPABILITY - SWITCH-DIM (ALL LIGHTS ON A RAIL DIM TOGETHER)
STANDARD CAPABILITY - DALI (EACH LIGHT ON A RAIL DIMS INDEPENDENTLY)

ON REQUEST - 0-10V (ALL LIGHTS ON A RAIL DIM TOGETHER)

ON REQUEST - TRIDONIC CASAMBI WIRELESS BASICDIM (4 PRESET SUBGROUPS DIM INDEPENDENTLY)

DIMMING WALL: STANDARD CAPABILITY - PHASE CUT

STANDARD CAPABILITY - 1-10V ON REQUEST - SWITCH-DIM

ON REQUEST - DALI

MOUNTING: TYPOGRAPHY RAIL (REFER TO SYSTEM DATA SHEET)

TYPOGRAPHY WALL MOUNT





Studio Truly Truly is a design studio operating from the Netherlands, founded by Australian designers Joel & Kate Booy. Positioned on the interface between industry and art, the studio specialises in creating artistic products for the living environment.





## Typography CILON RIB





PRODUCT TECHNICAL SPECIFICATION LIGHT SOURCE: INTEGRATED TRIDONIC LED // 8W // 1210lm (MODULE) // 2700K // CRI80

NAME: **CILON RIB** DESIGN: STUDIO TRULY TRULY DIMMING RAIL:

WALL WASH STYLE:

WEIGHT: 550a

MATERIALS & FINISH: ANODISED ALUMINIUM //

POLYCARBONATE DIFFUSER

POWER SUPPLY RAIL: POWERED FROM 48VDC TYPOGRAPHY RAIL (REFER TYPOGRAPHY SYSTEM DATA SHEET) POWER SUPPLY WALL: POWERED DIRECTLY FROM REMOTE INSTALL DRIVER (MAX. 10M DISTANCE FROM FITTING)

STANDARD CAPABILITY - SWITCH-DIM (ALL LIGHTS ON A RAIL DIM TOGETHER) STANDARD CAPABILITY - DALI (EACH LIGHT ON A RAIL DIMS INDEPENDENTLY)

ON REQUEST - 0-10V (ALL LIGHTS ON A RAIL DIM TOGETHER)

ON REQUEST - TRIDONIC CASAMBI WIRELESS BASICDIM (4 PRESET SUBGROUPS DIM INDEPENDENTLY) DIMMING WALL: STANDARD CAPABILITY - PHASE CUT

STANDARD CAPABILITY - 1-10V ON REQUEST - SWITCH-DIM

ON REQUEST - DALI

TYPOGRAPHY RAIL (REFER TO SYSTEM DATA SHEET) MOUNTING:

TYPOGRAPHY WALL MOUNT




Studio Truly Truly is a design studio operating from the Netherlands, founded by Australian designers Joel & Kate Booy. Positioned on the interface between industry and art, the studio specialises in creating artistic products for the living environment.



Typography CILON Roll



## Typography CILON ROLL



# SELECTION 2 - FINISH Black Anodised Golden Anodised

#### PRODUCT TECHNICAL SPECIFICATION

NAMF: CILON ROLL DESIGN: STUDIO TRULY TRULY STYLE: AREA ILLUMINATION

WEIGHT: 800g

MATERIALS & FINISH: ANODISED ALUMINIUM //

ACRYLIC DIFFUSER

LIGHT SOURCE: POWER SUPPLY RAIL:

DIMMING RAIL:

INTEGRATED TRIDONIC LED MODULE // 4W // 605lm (MODULE) // 2700K // CRI80 POWERED FROM 48VDC TYPOGRAPHY RAIL (REFER TYPOGRAPHY SYSTEM DATA SHEET) STANDARD CAPABILITY - SWITCH-DIM (ALL LIGHTS ON A RAIL DIM TOGETHER) STANDARD CAPABILITY - DALI (EACH LIGHT ON A RAIL DIMS INDEPENDENTLY)

ON REQUEST - 0-10V (ALL LIGHTS ON A RAIL DIM TOGETHER)

ON REQUEST - TRIDONIC CASAMBI WIRELESS BASICDIM (4 PRESET SUBGROUPS DIM INDEPENDENTLY)

MOUNTING: TYPOGRAPHY RAIL (REFER TO SYSTEM DATA SHEET)




Studio Truly Truly is a design studio operating from the Netherlands, founded by Australian designers Joel & Kate Booy. Positioned on the interface between industry and art, the studio specialises in creating artistic products for the living environment.



RP-E-1802 Typography CILON Spot

## Typography CILON SPOT





### PRODUCT TECHNICAL SPECIFICATION

NAME: CILON SPOT DESIGN: STUDIO TRULY TRULY STYLE: **SPOT** 

WEIGHT: 430g BEAM ANGLE: 35° (STANDARD) // 50° // 70°

MATERIALS & FINISH: ANODISED ALUMINIUM

LIGHT SOURCE: POWER SUPPLY RAIL: DIMMING RAIL:

MOUNTING:

POWERED FROM 48VDC TYPOGRAPHY RAIL (REFER TYPOGRAPHY SYSTEM DATA SHEET) STANDARD CAPABILITY - SWITCH-DIM (ALL LIGHTS ON A RAIL DIM TOGETHER) STANDARD CAPABILITY - DALI (EACH LIGHT ON A RAIL DIMS INDEPENDENTLY)

INTEGRATED XICATO XTM LES19 ARTIST SERIES // 20W // 2140lm (MODULE) // 2700K // CRI98

ON REQUEST - 0-10V (ALL LIGHTS ON A RAIL DIM TOGETHER)

ON REQUEST - TRIDONIC CASAMBI WIRELESS BASICDIM (4 PRESET SUBGROUPS DIM INDEPENDENTLY)

TYPOGRAPHY RAIL (REFER TO SYSTEM DATA SHEET)



Studio Truly Truly is a design studio operating from the Netherlands, founded by Australian designers Joel & Kate Booy. Positioned on the interface between industry and art, the studio specialises in creating artistic products for the living environment.

Rakumba has been producing custom-made feature lighting for the Australian design industry since 1968. Collaborating with designers across a wide range of sectors from commercial to residential, we take pride in our bespoke service, attention to design detailing and ability to deliver on any scale of project. ©2018 Rakumba Lighting Pty Ltd


Rakumba.com



# Typography CILON Staff



# Typography CILON STAFF





PRODUCT TECHNICAL SPECIFICATION INTEGRATED CREE LED ARRAY // 6W // 700lm (MODULE) // 2700K // CRI90 LIGHT SOURCE:

CILON STAFF NAME: DESIGN: STUDIO TRULY TRULY STYLE: AREA ILLUMINATION

WEIGHT: 680g

MATERIALS & FINISH: ANODISED ALUMINIUM //

**GLASS DIFFUSER** 

POWER SUPPLY RAIL: POWERED FROM 48VDC TYPOGRAPHY RAIL (REFER TYPOGRAPHY SYSTEM DATA SHEET) POWER SUPPLY WALL: POWERED DIRECTLY FROM REMOTE INSTALL DRIVER (MAX. 10M DISTANCE FROM FITTING)

**DIMMING RAIL:** STANDARD CAPABILITY - SWITCH-DIM (ALL LIGHTS ON A RAIL DIM TOGETHER)

STANDARD CAPABILITY - DALI (EACH LIGHT ON A RAIL DIMS INDEPENDENTLY)

ON REQUEST - 0-10V (ALL LIGHTS ON A RAIL DIM TOGETHER)

ON REQUEST - TRIDONIC CASAMBI WIRELESS BASICDIM (4 PRESET SUBGROUPS DIM INDEPENDENTLY)

STANDARD CAPABILITY - PHASE CUT DIMMING WALL:

STANDARD CAPABILITY - 1-10V ON REQUEST - SWITCH-DIM

ON REQUEST - DALI

MOUNTING: TYPOGRAPHY RAIL (REFER TO SYSTEM DATA SHEET)

TYPOGRAPHY WALL MOUNT



Studio Truly Truly is a design studio operating from the Netherlands, founded by Australian designers Joel & Kate Booy. Positioned on the interface between industry and art, the studio specialises in creating artistic products for the living environment.