

# YOU-TURN



reddot design award  
winner

**GOOD  
DESIGN**  
award



PLEASE FIND THE OTHER MEMBERS  
▼ OF THIS FAMILY ▼




INTERIOR  
CEILING SURFACE



INTERIOR  
TRACK

## YOU-TURN



3000K / CRI>90		2700K / CRI>90		2700-1800K / CRI>90
LED [H] 7,1W / 805lm / 350mA LED [H] 10,4W / 1118lm / 500mA		LED [H] 7,1W / 773lm / 350mA LED [H] 10,4W / 1073lm / 500mA		LED [S] 9,5W / 760lm / 650mA
33°	50°	33°	50°	40°
<b>313 01 811 932</b> ◊	<b>313 01 811 933</b> ◊	<b>313 01 811 922</b> ◊	<b>313 01 811 923</b> ◊	<b>313 01 1902</b> ◊
◊ W-B				
◊ 0,7 IP20				

121 x 110 / max.30


### REQUIREMENTS

LED POWER SUPPLY 350-500mA-DC / DIM  
LED POWER SUPPLY 650mA-DC / SOFT DIM

### OPTIONS

PLASTERKIT 185 ► **207 01 185**

## YOU-TURN 20



3000K / CRI>90		2700K / CRI>90	
LED [J] 16,8W / 2075lm / 500mA LED [J] 24,3W / 2862lm / 700mA		LED [J] 16,8W / 2000lm / 500mA LED [J] 24,3W / 2759lm / 700mA	
33°	50°	33°	50°
<b>313 010 21 932</b> ◊	<b>313 010 21 933</b> ◊	<b>313 010 21 922</b> ◊	<b>313 010 21 923</b> ◊
◊ W-B			
◊ 0,8 IP20			

121 x 110 / max.30


### REQUIREMENTS

LED POWER SUPPLY 500-700mA-DC / DIM

### OPTIONS

PLASTERKIT 185 ► **207 01 185**

## YOU-TURN 111



1 x QR-LP111 max.75W				
<b>313 01 12</b> ◊				
◊ W-B				
G53 / 12V				
◊ 0,6 IP20 ◊ 1,0				

121 x 110 / max.30

### OPTIONS

PLASTERKIT 185 ► **207 01 185**

TRANSFO 50W ► **200 46 06**

or

TRANSFO 100W ► **200 46 10**




NERO ARCHITECTEN

**INTERIOR**  
CEILING RECESSED

---



HENK PUPAERT ENGINEERING



KELKENS PIERENS

**INTERIOR**  
CEILING RECESSED

---



IDEAL PROJECTS