


# MICROSPY C & SPY C




### MICROSPY 39 C



3000K / CRI>90	2700K / CRI>90
7,1W / 805lm / 350mA	7,1W / 773lm / 350mA
24°	
<b>279 773 811 931</b> ◊	<b>279 773 811 921</b> ◊
◊ B / W	
110-240V / 50-60Hz	
INCL.1 x CABLE 2 x 0.75mm <sup>2</sup> / 1.6m	
◻ <b>0,9</b> IP20	

**OPTIONS**  
CONNECTION TRIMLESS ► **328 10 03**

### SPY C



3000K / CRI>90	2700K / CRI>90
7,1W / 805lm / 350mA	7,1W / 773lm / 350mA
MAINS DIMMING (FE)	
33°	
<b>279 776 811 932 ED8</b> ◊	<b>279 776 811 922 ED8</b> ◊
◊ B / W	
220-240V / 50-60Hz	
INCL.1 x CABLE SUSP. SINGLE AUTO. 1.6m	
INCL.1 x CABLE 2 x 0.75mm <sup>2</sup>	
◊ <b>1,1</b> IP20	

**REQUIREMENTS**  
SPY TUBE ◊ ► **414 01 00** B / FBR / FG / MMAT / SG / W

**OPTIONS**  
SUSPENSION + CONNECTION TRIMLESS ► **328 10 02**  
COVERSET R ◊ (Ø 90) ► **204 00 90** ANO / B / W  
COVERSET R ◊ (Ø100) ► **204 00 100** ANO / B / W

**ACCESSORIES**  
HONEYCOMB / LENS / GLASS 50

