





# JABARA AV BOARD

DESIGN: SHINSAKU MIYAMOTO




#### ABOUT JABARA AV BOARD

THE CLASSICAL ACCORDION-STYLE DOORS INCORPORATED INTO THE JABARA AV BOARD, PROVIDE A SENSE OF TIMELESSNESS TOGETHER WITH DEMONSTRATING THE INDISPENSABLE NATURE OF THIS PIECE OF FURNITURE. THE UNIQUE DOOR IS REMINISCENT OF JAPANESE BEAUTY WHICH CAN BE SEEN IN REED-SCREEN DOORS IN TRADITIONAL TOWNHOUSES DURING THE SUMMERTIME, OR IN THE BAMBOO GROVES OF SAGANO, KYOTO. CAREFULLY SELECTED SOLID WOOD IS FINELY CUT INTO THIN PIECES WITH CHAMFERED CORNERS, WHICH CREATES BEAUTIFUL CONTRASTING SHADES. THE CONTRAST OF LIGHT AND SHADE GIVES THE APPEARANCE THAT THE ACCORDION DOORS FOLD BACK EVEN FURTHER. THE DESIGN INSPIRED BY NATURE, HELPS TO CREATE A COMFORTABLE ATMOSPHERE IN ANY ROOM. WHEN YOU OPEN AND CLOSE THE DOORS, YOU MAY FEEL A SLIGHT STIFFNESS AND HEAR THE SOUND OF THE PIECES OF WOOD RUBBING TOGETHER.

OPENING THE DOOR REQUIRES SOME PATIENCE! HOWEVER, ON OPENING THE CABINET, YOUR PATIENCE IS REWARDED BECAUSE OF THE HIDDEN AND ENCHANTING CHARM DISPLAYED WITHIN THIS PIECE OF FURNITURE. THE JABARA AV BOARD IS AVAILABLE IN THREE DIFFERENT HEIGHTS AND FIVE WIDTHS. THESE PARTS CAN BE ASSEMBLED INTO 15 DIFFERENT ARRANGEMENTS, THEREBY CATERING FOR DIFFERING TASTES AND LIFESTYLES. THE SMOKED-GLASS DOOR HIDES AWAY ANY AUDIO-VISUAL EQUIPMENT. IN COMBINATION WITH THE ATTRACTIVE ACCORDION-STYLE DOOR, THE STYLISH APPEARANCE OF THE SMOKED-GLASS DOOR CREATES A MODERN BUT WARM ATMOSPHERE.

WE ARE COMMITTED TO MAKING PRODUCTS WHICH COMBINE BOTH BEAUTY AND PRACTICALITY. IN THIS WAY, OUR CUSTOMERS CAN ENJOY ATTRACTIVELY DESIGNED PIECES OF FURNITURE FOR STORING ITEMS.



## JABARA AV BOARD (TYPE H)

W2200×D455×H600 ITEM NO. JAV2212 OAK (URETHANE FINISH WH)



## JABARA AV BOARD (TYPE L)

W2200×D455×H460 ITEM NO. JAV2191 WALNUT (URETHANE FINISH NL)



# JABARA AV BOARD (TYPE L)

W1800×D455×H460 ITEM NO. JAV2185 WALNUT (URETHANE FINISH NL)



## JABARA AV BOARD (TYPE D)

W2400×D455×H370 ITEM NO. JAV2173 WALNUT (URETHANE FINISH NL)



## SPECIFICATION

[DESCRIPTION]

BODY FRAME: YOU CAN CHOOSE FROM THE FOLLOWING;

WALNUT (URETHANE FINISH NL)
OAK (URETHANE FINISH NL / WH)

GLASS DOOR: SMOKED GLASS / FRAME (BLACK)

BASE: BLOCK BOARD WITH BLACK LAMINATED POLYESTER (FOR BASE TYPE D)
STEEL POWDER COATING WITH BLACK (FOR BASE TYPE H & TYPE L)
HAIRLINE STAINLESS STEEL ACRYLIC URETHANE COATING WITH

6 COLORS (UPGRADE FOR BASE TYPE H & TYPE L)
WIRING BOX: STEEL POWDER COATING WITH BLACK

INNER BOX: LEATHER (LE-8010) / ARTIFICIAL SUEDE (GREIGE)

[LOAD LIMIT]

BODY: W1600 / 80kg, W1800 / 90kg, W2000 / 100kg, W2200 / 110kg, W2400 / 120kg

TOP PANEL: UNDER W1800 / 35kg, OVER W2000 / 45kg

SHELF: 10kg

### [NOTICE]

- $\boldsymbol{\cdot}$  PLEASE USE THE ATTACHED FURNITURE FALL PREVENTION FITTINGS FOR TYPE H.
- READY-TO-ASSEMBLE BASE
- ONE SHELF BOARD IS PROVIDED FOR EACH STORAGE COMPARTMENT

#### [AWARD]

RED DOT DESIGN AWARD 2019 BEST OF THE BEST



reddot design award best of the best 2019

#### **FEATURES**

## WOOD AND **COLOR VARIATION**

PLEASE SELECT ONE OF THE TWO TYPES OF WOOD (WALNUT/OAK)

WALNUT COMES IN NL (NATURAL COLOR).

OAK COMES IN TWO COLORS, NL AND WH (WHITE).

WALNUT (URETHANE NL)

(URETHANE NL)

OAK (URETHANE WH)

## **JABARA SLIDING DOOR**

NATURAL WOOD IS FINELY CUT INTO PIECES WITH CHAMFERED CORNERS AND THEY ARE CAREFULLY ARRANGED TO PERFECTLY COORDINATE WITH ONE ANOTHER IN COLORS AND GRAINS. THIS ENHANCES THE DELICATE BEAUTY OF THIS ACCORDION-STYLE JABARA DOOR.

NATURAL WOOD ASSUMES A VARIETY OF EXPRESSIONS BECAUSE OF ITS RICH TEXTURE. IN ADDITION, IT IS PLEASANT TO FEEL THE TOUCH OF THIS UNIQUE DOOR, SUCH AS A SLIGHT STIFFNESS AND THE SOUND OF THE PIECES OF WOOD RUBBING TOGETHER WHEN YOU OPEN AND CLOSE THE DOOR.



## **GLASS DOOR**

THE AV EQUIPMENT STORAGE SPACE IS ENCLOSED IN SMOKED GLASS SO THAT EQUIPMENT IS STORED DISCRETELY. THE HANDLE IS SLIM AND INTEGRATED INTO THE UPPER DOOR FRAME IN ORDER NOT TO DISTURB THE BEAUTY OF THE FLAT DOOR FACE.

PLEASE ENJOY A CALM AND MODERN ATMOSPHERE CREATED BY THE SOPHISTICATED COMBINATION OF SMOKED GLASS AND DELICATE JABARA.

**\*\* A REMOTE CONTROL IS OPERABLE WITH THE GLASS DOOR CLOSED.** 



#### **INNER BOX (OPTION)**

INNER BOXES FOR THE STORAGE COMPARTMENTS ARE AVAILABLE. THEIR BASE IS UPHOLSTERED WITH ELEGANT SEMI-ANILINE NATURAL LEATHER, AND THE INSIDE IS LINED WITH ARTIFICIAL SUEDE TO PREVENT YOUR PRECIOUS ITEMS FROM GETTING SCRATCHED.



## **BASE**

THERE ARE THREE TYPES OF BASE: TYPE H STEEL BASE (BASE: H270), TYPE L STEEL BASE (BASE: H130), AND TYPE D WITH ARCHITRAVE (ARCHITRAVE: H40). BASE OF DIFFERENT HEIGHTS ARE AVAILABLE FOR EACH BODY TYPE. PLEASE SELECT THE TYPE THAT BEST MATCHES THE INTERIOR OF YOUR ROOM AND YOUR LIFESTYLE.

**%** A ROBOT CLEANER CAN EASILY MOVE AROUND UNDER THE AV BOARD WITH STEEL BASE. (240MM CLEARANCE FOR TYPE H, AND 100MM CLEARANCE FOR TYPE L)






TYPE L



TYPE D

TEM	WIDE	TYPE	SIZE [mm]	ITEM NO.	WOOD AND COLOR
BODY	W1600	D	(F) (B) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	JAV 2161 (L) JAV 2163 (R)	WALNUT (URETHANE NL)
			W1600×D455×H370	JAV 2162 (L) JAV 2164 (R)	OAK (URETHANE NL) (URETHANE WH)
		L		JAV 2181 (L) JAV 2183 (R)	WALNUT (URETHANE NL)
			(L) (R) W1600×D455×H460	JAV 2182 (L) JAV 2184 (R)	OAK (URETHANE NL) (URETHANE WH)
		н	00 00 00 00 00 00 00 00 00 00 00 00 00	JAV 2201 (L) JAV 2203 (R)	WALNUT (URETHANE NL)
			(L) (R) W1600×D455×H600	JAV 2202 (L) JAV 2204 (R)	OAK (URETHANE NL) (URETHANE WH)
	W1800	D	(F) (B) (B)	JAV 2165 (L) JAV 2167 (R)	WALNUT (URETHANE NL)
			W1800×D455×H370	JAV 2166 (L) JAV 2168 (R)	OAK (URETHANE NL) (URETHANE WH)
		L	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	JAV 2185 (L) JAV 2187 (R)	WALNUT (URETHANE NL)
			(L) (R) W1800×D455×H460	JAV 2186 (L) JAV 2188 (R)	OAK (URETHANE NL) (URETHANE WH)
		Н	600   330   100	JAV 2205 (L) JAV 2207 (R)	WALNUT (URETHANE NL)
			(L) (R) W1800×D455×H600	JAV 2206 (L) JAV 2208 (R)	OAK OAK (URETHANE NL) (URETHANE WH)
	W2000	D	370	JAV 2169	WALNUT (URETHANE NL)
			W2000×D455×H370	JAV 2170	OAK (URETHANE NL) (URETHANE WH)
		L	4 60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	JAV 2189	WALNUT (URETHANE NL)
			W2000×D455×H460	JAV 2190	OAK (URETHANE NL) (URETHANE WH)
		н	600	JAV 2209	WALNUT (URETHANE NL)
			W2000×D455×H600	JAV 2210	OAK (URETHANE NL) OAK (URETHANE WH)

ITEM	WIDE	TYPE	SIZE [mm]	ITEM NO.	WOOD AND COLOR
BODY	W2200	D	40 % % % % % % % % % % % % % % % % % % %	JAV 2171	WALNUT (URETHANE NL)
			W2200×D455×H370	JAV 2172	OAK (URETHANE NL) OAK (URETHANE WH)
		L	180 4 0 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	JAV 2191	WALNUT (URETHANE NL)
			W2200×D455×H460	JAV 2192	OAK (URETHANE NL) OAK (URETHANE WH)
		Н	270 330 600	JAV 2211	WALNUT (URETHANE NL)
			W2200×D455×H600	JAV 2212	OAK (URETHANE NL) OAK (URETHANE WH)
	W2400	0 D	40 330 370	JAV 2173	WALNUT (URETHANE NL)
			W2400×D455×H370	JAV 2174	OAK (URETHANE NL) OAK (URETHANE WH)
		L	130 130	JAV 2193	WALNUT (URETHANE NL)
			W2400×D455×H460	JAV 2194	OAK (URETHANE NL) OAK (URETHANE WH)
		н	270330	JAV 2213	WALNUT (URETHANE NL)
			W2400×D455×H600	JAV 2214	OAK (URETHANE NL) OAK (URETHANE WH)



EM	SPECIFICATION	ITEM NO.	TARGET ITEM NO.
BASE JPGRADE)	YOU CAN UPGRADE FROM STEEL BASE TO HAIRLINE STAINLESS STEEL ACRYLIC URETHANE COATING WITH 6 COLORS (SHINY HAIRLINE /	JB 2234	W1600 · L JAB 2181 / 2182 / 2183 / 2184
	SHINY BRASS / SHINY BRONZE / ANTIQUE BRASS / ANTIQUE GRAY / CLASSIC ROSE)	JB 2235	W1800 · L JAB 2185 / 2186 / 2187 / 2188
	HAIRLINE STAINLESS STEEL (SHINY HAIRLINE)  HAIRLINE STAINLESS STEEL	JB 2236	W2000 · L JAB 2189 / 2190
	(SHINY BRASS)  HAIRLINE STAINLESS STEEL (SHINY BRONZE)	JB 2237	W2200 · L JAB 2191 / 2192
	HAIRLINE STAINLESS STEEL (ANTIQUE BRASS)	JB 2238	W2400 · L JAB 2193 / 2194
	HAIRLINE STAINLESS STEEL (ANTIQUE GRAY)  HAIRLINE STAINLESS STEEL (CLASSIC ROSE)	JB 2239	W1600 · H JAB 2201 / 2202 / 2203 / 2204
		JB 2240	W1800 · H JAB 2205 / 2206 / 2207 / 2208
		JB 2241	W2000 · H JAB 2209 / 2210
		JB 2242	W2200 · H JAB 2211 / 2212
		JB 2243	W2400 · H JAB 2213 / 2214

#### **DETAILS**



THE DROP-DOWN DOOR SLOWLY OPENS AND CLOSES WITH A FEELING OF MODERATE RESISTANCE. QUALITY WIRE STAY AND SOFT CLOSE DAMPER ARE USED TO ACHIEVE SMOOTHER OPERABILITY. BY USING INCONSPICUOUS PARTS AND EMPHASIZING THEIR PERFECT FIT, THE DOOR IS HIGHLY FUNCTIONAL AND STYLISH IN DESIGN.



A SECTION OF THE REAR END OF THE TOP OF THE AV BOARD IS CUT OUT (W200XD14) FOR WIRING. THIS ALLOWS CORDS TO BE DRAWN OUT NEATLY AND THE AV BOARD TO BE PLACED FLUSH UP AGAINST THE WALL.



THIS AV BOARD HAS STORAGE SPACE FOR VERTICAL EQUIPMENT SUCH AS A HARD DISK AND A ROUTER.



THE WIRING BOX (W525XD70XH70) IS DESIGNED TO ORDERLY ACCOMMODATE POWER STRIPS AND EXTRA CORDS.



ONE MOVABLE SHELF BOARD IS PROVIDED FOR EACH STORAGE COMPARTMENT. THE HEIGHT CAN BE ADJUSTED EVERY 50MM.



THERE IS A LITTLE LARGER OPENING FOR WIRING IN THE BACK OF THE STORAGE COMPARTMENT, AND A BACK BOARD IS ATTACHED TO HIDE THE WIRING.



THE PARTITION BOARD FOR THE STORAGE COMPARTMENT HAS AN OPENING (W55XH40). CABLES CAN BE LAID THROUGH ALL THE STORAGE SPACES.



THE BACK BOARD IS REMOVABLE.
THE BACK BOARD CAN BE REMOVED
SO THAT EQUIPMENT IS EASILY
PUT IN AND OUT FROM THE BACK.
IT ALSO FACILITATES COMPLICATED
WIRING WORK.





THE REAR END OF THE TOP BOARD OF THE BODY IS 15MM LONGER THAN THE REST OF THE BODY IN ORDER TO CLOSE THE GAP BETWEEN THE WALL AND THE BODY THAT IS CREATED BY THE BASEBOARD OF A ROOM.

THEREFORE THE AV BOARD CAN BE PLACED FLUSH UP AGAINST THE WALL.

## **WIRING**

A WIRING SPACE IS PROVIDED AT THE BACK OF THE BODY, AND EACH OF SHELF BOARDS AND PARTITION BOARDS HAS AN OPENING FOR WIRING. THIS FACILITATES EQUIPMENT INSTALLATION AND WIRING, AND NEATLY ACCOMMODATES POWER STRIPS AND CORDS.





CROSS SECTION (SIDE)

USABLE DIMENSION	TYPE	ITEM NO.	SIZE [mm]	
INSIDE	<b>W1600</b> (L)	JAV 2161 JAV 2162 JAV 2181 JAV 2182 JAV 2201 JAV 2202	167 536 447 202 A B C	710 385  CROSS SECTION A-A
	W1600 (R)	JAV 2163 JAV 2164 JAV 2183 JAV 2184 JAV 2203 JAV 2204	202 447 536 167 C B A	OPENING W55×H40
	W1800 (L)	JAV 2165 JAV 2166 JAV 2185 JAV 2186 JAV 2205 JAV 2206	267 536 447 302 A B C	CROSS SECTION C-C  OPENING W55×H40
	W1800 (R)	JAV 2167 JAV 2168 JAV 2187 JAV 2188 JAV 2207 JAV 2208	302 447 536 267 B A	
	W2000	JAV 2169 JAV 2170 JAV 2189 JAV 2190 JAV 2209 JAV 2210	447 87 536 447  A B C	
	W2200	JAV 2171 JAV 2172 JAV 2191 JAV 2192 JAV 2211 JAV 2212	107 447 167 536 447 107 A B C	
	W2400	JAV 2173 JAV 2174 JAV 2193 JAV 2194 JAV 2213 JAV 2214	157 447 267 536 447 157 A B C	


# **BACK DETAILS**

BEHIND THE BACK BOARD INSTALLED IN THE BACK OF THE BODY, THERE IS A SPACE TO ORDERLY ACCOMMODATE WIRING CORDS AND POWER STRIPS, AND ALSO TO INSTALL THE WIRING BOX. THE BACK BOARD CAN BE EASILY REMOVED AND INSTALLED WITHOUT USING ANY TOOL.


 $\% {\sf FIXTURES}$  (SCREWS) CAN BE EASILY TAKEN OFF BY HAND.


## BACK BOARD REMOVAL PROCEDURE

 $\rightarrow$ 



JAV 2161 (L) / JAV 2162 (L)






REMOVE THE SCREW AT THE RIGHT END OF THE BACK BOARD, AND PULL OUT THE BOARD TOWARD YOU IN A RIGHT OBLIQUE DIRECTION TO REMOVE THE BOARD.

USABLE DIMENSION	TYPE	ITEM NO.	SIZE [mm]	
ELECTRIC OUTLET POSITION  TO THOSE WHO ARE BUILDING A HOUSE AND NEED TO DECIDE THE POSITION OF	W1600 (L)	JAV 2161 JAV 2162 JAV 2181 JAV 2182 JAV 2201 JAV 2202	212 690 698	THE HEIGHT FROM THE FLOOR TO THE OPENING (THE GRAY AREA) WILL VARY ACCORDING TO THE BASE TYPE.
THE ELECTRICAL OUTLET FOR THE AV BOARD: POSITION THE OUTLET SO THAT IT IS FACING THE OPENING BEHIND THE BACK BOARD (GRAY AREA IN THE DRAWING). THEN PLACE THE AV BOARD UP AGAINST THE WALL.	W1600 (R)	JAV 2163 JAV 2164 JAV 2183 JAV 2184 JAV 2203 JAV 2204	698 690 212	92 92 92 92 92 92 92 92 92 92 93 94 94 94 94 94 94 94 94 94 94 94 94 94
PLEASE ARRANGE	W1800 (L)	JAV 2165 JAV 2166 JAV 2185 JAV 2186 JAV 2205 JAV 2206	312 690 798	TYPE L 92
THE OUTLET PLATE TO COME WITHIN THE GRAY AREA.  SOUTH	W1800 (R)	JAV 2167 JAV 2168 JAV 2187 JAV 2188 JAV 2207 JAV 2208	798 690 312	TYPE H 92
WALL OUTLET PLATE	W2000	JAV 2169 JAV 2170 JAV 2189 JAV 2190 JAV 2209 JAV 2210	767 537 696	287 70 225
FLOOR CROSS SECTION (SIDE)	W2200	JAV 2171 JAV 2172 JAV 2191 JAV 2192 JAV 2211 JAV 2212	907 537 756	
	W2400	JAV 2173 JAV 2174 JAV 2193 JAV 2194 JAV 2213 JAV 2214	1057 537 806	

# TV SETTING EXAMPLE



\*\*A COMFORTABLE VIEWING ENVIRONMENT FOR CUSTOMERS IS DETERMINED BY ROOM SIZE, FURNITURE LAYOUT, AND THE USE ENVIRONMENT. CONSIDER THE SCREEN SIZE OF YOUR TV, ROOM DÉCOR, AND YOUR LIFESTYLE, BEFORE SELECTING THE RIGHT TYPE OF AV BOARD FOR YOU.