

# VIZIR & HEDRA

## OVERVIEW

Vizir and Hedra add refinement, finesse and color to the range. Vizir is characterized by its atypical hinge, a design element that not only catches the eye, but also serves as storage for technical parts inside the luminaire.

Next to black and white, Vizir comes in the new Gold Coloured and Black Bronze finishes, either polished or in faceted texture. This faceted design exists out of many different planes that capture and reflect the ambient light with an ever-changing look as result. It is also the typical design element of the Hedra family, a series of pendant, spotlight and wall mounted luminaires, available as full LED solution or for retrofit bulbs.

### **VIZIR - HEDRA CLIP / ON**

The high-quality finishing on Hedra and Vizir instantly adds a touch of class to the room. The two installation possibilities - either completely surface mounted or either semi-recessed - allow to use these directable spotlights in any kind of application. Furthermore, the very slender base with integrated power supply of Vizir and Hedra 2 On bring extra flair and elegance.

### **VIZIR - HEDRA C**

The pendants within Vizir and Hedra make you play with light and design. By combining decorative E27 bulbs with integrated LED, small with longer tubes, Vizir with Hedra or Black Bronze finish with Gold Coloured, every set-up will be




**INTERIOR**  
CEILING SURFACE / SUSPENDED

|                                                                                     |           | VIZIR 45                                                                           |                                                                                   | HEDRA 39                                                                          | HEDRA 45                                                                           |        | HEDRA 62                                                                            |
|-------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------|
|                                                                                     |           | LED<br>570 - 1446 lm                                                               |                                                                                   | LED<br>774 lm                                                                     | LED<br>570 - 1446 lm                                                               |        | E27<br>HALOGEN                                                                      |
|                                                                                     |           | SINGLE                                                                             | DOUBLE                                                                            |                                                                                   | SINGLE                                                                             | DOUBLE |                                                                                     |
|    | CLIP      |   |                                                                                   |                                                                                   |   |        |                                                                                     |
|                                                                                     | ON        |   |  |                                                                                   |  |        |  |
|    | C         |                                                                                    |                                                                                   |  |   |        |  |
|                                                                                     | SUPERLOOP |  |                                                                                   |                                                                                   |  |        |                                                                                     |
|                                                                                     | FINTO     |                                                                                    |                                                                                   | ✓                                                                                 | ✓                                                                                  |        |                                                                                     |
|  | W         |                                                                                    |                                                                                   |                                                                                   |                                                                                    |        | ✓                                                                                   |
|  | MAGNETIC  | ✓                                                                                  |                                                                                   |                                                                                   | ✓                                                                                  |        |                                                                                     |

**NEW** **VIZIR &  
HEDRA  
CLIP**



## VIZIR CLIP



50 x 40

### REQUIREMENTS

VIZIR TUBE ► 473 01 00 B / FBR / FG / W  
LED POWER SUPPLY 350-500mA-DC / DIM

### OPTIONS

MOUNTING KIT FLUSH SPY ► 414 90 01

### ACCESSORIES


VIZIR HONEYCOMB / LENS

| 3000K / CRI>80                                             | 3000K / CRI>90                                                 | 2700K / CRI>80                                             | 2700K / CRI>90                                                 |
|------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------|
| LED [E] 4,1W / 420lm / 350mA<br>LED [E] 6W / 570lm / 500mA | LED [H] 7,1W / 805lm / 350mA<br>LED [H] 10,4W / 1118lm / 500mA | LED [E] 4,1W / 420lm / 350mA<br>LED [E] 6W / 570lm / 500mA | LED [H] 7,1W / 773lm / 350mA<br>LED [H] 10,4W / 1073lm / 500mA |
| 8°                                                         | 33°                                                            | 8°                                                         | 33°                                                            |
| 473 111 831 ◇                                              | 473 111 811 932 ◇                                              | 473 111 821 ◇                                              | 473 111 811 922 ◇                                              |

◇ BBR-B / GC-B / W-W

0,4 IP20

## VIZIR L CLIP



50 x 40

### REQUIREMENTS

VIZIR TUBE ► 473 01 00 B / FBR / FG / W  
LED POWER SUPPLY 500-700mA-DC / DIM

### OPTIONS

MOUNTING KIT FLUSH SPY ► 414 90 01

### ACCESSORIES


VIZIR HONEYCOMB / LENS

| 3000K / CRI>90                                                 | 2700K / CRI>90                                                 |
|----------------------------------------------------------------|----------------------------------------------------------------|
| LED [H] 10,4W / 1118lm / 500mA<br>LED [H] 15W / 1504lm / 700mA | LED [H] 10,4W / 1073lm / 500mA<br>LED [H] 15W / 1444lm / 700mA |
| 33°                                                            |                                                                |
| 473 112 811 932 ◇                                              | 473 112 811 922 ◇                                              |

◇ BBR-B / GC-B / W-W

0,4 IP20

## HEDRA CLIP



50 x 40

### REQUIREMENTS

VIZIR TUBE ► 473 01 00 B / FBR / FG / W  
LED POWER SUPPLY 350-500mA-DC / DIM

### OPTIONS

MOUNTING KIT FLUSH SPY ► 414 90 01

### ACCESSORIES


VIZIR HONEYCOMB / LENS

| 3000K / CRI>80                                             | 3000K / CRI>90                                                 | 2700K / CRI>80                                             | 2700K / CRI>90                                                 |
|------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------|
| LED [E] 4,1W / 420lm / 350mA<br>LED [E] 6W / 570lm / 500mA | LED [H] 7,1W / 805lm / 350mA<br>LED [H] 10,4W / 1118lm / 500mA | LED [E] 4,1W / 420lm / 350mA<br>LED [E] 6W / 570lm / 500mA | LED [H] 7,1W / 773lm / 350mA<br>LED [H] 10,4W / 1073lm / 500mA |
| 8°                                                         | 33°                                                            | 8°                                                         | 33°                                                            |
| 473 211 831 ◇                                              | 473 211 811 932 ◇                                              | 473 211 821 ◇                                              | 473 211 811 922 ◇                                              |

◇ B-B / BBR-B / GC-B / W-W

0,3 IP20

## HEDRA L CLIP



50 x 40

### REQUIREMENTS

VIZIR TUBE ► 473 01 00 B / FBR / FG / W  
LED POWER SUPPLY 500-700mA-DC / DIM

### OPTIONS

MOUNTING KIT FLUSH SPY ► 414 90 01


### ACCESSORIES

VIZIR HONEYCOMB / LENS

| 3000K / CRI>90                                                 | 2700K / CRI>90                                                 |
|----------------------------------------------------------------|----------------------------------------------------------------|
| LED [H] 10,4W / 1118lm / 500mA<br>LED [H] 15W / 1504lm / 700mA | LED [H] 10,4W / 1073lm / 500mA<br>LED [H] 15W / 1444lm / 700mA |
| 33°                                                            |                                                                |
| 473 212 811 932 ◇                                              | 473 212 811 922 ◇                                              |

◇ B-B / BBR-B / GC-B / W-W


0,4 IP20



**NEW** **VIZIR &  
HEDRA  
ON**



## VIZIR ON



### REQUIREMENTS

VIZIR TUBE ► **473 01 00 B** / FBR / FG / W  
LED POWER SUPPLY 350-500mA-DC / DIM

### OPTIONS

COVERSET R ► (Ø 62) ► **204 00 62** ANO / B / W  
COVERSET R ► (Ø 90) ► **204 00 90** ANO / B / W  
COVERSET R ► (Ø 100) ► **204 00 100** ANO / B / W

### ACCESSORIES


VIZIR HONEYCOMB / LENS

| 3000K / CRI>80                                             | 3000K / CRI>90                                                 | 2700K / CRI>80                                             | 2700K / CRI>90                                                 |
|------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------|
| LED [E] 4,1W / 420lm / 350mA<br>LED [E] 6W / 570lm / 500mA | LED [H] 7,1W / 805lm / 350mA<br>LED [H] 10,4W / 1118lm / 500mA | LED [E] 4,1W / 420lm / 350mA<br>LED [E] 6W / 570lm / 500mA | LED [H] 7,1W / 773lm / 350mA<br>LED [H] 10,4W / 1073lm / 500mA |
| 8°                                                         | 33°                                                            | 8°                                                         | 33°                                                            |
| <b>473 131 831</b> ◇                                       | <b>473 131 811 932</b> ◇                                       | <b>473 131 821</b> ◇                                       | <b>473 131 811 922</b> ◇                                       |

◇ BBR-B / GC-B / W-W

◇ **0,4** IP20

## VIZIR L ON



### REQUIREMENTS

VIZIR TUBE ► **473 01 00 B** / FBR / FG / W  
LED POWER SUPPLY 500-700mA-DC / DIM

### OPTIONS

COVERSET R ► (Ø 62) ► **204 00 62** ANO / B / W  
COVERSET R ► (Ø 90) ► **204 00 90** ANO / B / W  
COVERSET R ► (Ø 100) ► **204 00 100** ANO / B / W

### ACCESSORIES


VIZIR HONEYCOMB / LENS

| 3000K / CRI>90                                                 | 2700K / CRI>90                                                 |
|----------------------------------------------------------------|----------------------------------------------------------------|
| LED [H] 10,4W / 1118lm / 500mA<br>LED [H] 15W / 1504lm / 700mA | LED [H] 10,4W / 1073lm / 500mA<br>LED [H] 15W / 1444lm / 700mA |
| 33°                                                            |                                                                |
| <b>473 132 811 932</b> ◇                                       | <b>473 132 811 922</b> ◇                                       |

◇ BBR-B / GC-B / W-W

◇ **0,4** IP20

## HEDRA ON



### REQUIREMENTS

VIZIR TUBE ► **473 01 00 B** / FBR / FG / W  
LED POWER SUPPLY 350-500mA-DC / DIM

### OPTIONS

COVERSET R ► (Ø 62) ► **204 00 62** ANO / B / W  
COVERSET R ► (Ø 90) ► **204 00 90** ANO / B / W  
COVERSET R ► (Ø 100) ► **204 00 100** ANO / B / W

### ACCESSORIES


VIZIR HONEYCOMB / LENS

| 3000K / CRI>80                                             | 3000K / CRI>90                                                 | 2700K / CRI>80                                             | 2700K / CRI>90                                                 |
|------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------|
| LED [E] 4,1W / 420lm / 350mA<br>LED [E] 6W / 570lm / 500mA | LED [H] 7,1W / 805lm / 350mA<br>LED [H] 10,4W / 1118lm / 500mA | LED [E] 4,1W / 420lm / 350mA<br>LED [E] 6W / 570lm / 500mA | LED [H] 7,1W / 773lm / 350mA<br>LED [H] 10,4W / 1073lm / 500mA |
| 8°                                                         | 33°                                                            | 8°                                                         | 33°                                                            |
| <b>473 231 831</b> ◇                                       | <b>473 231 811 932</b> ◇                                       | <b>473 231 821</b> ◇                                       | <b>473 231 811 922</b> ◇                                       |

◇ B-B / BBR-B / GC-B / W-W

◇ **0,3** IP20

## HEDRA L ON



### REQUIREMENTS

VIZIR TUBE ► **473 01 00 B** / FBR / FG / W  
LED POWER SUPPLY 500-700mA-DC / DIM

### OPTIONS

COVERSET R ► (Ø 62) ► **204 00 62** ANO / B / W  
COVERSET R ► (Ø 90) ► **204 00 90** ANO / B / W  
COVERSET R ► (Ø 100) ► **204 00 100** ANO / B / W

### ACCESSORIES

VIZIR HONEYCOMB / LENS

| 3000K / CRI>90                                                 | 2700K / CRI>90                                                 |
|----------------------------------------------------------------|----------------------------------------------------------------|
| LED [H] 10,4W / 1118lm / 500mA<br>LED [H] 15W / 1504lm / 700mA | LED [H] 10,4W / 1073lm / 500mA<br>LED [H] 15W / 1444lm / 700mA |
| 33°                                                            |                                                                |
| <b>473 232 811 932</b> ◇                                       | <b>473 232 811 922</b> ◇                                       |


◇ B-B / BBR-B / GC-B / W-W

◇ **0,4** IP20

**NEW** **VIZIR &  
HEDRA  
ON 2**



## VIZIR ON 2



### REQUIREMENTS

2 x VIZIR TUBE ◊ ► 473 01 00 B / FBR / FG / W


### ACCESSORIES

VIZIR HONEYCOMB / LENS

|                              |                              |
|------------------------------|------------------------------|
| 3000K / CRI>90               | 2700K / CRI>90               |
| 2 x LED 7,1W / 805lm / 350mA | 2 x LED 7,1W / 773lm / 350mA |
| 1-10V DIM                    |                              |
| 33°                          |                              |
| 473 131 812 932 ED1 ◊        | 473 131 812 922 ED1 ◊        |
| ◊ BBR-B / GC-B / W-W         |                              |
| 220-240V / 50-60Hz           |                              |

◊ 0,9 IP20

## HEDRA ON 2



### REQUIREMENTS

2 x VIZIR TUBE ◊ ► 473 01 00 B / FBR / FG / W

### ACCESSORIES

VIZIR HONEYCOMB / LENS

|                              |                              |
|------------------------------|------------------------------|
| 3000K / CRI>90               | 2700K / CRI>90               |
| 2 x LED 7,1W / 805lm / 350mA | 2 x LED 7,1W / 773lm / 350mA |
| 1-10V DIM                    |                              |
| 33°                          |                              |
| 473 231 812 932 ED1 ◊        | 473 231 812 922 ED1 ◊        |
| ◊ B-B / BBR-B / GC-B / W-W   |                              |
| 220-240V / 50-60Hz           |                              |

◊ 0,9 IP20




NEW

# HEDRA

39/45/62 C




## HEDRA 39 C



**OPTIONS**  
CONNECTION TRIMLESS ► 328 10 03

| 3000K / CRI>90                                |                                      |                                       | 2700K / CRI>90                       |                                      |                                       |
|-----------------------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|
| LED 7,1W / 805lm / 350mA                      |                                      |                                       | LED 7,1W / 773lm / 350mA             |                                      |                                       |
| 400mm / <input type="checkbox"/> 0,7          | 800mm / <input type="checkbox"/> 1,2 | 1200mm / <input type="checkbox"/> 1,6 | 400mm / <input type="checkbox"/> 0,7 | 800mm / <input type="checkbox"/> 1,2 | 1200mm / <input type="checkbox"/> 1,6 |
| 24°                                           |                                      |                                       |                                      |                                      |                                       |
| 472 121 811 931 ◇                             | 472 122 811 931 ◇                    | 472 123 811 931 ◇                     | 472 121 811 921 ◇                    | 472 122 811 921 ◇                    | 472 123 811 921 ◇                     |
| ◇ B / BBR / GC / W                            |                                      |                                       |                                      |                                      |                                       |
| 220-240V / 50-60Hz                            |                                      |                                       |                                      |                                      |                                       |
| INCL.1 x CABLE 2 x 0.75mm <sup>2</sup> / 1.6m |                                      |                                       |                                      |                                      |                                       |
| <input type="checkbox"/> IP20                 |                                      |                                       |                                      |                                      |                                       |

## HEDRA 45 C




**REQUIREMENTS**  
MIDISPY TUBE ◇ ► 414 03 00 B / FBR / FG / MMAT / SG / W

**OPTIONS**  
CONNECTION TRIMLESS ► 328 10 03

| 3000K / CRI>90                                |                                      | 2700K / CRI>90                       |                                      |
|-----------------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| LED 6,4W / 587lm / 350mA                      |                                      | LED 6,4W / 587lm / 350mA             |                                      |
| 195mm / <input type="checkbox"/> 0,6          | 300mm / <input type="checkbox"/> 0,8 | 195mm / <input type="checkbox"/> 0,6 | 300mm / <input type="checkbox"/> 0,8 |
| MAINS DIMMING (FE)                            |                                      |                                      |                                      |
| 40°                                           |                                      |                                      |                                      |
| 472 221 932 ED8 ◇                             | 472 222 932 ED8 ◇                    | 472 221 922 ED8 ◇                    | 472 222 922 ED8 ◇                    |
| ◇ B / BBR / GC / W                            |                                      |                                      |                                      |
| 220-240V / 50-60Hz                            |                                      |                                      |                                      |
| INCL.1 x CABLE 2 x 0.75mm <sup>2</sup> / 1.6m |                                      |                                      |                                      |
| <input type="checkbox"/> IP20                 |                                      |                                      |                                      |


## HEDRA 45 C E27



**OPTIONS**  
CONNECTION TRIMLESS ► 328 10 03  
LED SOLUTION - PAG TEC 8

|                                               |                                      |
|-----------------------------------------------|--------------------------------------|
| 1 x A60 max.20W                               |                                      |
| 150mm / <input type="checkbox"/> 0,5          | 300mm / <input type="checkbox"/> 0,7 |
| 472 221 01 ◇                                  | 472 222 01 ◇                         |
| ◇ B / BBR / GC / WW                           |                                      |
| E27Ls / 100-240V / 50-60Hz                    |                                      |
| INCL.1 x CABLE 2 x 0.75mm <sup>2</sup> / 1.6m |                                      |
| <input type="checkbox"/> IP20                 |                                      |


## HEDRA 62 C Hi



**OPTIONS**  
CONNECTION TRIMLESS ► 328 10 03  
LED SOLUTION - PAG TEC 8


|                                                            |                                      |
|------------------------------------------------------------|--------------------------------------|
| 1 x QPAR51 max.35W                                         |                                      |
| 150mm / <input type="checkbox"/> 0,5                       | 300mm / <input type="checkbox"/> 0,7 |
| 472 321 00 ◇                                               | 472 322 00 ◇                         |
| ◇ B / BBR / GC / W                                         |                                      |
| GU10 / 100-240V / 50-60Hz                                  |                                      |
| INCL.1 x CABLE 2 x 0.75mm <sup>2</sup> / 1.6m              |                                      |
| <input type="checkbox"/> IP20 <input type="checkbox"/> 0,5 |                                      |

## HEDRA 62 ON Hi



**OPTIONS**  
LED SOLUTION - PAG TEC 8

|                                                                |  |
|----------------------------------------------------------------|--|
| QPAR51 max.10W                                                 |  |
| 472 331 00 ◇                                                   |  |
| ◇ B / BBR / GC / W                                             |  |
| GU10 / 100-240V / 50-60Hz                                      |  |
| <input type="checkbox"/> 0,2 IP20 <input type="checkbox"/> 0,5 |  |



**INTERIOR**  
CEILING SURFACE / SUSPENDED


---











**INTERIOR**  
CEILING SURFACE / SUSPENDED

---

